NOVOCS™ Silicone Solvent

Zero-VOC Silicone Solvent Fluid

www.smooth-on.com

NOVOCS™ is a low viscosity silicone solvent that evaporates quickly. **NOVOCS™** will lower the viscosity of Smooth-On silicone rubbers and contains **no VOC's. NOVOCS™** is particulary useful in thinning down **Psycho Paint®** silicone paint base to apply via brush or airbrush to cured platinum silicone rubber props and prosthetics.

WARNING - FLAMMABLE Liquid and vapor. Keep away from ignition sources and follow precautions for handling flammables.

NOVOCS™ offers the following advantages:

- A lower mixed viscosity (A+B) means that the rubber will de-air faster when vacuuming.
- Mixed rubber (A+B) will flow better over intricate model detail.
- Pot life (working time) is increased in proportion to the amount of **NOVOCS™** used

Disadvantage: Ultimate shrinkage of the rubber is increased in proportion to the amount of **NOVOCS™** added, however knotty tear properties of the Mold Max® series rubbers are unaffected.

Directions: Materials should be stored and used in a warm environment (73° F / 23° C). This material has a limited shelf life and should be used as soon as possible. Wear safety glasses, long sleeves and rubber gloves to minimize contamination risk. **WARNING - This material is flammable. Keep away from ignition sources and follow precautions for handling flammables.**

Because no two applications are quite the same, a small test application to determine suitability for your project is recommended if performance of this material is in question.

Safety First!

The material safety data sheet (MSDS) for this or any Smooth-On product should be read before using and is available on request or on our website at www.smooth-on.com. All Smooth-On products are safe to use if directions are read and followed carefully. ***Keep Out of Reach Of Children.***

IMPORTANT **-** The information contained in this bulletin is considered accurate. However, no warranty is expressed or implied regarding the accuracy of the data, the results to be obtained from the use thereof, or that any such use will not infringe a copyright or patent. User shall determine suitability of the product for the intended application and assume all associated risks and liability.

Call Us Anytime With Questions About Your Application.

Toll-free: **(800) 762-0744** Fax: **(610) 252-6200**

The new **www.smooth-on.com** is loaded with information about mold making, casting and more.

100412 - JR