



# SAFETY DATA SHEET

SDS No. 1229

Revision Date: May 10, 2021 Version: 2.0

GHS Compliant

## Section 1 - Identification of the substance/mixture and of the company

### 1.1 Product Identifier

Trade Name: **Water Reducer 205, Liquefaction Compound**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

General Use: Concrete Additives

Restrictions on Use: None known

### 1.3 Details of the supplier of the safety data sheet:

Company: Buddy Rhodes Concrete Products  
5600 Lower Macungie Rd., Macungie, PA 18062

Telephone: Domestic: 1 (877) 706-5303  
International: (610) 252-5800 (collect calls accepted)

E-mail address: Visit our website at [www.buddyrhodes.com](http://www.buddyrhodes.com)

1.4 **Emergency Contact:** Chem-Tel Domestic: 800-255-3924 International: 813-248-0585

## Section 2 – Hazard(s) Identification

### 2.1 Classification of the substance or mixture

**GHS Classification in accordance with 29 CFR 1910.1200 (OSHA HCS)**

**H350** Carcinogenicity – Category 1

**H372** Specific Target Organ Toxicity (repeated exposure, lungs) – Category 1

### 2.2 GHS Label elements, including precautionary statements



**Pictogram(s):**

**Signal word:** Danger

#### Health Hazards

H350 May cause cancer

H372 Causes damage to organs through prolonged or repeated exposure

#### General Precautions

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

#### Prevention Precautions

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

### Response Precautions

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P314 Get medical advice/attention if you feel unwell.

### Disposal Precautions

P501 Dispose of contents/container to an approved waste disposal plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

This product contains a chemical known to be hazardous according to California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65). (See also Section 3 and 15)

## Section 3 - Composition / Information on Ingredients

### 3.1 Substances/Mixtures

The following ingredients are hazardous according to Regulation 2012 OSHA Hazard Communication Standard: 29 CFR 1910.1200:

Chemical name	CAS-No.	Concentration (% w/w)
Quartz	14808-60-7	20 – 50

## Section 4 - First Aid Measures

### 4.1 Description of first aid measures

#### Inhalation

Remove source(s) of contamination and move victim to fresh air. If breathing has stopped, give artificial respiration, then oxygen if needed. Contact physician immediately.

#### Eye Contact

Flush eyes with plenty of water. If irritation persists, seek medical attention.

#### Skin Contact

In case of skin contact, wash thoroughly with soap and water.

#### Ingestion

Do not induce vomiting unless instructed by a physician. Never give anything by mouth to an unconscious person.

### 4.2 Most important symptoms and effects, both acute and delayed.

None known.

### 4.3 Indication of any immediate medical attention and specific treatment needed.

None known.

## Section 5 - Fire-Fighting Measures

### 5.1 Extinguishing Media

Water Fog, Dry Chemical, and Carbon Dioxide Foam

### 5.2 Special hazards arising from the substance or mixture

None known.

**5.3 Advice for firefighters**

Use water spray to cool fire-exposed surfaces and to protect personnel. Shut off "fuel" to fire. If a leak or spill has not ignited, use water spray to disperse the vapors. Either allow fire to burn under controlled conditions or extinguish with foam or dry chemical. Try to cover liquid spills with foam. Because fire may produce toxic thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full-face piece operated in pressure demand or positive-pressure mode.

**Section 6 - Accidental Release Measures****6.1 Personal precautions, protective equipment and emergency procedures**

Only properly protected personnel should remain in the spill area; dike and contain spill. Stop or reduce discharge if it can be done safely.

**6.2 Environmental precautions**

Stop spill/release if it can be done safely. Prevent spilled material from entering sewers, storm drains or unauthorized drainage systems and natural waterways by using sand, earth, or other appropriate barriers. No special environmental precautions required.

**6.3 Methods and material for containment and cleaning up**

Put on appropriate protective gear including NIOSH/MSHA approved self-contained breathing apparatus, rubber boots and heavy rubber gloves. Dike and contain spill; absorb or scrape up excess into suitable container for disposal; wash area with dilute ammonia solution. Stop or reduce discharge if it can be done safely. Follow applicable OSHA regulations (29 CFR 1910.120) for disposal.

**6.4 Reference to other sections**

See Section 3 for list of Hazardous Ingredients; Sections 8 for Exposure Controls; and Section 13 for Disposal.

**Section 7 - Handling and Storage****7.1 Precautions for safe handling**

Use good general housekeeping procedures. Wash hands after use. Do not get in eyes, on skin or on clothing. Do not breathe vapors or mists. Use good personal hygiene practices.

**7.2 Conditions for safe storage, including any incompatibilities**

Keep container(s) tightly closed and properly labeled. Store in cool, dry, well ventilated place away from heat, direct sunlight, strong oxidizers and any incompatibles. Store in approved containers and protect against physical damage. Keep containers securely sealed when not in use. Indoor storage should meet local standards and appropriate fire codes. Containers that have been opened must be carefully resealed to prevent leakage. Empty containers retain residue and may be dangerous. Avoid water contamination.

**7.3 Specific end use(s)**

These precautions are for room temperature handling. Other uses including elevated temperatures or aerosol/spray applications may require added precautions.

## Section 8 - Exposure Controls / Personal Protection

### 8.1 Control parameters

Component	CAS No.	Value	Control Parameters:	Basis
Quartz	14808-60-7	TWA	0.025 mg/m <sup>3</sup>	ACGIH Threshold Limit Values (TLV)
		TWA	30 mg/m <sup>3</sup> /%SiO <sub>2</sub> +2	OSHA Table Z-3 Mineral Dusts
		TWA	10 mg/m <sup>3</sup> /%SiO <sub>2</sub> +2	OSHA Table Z-3 Mineral Dusts
		TWA	250 mppcf/%SiO <sub>2</sub> +5	OSHA Table Z-3 Mineral Dusts
		TWA	0.05 mg/m <sup>3</sup>	NIOSH Recommended Exposure Limits

### 8.2 Exposure controls

#### Respiratory Protection

Respiratory protection is not normally required when using this product with adequate local exhaust ventilation. Where risk assessment shows air-purifying respirators are appropriate, follow OSHA respirator regulations 29 CFR 1910.134 and European Standards EN 141, 143 and 371; wear an MSHA/NIOSH or European Standards EN 141, 143 and 371 approved respirators equipped with appropriate filter cartridges as a backup to engineering controls.

#### Hand Protection

Wear any liquid-tight gloves such as butyl rubber, neoprene or PVC.

#### Eye Protection

Safety glasses with side shields per OSHA eye- and face-protection regulations 29 CFR 1910.133 and European Standard EN166. Contact lenses are not eye protective devices. Appropriate eye protection must be worn instead of, or in conjunction with contact lenses.

#### Other Protective Clothing/Equipment

Additional protective clothing or equipment is not normally required. Provide eye bath and safety shower.

#### Comments

Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics. Wash thoroughly after handling.

## Section 9 - Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

<b>Appearance:</b>	Powder	<b>Vapor pressure:</b>	No data
<b>Odor:</b>	Slight	<b>Vapor density (Air=1):</b>	No data
<b>pH:</b>	No data	<b>Evaporation rate:</b>	No data
<b>Flash Point:</b>	No data	<b>Solubility in water:</b>	Very slight
<b>Melting / freezing point:</b>	>1400°F	<b>Specific Gravity (H<sub>2</sub>O=1, at 4 °C):</b>	2.2 – 4.0
<b>Low / high boiling point:</b>	No data	<b>Relative density:</b>	No data
<b>Upper flammability limits:</b>	No data	<b>Decomposition temperature:</b>	No data
<b>Lower flammability limits:</b>	No data	<b>Viscosity:</b>	No data

**Section 10 - Stability and Reactivity****10.1 Reactivity**

No hazardous reactions if stored and handled as prescribed/indicated., No corrosive effect on metal. Not fire propagating.

**10.2 Chemical stability**

These products are stable at room temperature in closed containers under normal storage and handling conditions.

**10.3 Possibility of hazardous reactions**

Hazardous polymerization cannot occur

**10.4 Conditions to avoid**

None known

**10.5 Incompatible materials**

Strong bases and acids

**10.6 Hazardous decomposition products**

Thermal oxidative decomposition can produce carbon oxides, gasses/vapors, and traces of incompletely burned carbon compounds.

**Section 11- Toxicological Information****11.1 Information on toxicological effects****Acute Toxicity**

Silica LD50 oral rat > 22,500 mg/kg  
Iron Oxide LD 50 oral rat > 15,000 mg/kg

**Skin Corrosion/Irritation**

No data

**Serious Eye Damage/Irritation**

No data

**Inhalation**

Inhalation of the dust may cause mechanical irritation to the respiratory tract. Excessive exposure above the TLV can give mild pulmonary irritation. Long term overexposure to silica causes silicosis. This product is considered a carcinogen by IARC because it contains crystalline silica at levels greater than 0.1%.

**Germ Cell Mutagenicity**

No data available

**Carcinogenicity**

IARC 1-Group 1: Carcinogenic to humans (quartz)  
NTP Known to be a human carcinogen (quartz)  
OSHA No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive Toxicity**

No data

**Specific Target Organ Toxicity – Single Exposure**

No data

**Specific Target Organ Toxicity – Repeated Exposure**

No data

**Aspiration Hazard**

No data

**Chronic Exposure**

See Inhalation above.

**Potential Health Effects – Miscellaneous**

Exposure to dust may cause mucous membrane and respiratory irritation, cough, sore throat, nasal congestion, sneezing and shortness of breath. However, there may be no immediate signs or symptoms of exposure to hazardous concentrations of respirable crystalline silica (quartz). See Long-Term Overexposure below for symptoms of silicosis. The absence of symptoms is not necessarily indicative of safe conditions.

**Section 12 - Ecological Information****12.1 Toxicity**

No data available

**12.2 Persistence and Degradability**

No data available

**12.3 Bioaccumulative Potential**

No data available

**12.4 Mobility in Soil**

No data available

**12.5 Results of PBT and vPvB assessment**

No data available

**12.6 Other Adverse Effects**

No data available

**Section 13 - Disposal Considerations****13.1 Waste treatment methods**

Under Resource Conservation and Recovery Act (RCRA) it is the responsibility of the user of the product to determine at the time of disposal whether the product meets RCRA criteria for hazardous waste as defined in 40 CFR Part 261. Waste management should be in full compliance with federal, state and local laws. Empty containers retain product residue which may exhibit hazards of material, therefore to not pressurize, cut, glaze, weld or use for any other purposes. Return drums to reclamation centers for proper cleaning and reuse.

## Section 14 - Transport Information

**Not regulated by DOT, IATA or IMDG**

## Section 15 - Regulatory Information

### 15.1 Safety health and environmental regulations/legislation specific for the substance or mixture

#### **REACH: Regulation (EC) No 1907/2006 of The European Parliament and of The Council of December 2006 (including amendments and corrigenda as of 17 February 2016)**

This product complies with REACH or is not subject to regulation under REACH. The product does not contain an ingredient listed on either the Candidate List or Authorization List for Substances of Very High Concern (SVHC).

#### **In the United States (EPA Regulations)**

##### **TSCA Inventory Status (40 CFR710)**

All components of this formulation are listed in the TSCA Inventory. No component of this formulation has been determined to be subject to manufacturing or use restrictions under the Significant New Use Rules (SNURs).

##### **CERCLA Hazardous Substance List (40 CFR 302.4)**

None known.

##### **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

##### **Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and community Right-to-Know Act of 1986) Sections 311 and 312**

Delayed (Chronic)

##### **Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Section 313**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

##### **State Right-to-Know**

<u>Component</u>	<u>CAS#</u>	<u>State</u>
Quartz	MA, PA, NJ	20-50%

### **KEEP OUT OF REACH OF CHILDREN**




**WARNING:** This product can expose you to chemicals including Silica, crystalline (airborne particles of respirable size) (CAS 14808-60-7), which is known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

### 15.2 Chemical safety assessment

No chemical safety assessment has been carried out for this substance/mixture by the supplier.

## 16 - Other Information

HMIS	
H	2
F	0
R	0



NFPA

**Revision Date: May 10, 2021 Version: 2.0**

### Abbreviations and acronyms

ACGIH-American Conference of Governmental Industrial Hygienists; ANSI-American National Standards Institute; Canadian TDG-Canadian Transportation of Dangerous Goods; CAS-Chemical Abstract Service; Chemtrec-Chemical Transportation Emergency Center (US); CHIP-Chemical Hazard Information and Packaging; DSL-Domestic Substances List; EC-Equivalent Concentration; EH40 (UK)-HSE Guidance Note EH40 Occupational Exposure Limits; EPCRA-Emergency Planning and Community Right-To-Know Act; ESL-Effects screening levels; GHS-Globally Harmonized System of Classification and Labelling of Chemicals; HMIS-Hazardous Material Information Service; IATA-International Air Transport Association; IMDG-International Maritime Dangerous Goods Code; LC-Lethal Concentration; LD-Lethal Dose; NFPA-National Fire Protection Association; OEL-Occupational Exposure Limit; OSHA-Occupational Safety and Health Administration, US Dept. of Labor; PEL-Permissible Exposure Limit; SARA (Title III)-Superfund Amendments and Reauthorization Act; SARA 313-Superfund Amendments and Reauthorization Act, Section 313; SCBA-Self-Contained Breathing Apparatus; STEL-Short Term Exposure Limit; TCEQ-Texas Commission on Environmental Quality; TLV-Threshold Limit Value; TSCA-Toxic Substances Control Act Public Law 94-469; TWA-Time Weighted Value; US DOT-US Department of Transportation; WHMIS-Workplace Hazardous Materials Information System.

### Disclaimer

The information contained in this Safety Data Sheet (SDS) is considered accurate as of the version date. However, no warranty is expressed or implied regarding the accuracy of the data. Since the use of this product is not within the control of Buddy Rhodes Concrete Products, it is the user's obligation to determine the suitability of the product for its intended application and assumes all risk and liability for its safe use.

This SDS is prepared to comply with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) as prescribed by the United States (US) Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (29 CFR 1910.1200), the Canadian Workplace Hazardous Materials Information System (WHMIS), and European Union Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 (REACH).

Classifications of the chemical in accordance with 29 CFR 1910.1200, signal word, hazard and precautionary statement(s), symbol(s) and other information are based on listed concentration of each hazardous ingredient. Unlisted ingredients are not "hazardous" per the OSHA Hazard Communication Standard (29 CFR 1910.1200), WHMIS and EC No 1907/2006 and are considered trade secrets under US Federal Law (29 CFR and 40 CFR), Canadian Law (Health Canada Legislation), and European Union Directives.