

Part A: KX Flex 40 (SDS No. 2168A)

Part B: KX Flex 40 (SDS No. 2168B)

# SAFETY DATA SHEET SDS No. 2168A

Revision Date: May 25, 2022 Version: 1.0

GHS Compliant

# Section 1 - Identification of the substance/mixture and of the company

1.1 Product Identifier

Trade Name: Part A: KX Flex 40

1.2 Relevant identified uses of the substance or mixture and uses advised against

General Use: Polyurethane Elastomer

Restrictions on Use: None known

1.3 Details of the supplier of the safety data sheet:

Company: Smooth-On, Inc.,

5600 Lower Macungie Rd., Macungie, PA 18062, U.S.A.

Telephone: Phone (610) 252-5800 FAX (610) 252-6200

E-mail address: Visit our website at <a href="https://www.smooth-on.com">www.smooth-on.com</a> or email

www.sds@smooth-on.com

1.4 Emergency Contact: Chem-Tel Domestic: 800-255-3924 International: 813-248-0585

# Section 2 – Hazard(s) Identification

#### 2.1 Classification of the substance or mixture:

# GHS Classification in accordance with 29 CFR 1910.1200 (OSHA HCS)

**H315** Skin Corrosion/Irritation – Category 2

**H317** Skin Sensitization – Category 1

H332 Acute toxicity, inhalation – Category 4

H334 Respiratory Sensitization – Category 1

H335 Specific Target Organ Toxicity - single exposure [respiratory system] - Category 3

## 2.2 GHS Label elements, including precautionary statements



Pictogram(s):

Signal word: Danger

## **Health Hazards**

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

**Precautionary Statements** 

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P333+P313 IF SKIN irritation or rash occurs: Get medical advice/attention.
P342+P311 IF experiencing respiratory symptoms: Call a POISON CENTER or

doctor/physician.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container according to local, state and federal laws.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS – none known

# Section 3 - Composition / Information on Ingredients

## 3.1 Substances/Mixtures

The following ingredients are hazardous according to Regulation 2012 OSHA Hazard Communication Standard: 29 CFR 1910.1200:

Chemical name	CAS-No.	Concentration
4,4' Methylene bis(phenylisocyanate) (MDI)	101-68-8	40 – 50
Benzene, 1,1'-methylenebis[4-isocyanato-], homopolymer	25686-28-6	10 – 20
Methylenediphenyl diisocyanate	26447-40-5	< 5

## **Section 4 - First Aid Measures**

# 4.1 Description of first aid measures

#### Inhalation

Remove source(s) of contamination and move victim to fresh air. If breathing has stopped, give artificial respiration, then oxygen if needed. Contact physician immediately.

# **Eye Contact**

Flush eyes with plenty of water occasionally lifting the upper and lower eyelids. Check and remove any contact lenses if safe to do so. Continue to rinse for at least 15 minutes. If irritation develops, seek medical attention.

#### **Skin Contact**

In case of skin contact, wash thoroughly with soap and water. Continue to rinse for at least 15 minutes. Chemical burns must be treated promptly by a physician.

#### Ingestion

Do not induce vomiting unless instructed by a physician. Never give anything by mouth to an unconscious person. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs.

# 4.2 Most important symptoms and effects, both acute and delayed

In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

# 4.3 Indication of any immediate medical attention and specific treatment needed, if necessary. None known

# **Section 5 - Fire-Fighting Measures**

## 5.1 Extinguishing Media

Water Fog, Dry Chemical, and Carbon Dioxide Foam

## 5.2 Special hazards arising from the substance or mixture

In a fire or if heated, a pressure increase will occur, and the container may burst.

## 5.3 Advice for firefighters

Use water spray to cool fire-exposed surfaces and to protect personnel. Shut off "fuel" to fire. If a leak or spill has not ignited, use water spray to disperse the vapors. Either allow fire to burn under controlled conditions or extinguish with foam or dry chemical. Try to cover liquid spills with foam. Because fire may produce toxic thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full-face piece operated in pressure demand or positive-pressure mode.

## Section 6 - Accidental Release Measures

# 6.1 Personal precautions, protective equipment and emergency procedures

Only properly protected personnel should remain in the spill area; dike and contain spill. Stop or reduce discharge if it can be done safely.

## 6.2 Environmental precautions

Stop spill/release if it can be done safely. Prevent spilled material from entering sewers, storm drains or unauthorized drainage systems and natural waterways by using sand, earth, or other appropriate barriers. No special environmental precautions required.

## 6.3 Methods and material for containment and cleaning up

Put on appropriate protective gear including NIOSH/MSHA approved self-contained breathing apparatus, rubber boots and heavy rubber gloves. Dike and contain spill; absorb or scrape up excess into suitable container for disposal; wash area with dilute ammonia solution. Stop or reduce discharge if it can be done safely. Follow applicable OSHA regulations (29 CFR 1910.120) for disposal.

## 6.4 Reference to other sections

See Section 3 for list of Hazardous Ingredients; Sections 8 for Exposure Controls; and Section 13 for Disposal.

# Section 7 - Handling and Storage

# 7.1 Precautions for safe handling

Use good general housekeeping procedures. Wash hands after use. Do not get in eyes, on skin or on clothing. Do not breathe vapors or mists. Use good personal hygiene practices.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep container(s) tightly closed and properly labeled. Store in cool, dry, well ventilated place away from heat, direct sunlight, strong oxidizers and any incompatibles. Store in approved containers and protect against physical damage. Keep containers securely sealed when not in use. Indoor storage should meet local standards and appropriate fire codes. Containers that have been opened must be carefully resealed to prevent leakage. Empty containers retain residue and may be dangerous. Avoid water contamination.

## 7.3 Specific end use(s)

These precautions are for room temperature handling. Other uses including elevated temperatures or aerosol/spray applications may require added precautions.

# **Section 8 - Exposure Controls / Personal Protection**

## 8.1 Control parameters

# Components with workplace control parameters

Component	Value	Control Parameters	Basis
4,4' Methylene bis(phenylisocyanate) (MDI)	0.02 ppm 0.2 mg/m <sup>3</sup>	CLV	OSHA PEL
	0.005 ppm	TWA	ACGIH TLV

# 8.2 Exposure controls

## **Respiratory Protection**

Respiratory protection is not normally required when using this product with adequate local exhaust ventilation. Where risk assessment shows air-purifying respirators are appropriate, follow OSHA respirator regulations 29 CFR 1910.134 and European Standards EN 141, 143 and 371; wear an MSHA/NIOSH or European Standards EN 141, 143 and 371 approved respirators equipped with appropriate filter cartridges as a backup to engineering controls.

#### **Hand Protection**

Wear any liquid-tight gloves such as butyl rubber, neoprene or PVC.

## **Eye Protection**

Safety glasses with side shields per OSHA eye- and face-protection regulations 29 CFR 1910.133 and European Standard EN166. Contact lenses are not eye protective devices. Appropriate eye protection must be worn instead of, or in conjunction with contact lenses.

# **Other Protective Clothing/Equipment**

Additional protective clothing or equipment is not normally required. Provide eye bath and safety shower.

## **Comments**

Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics. Wash thoroughly after handling.

# **Section 9 - Physical and Chemical Properties**

## 9.1 Information on basic physical and chemical properties

Appearance:	Translucent	Vapor pressure:	No data
Odor:	Mild to sweet	Vapor density (Air=1):	Not applicable
pH:	No data	Evaporation rate:	No data
Flash Point:	No data	Solubility in water:	Insoluble
		Specific Gravity	
Melting / freezing point:	Not applicable	(H2O=1, at 4 °C):	No data
Low / high boiling point:	No data	Relative density:	No data
Upper flammability limits:	No data	Decomposition temperature:	Not applicable
Lower flammability limits:	No data	Viscosity:	1900 cPs

# Section 10 - Stability and Reactivity

# 10.1 Reactivity

No hazardous reactions if stored and handled as prescribed/indicated., No corrosive effect on metal. Not fire propagating.

## 10.2 Chemical stability

These products are stable at room temperature in closed containers under normal storage and handling conditions.

## 10.3 Possibility of hazardous reactions

Hazardous polymerization cannot occur

#### 10.4 Conditions to avoid

None known

# 10.5 Incompatible materials

Strong bases and acids

## 10.6 Hazardous decomposition products

Thermal oxidative decomposition can produce carbon oxides, gasses/vapors, and traces of incompletely burned carbon compounds.

# Section 11- Toxicological Information

# 11.1 Information on toxicological effects

**Acute Toxicity** 

Acute oral toxicity - LD50 (Rat, female): > 5,000 mg/kg

Method: OECD Test Guideline 425

Acute inhalation toxicity - Acute toxicity estimate: 1.39 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Acute dermal toxicity - LD50 (Rabbit, male and female): > 9,400 mg/kg

Method: OECD Test Guideline 402

## **Skin Corrosion/Irritation**

Irritating to skin.

## **Serious Eye Damage/Irritation**

No eye irritation.

# **Respiratory/Skin Sensitization**

May cause sensitization by inhalation and skin contact.

# **Germ Cell Mutagenicity**

No data available

# Carcinogenicity

No component of these products present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by IARC, ACGIH or NTP.

# **Reproductive Toxicity**

Animal testing did not show any effects on fertility.

## Specific Target Organ Toxicity - Single Exposure

May cause respiratory irritation.

## Specific Target Organ Toxicity - Repeated Exposure

No data available

## **Aspiration Hazard**

No data available

### Potential Health Effects - Miscellaneous

No data available

# Section 12 - Ecological Information

	_	•	_			• .
1	2.	1		$\sim$	10	ity
	∠.	•		$\mathbf{v}$	ıv	, ILV

Toxicity to fish - LC50 (Brachydanio rerio (zebrafish)): > 1,000 mg/l

Exposure time: 96 h Test Type: static test

Test substance: Fresh water Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates -

EC50 (Daphnia magna (Water flea)): > 1,000 mg/l

Exposure time: 24 h Test Type: static test

Test substance: Fresh water Method: OECD Test Guideline 202

Toxicity to algae - EC50 (Desmodesmus subspicatus (Scenedesmus

subspicatus)): > 1,640 mg/l

Exposure time: 72 h Test Type: static test

Test substance: Fresh water Method: OECD Test Guideline 201

Toxicity to daphnia and other

aquatic invertebrates (Chronic toxicity) -

NOEC (Brachydanio rerio (zebrafish)): >= 10 mg/l

Exposure time: 21 d Test Type: semi-static test Test substance: Fresh water

Method: OECD Test Guideline 211

Toxicity to microorganisms - EC50 (activated sludge): > 100 mg/l

Exposure time: 3 h Test Type: static test

Test substance: Fresh water

Method: OECD Test Guideline 209

Toxicity to soil dwelling

organisms -

EC50 (Eisenia fetida (earthworms)): > 1,000 mg/kg

Exposure time: 336 h

Method: OECD Test Guideline 207

# 12.2 Persistence and Degradability

Biodegradability - Inoculum: Domestic sewage

Concentration: 30 mg/l Result: Not biodegradable Biodegradation: 0 % Exposure time: 28 d

Method: Inherent Biodegradability: Modified MITI Test (II)

## **Components:**

4,4'-methylenediphenyl diisocyanate

Stability in water Degradation half life(DT50): 20 hrs (25 °C)

Method: No information available.

Remarks: Fresh water

#### 12.3 Bioaccumulative Potential

Bioaccumulation - Bioconcentration factor (BCF): 200

Remarks: Bioaccumulation is unlikely.

Partition coefficient: octanol/water – Product

log Pow: 8.56 (20 °C)

# 12.4 Mobility in Soil

No data available

## 12.5 Results of PBT and vPvB assessment

No data available

## 12.6 Other Adverse Effects

No data available

# **Section 13 - Disposal Considerations**

## 13.1 Waste treatment methods

Under Resource Conservation and Recovery Act (RCRA) it is the responsibility of the user of the product to determine at the time of disposal whether the product meets RCRA criteria for hazardous waste as defined in 40 CFR Part 261. Waste management should be in full compliance with federal, state and local laws. Regulations may vary in various locations. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator.

# **Container disposal**

Steel drums must be emptied and can be sent to a licensed drum reconditioner for reuse, a scrap metal dealer or an approved landfill. Do not attempt to refill or clean containers since residue is difficult to remove. Under no circumstances should empty drums be burned or cut open with gas or electric torch as toxic decomposition products may be liberated. Do not reuse empty containers.

# Section 14 - Transport Information

## Not regulated by DOT / IMDG / IATA

## **Section 15 - Regulatory Information**

# 15.1 Safety health and environmental regulations/legislation specific for the substance or mixture:

# REACH: Regulation (EC) No 1907/2006 of The European Parliament and of The Council of December 2006 (including amendments and corrigenda as of July 2021)

This product complies with REACH or is not subject to regulation under REACH. The product does not contain an ingredient listed on either the Candidate List or Authorization List for Substances of Very High Concern (SVHC).

# In the United States (EPA Regulations) TSCA Inventory Status (40 CFR710)

All components of this formulation are listed in the TSCA Inventory. No component of this formulation has been determined to be subject to manufacturing or use restrictions under the Significant New Use Rules (SNURs).

# EPCRA - Emergency Planning and Community Right-to-Know Act CERCLA Hazardous Substance List (40 CFR 302.4)

Component	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
4,4' Methylene bis(phenylisocyanate) (MDI)	101-68-8	5000	6493

# **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and community Right-to-Know Act of 1986) Sections 311 and 312 Immediate (Acute)

# Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Section 313

4,4' Methylene bis(phenylisocyanate) (MDI) 101-68-8 40 – 50%

# **California Proposition 65**

This product does not intentionally contain any chemicals known to the state of California to cause cancer, birth defects or other reproductive harm.

## 15.2 Chemical safety assessment

No chemical safety assessment has been carried out for this substance/mixture by the supplier.

## 16 - Other Information





Revision Date: Revision Date: May 25, 2022 Version: 1.0

# **Abbreviations and acronyms**

ACGIH-American Conference of Governmental Industrial Hygienists; ANSI-American National Standards Institute; Canadian TDG-Canadian Transportation of Dangerous Goods; CAS-Chemical Abstract Service; Chemtrec-Chemical Transportation Emergency Center (US); CHIP-Chemical Hazard Information and Packaging; DSL-Domestic Substances List; EC-Equivalent Concentration; EH40 (UK)-HSE Guidance Note EH40 Occupational Exposure Limits; EPCRA-Emergency Planning and Community Right-To-Know Act; ESL-Effects screening levels; GHS-Globally Harmonized System of Classification and Labelling of Chemicals; HMIS-Hazardous Material Information Service; IATA-International Air Transport Association; IMDG-International Maritime Dangerous Goods Code; LC-Lethal Concentration; LD-Lethal Dose; NFPA-National Fire Protection Association; OEL-Occupational Exposure Limit; OSHA-Occupational Safety and Health Administration, US Dept. of Labor; PEL-Permissible Exposure Limit; SARA (Title III)-Superfund Amendments and Reauthorization Act; SARA 313-Superfund Amendments and Reauthorization Act, Section 313; SCBA-Self-Contained Breathing Apparatus; STEL-Short Term Exposure Limit; TCEQ-Texas Commission on Environmental Quality; TLV-Threshold Limit Value; TSCA-Toxic Substances Control Act Public Law 94-469; TWA-Time Weighted Value; US DOT-US Department of Transportation; WHMIS-Workplace Hazardous Materials Information System.

## **Disclaimer**

The information contained in this Safety Data Sheet (SDS) is considered accurate as of the version date. However, no warranty is expressed or implied regarding the accuracy of the data. Since the use of this product is not within the control of Smooth-On Inc., it is the user's obligation to determine the suitability of the product for its intended application and assumes all risk and liability for its safe use.

This SDS is prepared to comply with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) as prescribed by the United States (US) Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (29 CFR 1910.1200), the Canadian Workplace Hazardous Materials Information System (WHMIS), and European Union Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 (REACH).

Classifications of the chemical in accordance with 29 CFR 1910.1200, signal word, hazard and precautionary statement(s), symbol(s) and other information are based on listed concentration of each hazardous ingredient. Unlisted ingredients are not "hazardous" per the OSHA Hazard Communication Standard (29 CFR 1910.1200), WHMIS and EC No 1907/2006 and are considered trade secrets under US Federal Law (29 CFR and 40 CFR), Canadian Law (Health Canada Legislation), and European Union Directives.



Part A: KX Flex 40 (SDS No. 2168A)

Part B: KX Flex 40 (SDS No. 2168B)

# SAFETY DATA SHEET SDS No. 2168B

Revision Date: May 25, 2022 Version: 1.0

GHS Compliant

# Section 1 - Identification of the substance/mixture and of the company

1.1 Product Identifier

Trade Name: Part B: KX Flex 40

1.2 Relevant identified uses of the substance or mixture and uses advised against

General Use: Polyurethane Elastomer

Restrictions on Use: None known

1.3 Details of the supplier of the safety data sheet:

Company: Smooth-On, Inc.,

5600 Lower Macungie Rd., Macungie, PA 18062, U.S.A.

Telephone: Phone (610) 252-5800 FAX (610) 252-6200

E-mail address: Visit our website at <a href="https://www.smooth-on.com">www.smooth-on.com</a> or email

www.sds@smooth-on.com

1.4 Emergency Contact: Chem-Tel Domestic: 800-255-3924 International: 813-248-0585

# Section 2 - Hazard(s) Identification

#### 2.1 Classification of the substance or mixture:

GHS Classification in accordance with 29 CFR 1910.1200 (OSHA HCS)

H317 Skin Sensitization – Category 1

# 2.2 GHS Label elements, including precautionary statements

Pictogram(s):
Signal word: Warning

**Health Hazards** 

H317 May cause an allergic skin reaction

**Precautionary Statements** 

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P333+P313 IF SKIN irritation or rash occurs: Get medical advice/attention. P362 + P364 Take off contaminated clothing and wash it before reuse.

P501 Dispose of contents/container according to local, state and federal laws.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS – none known

# Section 3 - Composition / Information on Ingredients

### 3.1 Substances/Mixtures

The following ingredients are hazardous according to Regulation 2012 OSHA Hazard Communication Standard: 29 CFR 1910.1200:

Chemical name	CAS-No.	Concentration
1,4-BUTANEDIOL	110-63-4	5 – 15
ethyl 4-[[(methylphenylamino)methylene]amino]benzoate	57834-33-0	< 5
bis (1,2,2,6,6-pentamethyll-4-piperydil)sebacate	41556-26-7	< 5

## **Section 4 - First Aid Measures**

# 4.1 Description of first aid measures

## Inhalation

Remove source(s) of contamination and move victim to fresh air. If breathing has stopped, give artificial respiration, then oxygen if needed. Contact physician immediately.

# **Eye Contact**

Flush eyes with plenty of water occasionally lifting the upper and lower eyelids. Check and remove any contact lenses if safe to do so. Continue to rinse for at least 15 minutes. If irritation develops, seek medical attention.

#### **Skin Contact**

In case of skin contact, wash thoroughly with soap and water. Continue to rinse for at least 15 minutes. Chemical burns must be treated promptly by a physician.

## Ingestion

Do not induce vomiting unless instructed by a physician. Never give anything by mouth to an unconscious person. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. if vomiting occurs, the head should be kept low so that vomit does not enter the lungs.

# 4.2 Most important symptoms and effects, both acute and delayed

In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

# 4.3 Indication of any immediate medical attention and specific treatment needed, if necessary. None Known

# **Section 5 - Fire-Fighting Measures**

## 5.1 Extinguishing Media

Water Fog, Dry Chemical, and Carbon Dioxide Foam

# 5.2 Special hazards arising from the substance or mixture

In a fire or if heated, a pressure increase will occur, and the container may burst.

## 5.3 Advice for firefighters

Use water spray to cool fire-exposed surfaces and to protect personnel. Shut off "fuel" to fire. If a leak or spill has not ignited, use water spray to disperse the vapors. Either allow fire to burn under controlled conditions or extinguish with foam or dry chemical. Try to cover liquid spills with foam. Because fire may produce toxic thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full-face piece operated in pressure demand or positive-pressure mode.

# **Section 6 - Accidental Release Measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Only properly protected personnel should remain in the spill area; dike and contain spill. Stop or reduce discharge if it can be done safely.

# 6.2 Environmental precautions

Stop spill/release if it can be done safely. Prevent spilled material from entering sewers, storm drains or unauthorized drainage systems and natural waterways by using sand, earth, or other appropriate barriers. No special environmental precautions required.

## 6.3 Methods and material for containment and cleaning up

Put on appropriate protective gear including NIOSH/MSHA approved self-contained breathing apparatus, rubber boots and heavy rubber gloves. Dike and contain spill; absorb or scrape up excess into suitable container for disposal; wash area with dilute ammonia solution. Stop or reduce discharge if it can be done safely. Follow applicable OSHA regulations (29 CFR 1910.120) for disposal.

#### 6.4 Reference to other sections

See Section 3 for list of Hazardous Ingredients; Sections 8 for Exposure Controls; and Section 13 for Disposal.

# Section 7 - Handling and Storage

# 7.1 Precautions for safe handling

Use good general housekeeping procedures. Wash hands after use. Do not get in eyes, on skin or on clothing. Do not breathe vapors or mists. Use good personal hygiene practices.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep container(s) tightly closed and properly labeled. Store in cool, dry, well ventilated place away from heat, direct sunlight, strong oxidizers and any incompatibles. Store in approved containers and protect against physical damage. Keep containers securely sealed when not in use. Indoor storage should meet local standards and appropriate fire codes. Containers that have been opened must be carefully resealed to prevent leakage. Empty containers retain residue and may be dangerous. Avoid water contamination.

# 7.3 Specific end use(s)

These precautions are for room temperature handling. Other uses including elevated temperatures or aerosol/spray applications may require added precautions.

# Section 8 - Exposure Controls / Personal Protection

# 8.1 Control parameters

None known.

## 8.2 Exposure controls

## **Respiratory Protection**

Respiratory protection is not normally required when using this product with adequate local exhaust ventilation. Where risk assessment shows air-purifying respirators are appropriate, follow OSHA respirator regulations 29 CFR 1910.134 and European Standards EN 141, 143 and 371; wear an MSHA/NIOSH or European Standards EN 141, 143 and 371 approved respirators equipped with appropriate filter cartridges as a backup to engineering controls.

#### **Hand Protection**

Wear any liquid-tight gloves such as butyl rubber, neoprene or PVC.

## **Eye Protection**

Safety glasses with side shields per OSHA eye- and face-protection regulations 29 CFR 1910.133 and European Standard EN166. Contact lenses are not eye protective devices. Appropriate eye protection must be worn instead of, or in conjunction with contact lenses.

## **Other Protective Clothing/Equipment**

Additional protective clothing or equipment is not normally required. Provide eye bath and safety shower.

## Comments

Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics. Wash thoroughly after handling.

## **Section 9 - Physical and Chemical Properties**

## 9.1 Information on basic physical and chemical properties

Appearance:	Opaque liquid	Vapor pressure:	No data
Odor:	Mild to sweet	Vapor density (Air=1):	No data
pH:	No data	Evaporation rate:	No data
Flash Point:	No data	Solubility in water:	Insoluble
		Specific Gravity	
Melting / freezing point:	No data	(H2O=1, at 4 °C):	No data
Low / high boiling point:	No data	Relative density:	No data
Upper flammability limits:	No data	Decomposition temperature:	No data
Lower flammability limits:	No data	Viscosity:	480 cPs

# Section 10 - Stability and Reactivity

# 10.1 Reactivity

No hazardous reactions if stored and handled as prescribed/indicated., No corrosive effect on metal. Not fire propagating.

# 10.2 Chemical stability

These products are stable at room temperature in closed containers under normal storage and handling conditions.

## 10.3 Possibility of hazardous reactions

Hazardous polymerization cannot occur

#### 10.4 Conditions to avoid

None known

# 10.5 Incompatible materials

Strong bases and acids

## 10.6 Hazardous decomposition products

Thermal oxidative decomposition can produce carbon oxides, gasses/vapors, and traces of incompletely burned carbon compounds.

# Section 11- Toxicological Information

# 11.1 Information on toxicological effects

**Acute Toxicity** 

Acute oral toxicity - LD50 (Rat): 1,500 mg/kg

Acute inhalation toxicity - LC50 (Rat): >5.1 mg/l

Exposure time: 4 hours

Acute dermal toxicity - LD50 (Rat): > 2,000 mg/kg

# ethyl 4-[[(methylphenylamino)methylene]amino]benzoate

Acute Oral Toxicity LD50 > 200 mg/kg Species: Rat

## bis (1,2,2,6,6-pentamethyll-4-piperydil)sebacate

Acute Oral Toxicity LD50 > 2000 mg/kg Species: Rat

## Skin Corrosion/Irritation

No data available

# Serious Eye Damage/Irritation

No data available

## **Respiratory/Skin Sensitization**

No data available.

# **Germ Cell Mutagenicity**

No data available

## Carcinogenicity

No component of these products present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by IARC, ACGIH or NTP.

# **Reproductive Toxicity**

Animal testing did not show any effects on fertility.

# **Specific Target Organ Toxicity – Single Exposure**

May cause respiratory irritation.

# **Specific Target Organ Toxicity – Repeated Exposure**

No data available

# **Aspiration Hazard**

No data available

## Potential Health Effects - Miscellaneous

No data available

# **Section 12 - Ecological Information**

# 12.1 Toxicity

Toxicity to fish - Low acute toxicity to fish

Toxicity to daphnia and other

aquatic invertebrates -

Low acute toxicity to aquatic invertebrates.

Toxicity to algae - Low toxicity to algae.

Toxicity to bacteria - Low toxicity to sewage microbes.

Toxicity to daphnia and other

aquatic invertebrates (Chronic toxicity) -

Low chronic toxicity to aquatic invertebrates.

# 12.2 Persistence and Degradability

Rapidly degradable.

## 12.3 Bioaccumulative Potential

This material is not expected to bioaccumulate.

## 12.4 Mobility in Soil

No data available

## 12.5 Results of PBT and vPvB assessment

No data available

#### 12.6 Other Adverse Effects

No data available

# **Section 13 - Disposal Considerations**

#### 13.1 Waste treatment methods

Under Resource Conservation and Recovery Act (RCRA) it is the responsibility of the user of the product to determine at the time of disposal whether the product meets RCRA criteria for hazardous waste as defined in 40 CFR Part 261. Waste management should be in full compliance with federal, state and local laws. Regulations may vary in various locations. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator.

## **Container disposal**

Steel drums must be emptied and can be sent to a licensed drum reconditioner for reuse, a scrap metal dealer or an approved landfill. Do not attempt to refill or clean containers since residue is difficult to remove. Under no circumstances should empty drums be burned or cut open with gas or electric torch as toxic decomposition products may be liberated. Do not reuse empty containers.

# **Section 14 - Transport Information**

# Not regulated by DOT / IMDG / IATA

# **Section 15 - Regulatory Information**

# 15.1 Safety health and environmental regulations/legislation specific for the substance or mixture:

REACH: Regulation (EC) No 1907/2006 of The European Parliament and of The Council of December 2006 (including amendments and corrigenda as of 17 February 2016)

This product complies with REACH or is not subject to regulation under REACH. The product does not contain an ingredient listed on either the Candidate List or Authorization List for Substances of Very High Concern (SVHC).

# In the United States (EPA Regulations) TSCA Inventory Status (40 CFR710)

All components of this formulation are listed in the TSCA Inventory. No component of this formulation has been determined to be subject to manufacturing or use restrictions under the Significant New Use Rules (SNURs).

# EPCRA - Emergency Planning and Community Right-to-Know Act CERCLA Hazardous Substance List (40 CFR 302.4)

None known.

## **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and community Right-to-Know Act of 1986) Sections 311 and 312 Immediate (Acute)

# Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Section 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

# **California Proposition 65**

This product does not intentionally contain any chemicals known to the state of California to cause cancer, birth defects or other reproductive harm.

# 15.2 Chemical safety assessment

No chemical safety assessment has been carried out for this substance/mixture by the supplier.

## 16 - Other Information





Revision Date: May 25, 2022 Version: 1.0

Abbreviations and acronyms

ACGIH-American Conference of Governmental Industrial Hygienists; ANSI-American National Standards Institute; Canadian TDG-Canadian Transportation of Dangerous Goods; CAS-Chemical Abstract Service; Chemtrec-Chemical Transportation Emergency Center (US); CHIP-Chemical Hazard Information and Packaging; DSL-Domestic Substances List; EC-Equivalent Concentration; EH40 (UK)-HSE Guidance Note EH40 Occupational Exposure Limits; EPCRA-Emergency Planning and Community Right-To-Know Act; ESL-Effects screening levels; GHS-Globally Harmonized System of Classification and Labelling of Chemicals; HMIS-Hazardous Material Information Service; IATA-International Air Transport Association; IMDG-International Maritime Dangerous Goods Code; LC-Lethal Concentration; LD-Lethal Dose; NFPA-National Fire Protection Association; OEL-Occupational Exposure Limit; OSHA-Occupational Safety and Health Administration, US Dept. of Labor; PEL-Permissible Exposure Limit; SARA (Title III)-Superfund Amendments and Reauthorization Act; SARA 313-Superfund Amendments and Reauthorization Act, Section 313; SCBA-Self-Contained Breathing Apparatus; STEL-Short Term Exposure Limit; TCEQ-Texas Commission on Environmental Quality; TLV-Threshold Limit Value; TSCA-Toxic Substances Control Act Public Law 94-469; TWA-Time Weighted Value; US DOT-US Department of Transportation; WHMIS-Workplace Hazardous Materials Information System.

#### **Disclaimer**

The information contained in this Safety Data Sheet (SDS) is considered accurate as of the version date. However, no warranty is expressed or implied regarding the accuracy of the data. Since the use of this product is not within the control of Smooth-On Inc., it is the user's obligation to determine the suitability of the product for its intended application and assumes all risk and liability for its safe use.

This SDS is prepared to comply with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) as prescribed by the United States (US) Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (29 CFR 1910.1200), the Canadian Workplace Hazardous Materials Information System (WHMIS), and European Union Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 (REACH).

Classifications of the chemical in accordance with 29 CFR 1910.1200, signal word, hazard and precautionary statement(s), symbol(s) and other information are based on listed concentration of each hazardous ingredient. Unlisted ingredients are not "hazardous" per the OSHA Hazard Communication Standard (29 CFR 1910.1200), WHMIS and EC No 1907/2006 and are considered trade secrets under US Federal Law (29 CFR and 40 CFR), Canadian Law (Health Canada Legislation), and European Union Directives.