



# SAFETY DATA SHEET

SDS No. 1086A

Revision Date: 1/4/2018

Version: 2.0

## Section 1 - Identification of the substance/mixture and of the company/undertaking

### 1.1 Product Identifier

Trade Name: **NOVOCS® Matte**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

General Use: Silicone Solvent

Restrictions on Use: None known

### 1.3 Details of the supplier of the safety data sheet:

Company: Smooth-On, Inc.,  
5600 Lower Macungie Rd., Macungie, PA 18062

Telephone: Phone (610) 252-5800

E-mail address: Visit our website at [www.smooth-on.com](http://www.smooth-on.com) or email  
[www.sds@smooth-on.com](mailto:www.sds@smooth-on.com)

1.4 **Emergency Contact:** Chem-Tel Domestic: 800-255-3924 International: 813-248-0585

## Section 2 – Hazard(s) Identification

### 2.1 Classification of the substance or mixture:

**GHS Classification in accordance with 29 CFR 1910.1200 (OSHA HCS)**

**H225** Flammable Liquids – Category 2

**H400** Acute Aquatic Toxicity – Category 1

**H410** Chronic Aquatic Toxicity – Category 1

### 2.2 GHS Label elements, including precautionary statements



**Pictogram(s):**

**Signal word:** Danger

#### Health Hazards

H225 Highly Flammable liquid and vapor

#### Environmental Hazards

H400 Very toxic to aquatic life

H410 Very toxic to aquatic life with long lasting effects

#### General Precautions

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

#### Prevention Precautions

P210 Keep away from heat, hot surface, sparks, open flames and other ignition sources. - No smoking.

P233 Keep container tightly closed.

- P240 Ground/bond container and receiving equipment.
- P241 Use explosion-proof electrical/ventilating/lighting/equipment.
- P242 Use only non-sparking tools.
- P243 Take precautionary measures against static discharge.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.

**Response Precautions**

- P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P370+P378 In case of fire: Use water fog, foam,dry chemical or carbon dioxide (CO2) to extinguish.
- P391 Collect spillage.

**Storage Precautions**

- P403+P235 Store in a well-ventilated place. Keep cool.

**Disposal Precautions**

- P501 Dispose of contents/container according to local, state and federal laws.

**2.3 Hazards not otherwise classified (HNOC) or not covered by GHS – none known**

**Section 3 - Composition / Information on Ingredients**

**3.1 Substances/Mixtures**

The following ingredients are hazardous according to Regulation 2012 OSHA Hazard Communication Standard: 29 CFR 1910.1200:

**Hazardous components**

Chemical name	Classification	Concentration
<b>Hexamethyldisiloxane</b>		
CAS-No. 107-46-0 EC-No. 203-492-7	Flam. Liq. 2; Aquatic Acute 1; Aquatic Chronic 1; H225, H400, H410, M-Factor - Aquatic Acute: 1, Aquatic Chronic: 1	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

**Section 4 - First Aid Measures**

**4.1 Description of first aid measures**

**Inhalation**

Remove source(s) of contamination and move victim to fresh air. If breathing has stopped, give artificial respiration, then oxygen if needed. Contact physician immediately.

**Eye Contact**

Flush eyes with plenty of water. If irritation persists, seek medical attention.

**Skin Contact**

In case of skin contact, wash thoroughly with soap and water.

**Ingestion**

Do not induce vomiting unless instructed by a physician. Never give anything by mouth to an unconscious person.

**4.2 Most important symptoms and effects, both acute and delayed**

None known.

**4.3 Indication of any immediate medical attention and specific treatment needed****Section 5 - Fire-Fighting Measures****5.1 Extinguishing Media**

Water Fog, Dry Chemical, and Carbon Dioxide Foam

**5.2 Special hazards arising from the substance or mixture**

None known.

**5.3 Advice for firefighters**

Use water spray to cool fire-exposed surfaces and to protect personnel. Shut off "fuel" to fire. If a leak or spill has not ignited, use water spray to disperse the vapors. Either allow fire to burn under controlled conditions or extinguish with foam or dry chemical. Try to cover liquid spills with foam. Because fire may produce toxic thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full-face piece operated in pressure demand or positive-pressure mode.

**Section 6 - Accidental Release Measures****6.1 Personal precautions, protective equipment and emergency procedures**

Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

**6.2 Environmental precautions**

Stop spill/release if it can be done safely. Prevent spilled material from entering sewers, storm drains or unauthorized drainage systems and natural waterways by using sand, earth, or other appropriate barriers. No special environmental precautions required.

**6.3 Methods and material for containment and cleaning up**

Put on appropriate protective gear including NIOSH/MSHA approved self-contained breathing apparatus, rubber boots and heavy rubber gloves. Dike and contain spill; absorb or scrape up excess into suitable container for disposal; wash area with dilute ammonia solution. Stop or reduce discharge if it can be done safely. Follow applicable OSHA regulations (29 CFR 1910.120) for disposal.

**6.4 Reference to other sections**

See Section 3 for list of Hazardous Ingredients; Sections 8 for Exposure Controls; and Section 13 for Disposal.

**Section 7 - Handling and Storage****7.1 Precautions for safe handling**

Use good general housekeeping procedures. Wash hands after use. Do not get in eyes, on skin or on clothing. Do not breathe vapors or mists. Use good personal hygiene practices.

**7.2 Conditions for safe storage, including any incompatibilities**

Keep container(s) tightly closed and properly labeled. Store in cool, dry, well ventilated place away from heat, direct sunlight, strong oxidizers and any incompatibles. Store in approved containers and protect against physical damage. Keep containers securely sealed when not in use. Indoor storage should meet local standards and appropriate fire codes. Containers that have been

opened must be carefully resealed to prevent leakage. Empty containers retain residue and may be dangerous. Avoid water contamination.

### 7.3 Specific end use(s)

These precautions are for room temperature handling. Other uses including elevated temperatures or aerosol/spray applications may require added precautions.

## Section 8 - Exposure Controls / Personal Protection

### 8.1 Control parameters

None defined

### 8.2 Exposure controls

#### Respiratory Protection

Respiratory protection is not normally required when using this product with adequate local exhaust ventilation. Where risk assessment shows air-purifying respirators are appropriate, follow OSHA respirator regulations 29 CFR 1910.134 and European Standards EN 141, 143 and 371; wear an MSHA/NIOSH or European Standards EN 141, 143 and 371 approved respirators equipped with appropriate filter cartridges as a backup to engineering controls.

#### Hand Protection

Wear any liquid-tight gloves such as butyl rubber, neoprene or PVC.

#### Eye Protection

Safety glasses with side shields per OSHA eye- and face-protection regulations 29 CFR 1910.133 and European Standard EN166. Contact lenses are not eye protective devices. Appropriate eye protection must be worn instead of, or in conjunction with contact lenses.

#### Other Protective Clothing/Equipment

Additional protective clothing or equipment is not normally required. Provide eye bath and safety shower.

#### Comments

Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics. Wash thoroughly after handling.

## Section 9 - Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties:

<b>Appearance:</b>	Colorless liquid	<b>Vapor pressure:</b>	4.2 kPa at 25 °C
<b>Odor:</b>	Mild to none	<b>Vapor density (Air=1):</b>	> 1 (25 °C)
<b>Odor threshold:</b>	No data	<b>Relative density:</b>	0.76 at 25 °C
<b>pH:</b>	No data	<b>Solubility in water:</b>	Insoluble
<b>Melting / freezing point:</b>	-90.4 °F (-68 °C)	<b>Partition coefficient (n-octanol/water):</b>	log Pow: > 4 at 25 °C
<b>Low / high boiling point:</b>	212 °F (100 °C)	<b>Auto-ignition temperature:</b>	665.6 °F (352 °C)
<b>Flash Point:</b>	26.6°F (-3°C)	<b>Decomposition temperature:</b>	No data
<b>Evaporation rate:</b>	< 1 (n-Butyl acetate = 1)	<b>Viscosity:</b>	< 1 cSt (25°C)
<b>Flammability (solid, gas):</b>	No data	<b>Explosive properties:</b>	No data

<b>Lower/Upper flammability or explosive limits:</b>	1.5% / no data	<b>VOC (weight %)</b>	760 g/l
--	----------------	-----------------------	---------

## Section 10 - Stability and Reactivity

### 10.1 Reactivity

No hazardous reactions if stored and handled as prescribed/indicated., No corrosive effect on metal. Not fire propagating.

### 10.2 Chemical stability

These products are stable at room temperature in closed containers under normal storage and handling conditions.

### 10.3 Possibility of hazardous reactions

Hazardous polymerization cannot occur

### 10.4 Conditions to avoid

None known

### 10.5 Incompatible materials

Strong bases and acids

### 10.6 Hazardous decomposition products

Thermal oxidative decomposition can produce carbon oxides, gasses/vapors, and traces of incompletely burned carbon compounds.

## Section 11- Toxicological Information

### 11.1 Information on toxicological effects

#### Acute Toxicity

LD50 Oral - Rat - > 5,000 mg/kg  
 LC50 Inhalation - Rat - 4 h - 15956 ppm  
 (OECD Test Guideline 403)

LD50 Dermal - Rabbit - > 2,000 mg/kg  
 (OECD Test Guideline 402)  
 NOAEL Oral - Rat - 160 mg/kg

#### Skin Corrosion/Irritation

Skin - Rabbit  
 Result: No skin irritation  
 (OECD Test Guideline 404)

#### Serious Eye Damage/Irritation

Eyes - Rabbit  
 Result: No eye irritation

#### Respiratory/Skin Sensitization

No data available

#### Germ Cell Mutagenicity

Chromosome aberration test in vitro  
 Chinese hamster lung cells

Result: negative

OECD Test Guideline 475

Rat - Bone marrow

Result: negative

### **Carcinogenicity**

No data available

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

### **Reproductive toxicity**

No toxicity to reproduction

Reproductive toxicity - Rat - male and female - inhalation (vapour)

No significant adverse effects were reported

Developmental Toxicity - Rat – Inhalation

### **Specific target organ toxicity - single exposure**

No data available

### **Specific target organ toxicity - repeated exposure**

No data available

### **Aspiration hazard**

No data available

### **Additional Information**

RTECS: JM9237000

Prolonged or repeated exposure to skin causes defatting and dermatitis., Dizziness, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

## **Section 12 - Ecological Information**

### **12.1 Toxicity**

Toxicity to fish                      flow-through test LC50 - Oncorhynchus mykiss (rainbow trout) - ca. 0.46 mg/l - 96 h

Toxicity to algae                      EC50 - Pseudokirchneriella subcapitata (green algae) - 0.22 mg/l - 95 h  
(OECD Test Guideline 201)

### **12.2 Persistence and Degradability**

Biodegradability                      aerobic - Exposure time 28 d  
Result: 2 % - Not biodegradable  
(OECD Test Guideline 301C)

### **12.3 Bioaccumulative potential**

No data available

Bioaccumulation                      Cyprinus carpio (Carp) - 70 d at 25 °C  
Bioconcentration factor (BCF): 1,100 - 2,400  
(OECD Test Guideline 305C)

**12.4 Mobility in soil**

No data available

**12.5 Results of PBT and vPvB assessment**

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**12.6 Other adverse effects**

Very toxic to aquatic life with long lasting effects.

<b>Section 13 - Disposal Considerations</b>
---

**13.1 Waste treatment methods**

Under Resource Conservation and Recovery Act (RCRA) it is the responsibility of the user of the product to determine at the time of disposal whether the product meets RCRA criteria for hazardous waste as defined in 40 CFR Part 261. Waste management should be in full compliance with federal, state and local laws. Empty containers retain product residue which may exhibit hazards of material, therefore to not pressurize, cut, glaze, weld or use for any other purposes. Return drums to reclamation centers for proper cleaning and reuse.

<b>Section 14 - Transport Information</b>
---

**14.1 UN number**

DOT: - 1993

IMDG: - 1993

IATA: - 1993

**14.2 UN proper shipping name**

DOT: FLAMMABLE LIQUID, N.O.S. (Hexamethyldisiloxane)

IMDG: FLAMMABLE LIQUID, N.O.S. (Hexamethyldisiloxane)

IATA: FLAMMABLE LIQUID, N.O.S. (Hexamethyldisiloxane)

**14.3 Transport hazard class(es)**

DOT: - 3

IMDG: - 3

IATA: - 3

**14.4 Packing group**

DOT: - II

IMDG: - II

IATA: - II

**14.5 Environmental hazards**

DOT: no

IMDG Marine pollutant: yes

IATA: yes

**14.6 Special precautions for user**

IMDG – EmS F-E, S-E

**14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable

<b>Section 15 - Regulatory Information</b>
--

**15.1 Safety health and environmental regulations/legislation specific for the substance or mixture:**

**REACH: Regulation (EC) No 1907/2006 of The European Parliament and of The Council of December 2006 (including amendments and corrigenda as of 17 February 2016)**

This product complies with REACH or is not subject to regulation under REACH. The product does

not contain an ingredient listed on either the Candidate List or Authorization List for Substances of Very High Concern (SVHC).

**In the United States (EPA Regulations)**

**TSCA Inventory Status (40 CFR710)**

All components of this formulation are listed in the TSCA Inventory. No component of this formulation has been determined to be subject to manufacturing or use restrictions under the Significant New Use Rules (SNURs).

**CERCLA Hazardous Substance List (40 CFR 302.4)**

None known.

**SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Section 313**

None known.

**Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and community Right-to-Know Act of 1986) Sections 311 and 312**

Fire, Immediate (Acute)

**State Right-to-Know**

<u>Component</u>	<u>CAS#</u>	<u>State</u>
Hexamethyldisiloxane	107-46-0	NJ, PA

**California Proposition 65**


This product does not intentionally contain any chemicals known to the state of California to cause cancer, birth defects or other reproductive harm.

**15.2 Chemical safety assessment**

No chemical safety assessment has been carried out for this substance/mixture by the supplier.

**16 - Other Information**

HMIS	
H	1
F	3
R	0



NFPA

**Full text of H-Statements referred to under Sections 2 and 3.**

- H225 Highly Flammable liquid and vapor
- H400 Very toxic to aquatic life
- H410 Very toxic to aquatic life with long lasting effects



**Abbreviations and acronyms**

ACGIH-American Conference of Governmental Industrial Hygienists; ANSI-American National Standards Institute; Canadian TDG-Canadian Transportation of Dangerous Goods; CAS-Chemical Abstract Service; Chemtrec-Chemical Transportation Emergency Center (US); CHIP-Chemical Hazard Information and Packaging; DSL-Domestic Substances List; EC-Equivalent Concentration; EH40 (UK)-HSE Guidance Note EH40 Occupational Exposure Limits; EPCRA-Emergency Planning and Community Right-To-Know Act; ESL-Effects screening levels; GHS-Globally Harmonized System of Classification and Labelling of Chemicals; HMIS-Hazardous Material Information Service; IATA-International Air Transport Association; IMDG-International Maritime Dangerous Goods Code; LC-Lethal Concentration; LD-Lethal Dose; NFPA-National Fire Protection Association; OEL-Occupational Exposure Limit; OSHA-Occupational Safety and Health Administration, US Dept. of Labor; PEL-Permissible Exposure Limit; SARA (Title III)-Superfund Amendments and Reauthorization Act; SARA 313-Superfund Amendments and Reauthorization Act, Section 313; SCBA-Self-Contained Breathing Apparatus; STEL-Short Term Exposure Limit; TCEQ-Texas Commission on Environmental Quality; TLV-Threshold Limit Value; TSCA-Toxic Substances Control Act Public Law 94-469; TWA-Time Weighted Value; US DOT-US Department of Transportation; WHMIS-Workplace Hazardous Materials Information System.

**Disclaimer**

The information contained in this Safety Data Sheet (SDS) is considered accurate as of the version date. However, no warranty is expressed or implied regarding the accuracy of the data. Since the use of this product is not within the control of Smooth-On Inc., it is the user's obligation to determine the suitability of the product for its intended application and assumes all risk and liability for its safe use.