



Safety Data Sheet

SDS No. 624A

Section 1 - Identification

- 1.1 Product identifier:** Part A for: PMC[®]-724, PMC[®]-726; URE-BOND[®] II, Urethane Adhesive 1701
- 1.2 General Use:** Formulated Polyurethane Isocyanate
- 1.3 Manufacturer:** Smooth-On, Inc.,
5600 Lower Macungie Rd., Macungie, PA 18062
Phone (610) 252-5800, FAX (610) 252-6200
SDS@Smooth-On.com
- 1.4 Emergency Contact:** Chem-Tel
Domestic: 800-255-3924 International: 813-248-0585

Section 2 – Hazard(s) Identification

- 2.1 Classification of the substance or mixture:**
Acute toxicity, inhalation – Category 4
Eye Damage/Irritation – Category 2B
Skin Corrosion/Irritation – Category 1B
Respiratory Sensitization – Category 1
Carcinogenicity – Category 2
Specific target organ toxicity-single exposure – Category 3 (respiratory)
Specific target organ toxicity-repeat exposure – Category 2 (respiratory)
Aquatic acute toxicity – Category 1

2.2 GHS Label elements, including precautionary statements

Hazard Pictogram(s):



Signal word: Danger

Health Hazards:	H315	Causes skin irritation
	H317	May cause an allergic skin reaction
	H319	Causes serious eye irritation
	H332	Harmful if inhaled
	H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
	H335	May cause respiratory irritation
	H351	Suspected of causing cancer.
	H373	May cause damage to organs (Olfactory organs)) through prolonged or repeated exposure (inhalation).
Environmental Hazards:	H400	Very toxic to aquatic life.
General Precautions:	P101	If medical advice is needed, have product container or label at hand.
	P102	Keep out of reach of children.
	P103	Read label before use.
Prevention Precautions:	P201	Obtain special instructions before use.

	P202	Do not handle until all safety precautions have been read and understood.
	P260	Do not breathe dust/fume/gas/mist/vapors/spray.
	P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
	P264	Wash skin thoroughly after handling.
	P271	Use only outdoors or in a well-ventilated area.
	P272	Contaminated work clothing should not be allowed out of the workplace.
	P280	Wear protective gloves/protective clothing/eye protection/face protection.
	P284	[In case of inadequate ventilation] wear respiratory protection.
Response	P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
Precautions:	P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P308 + P311	IF exposed or concerned: Call a POISON CENTER or doctor/physician.
	P312	Call a POISON CENTER or doctor/physician if you feel unwell.
	P314	Get medical advice/attention if you feel unwell.
	P332 + P313	If skin irritation occurs: Get medical advice/attention.
	P362 + P364	Take off contaminated clothing and wash it before reuse.
	P391	Collect spillage.
Storage	P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
Precautions:	P405	Store locked up.
Disposal	P501	Dispose of contents/container according to local, state and federal laws.
Precautions:		

Hazards not otherwise classified (HNOC) or not covered by GHS – none known

Section 3 - Composition / Information on Ingredients

3.1 Substances

The following ingredients are hazardous according to Regulation 2012 OSHA Hazard Communication Standard: 29 CFR 1910.1200:

CAS	Chemical Name	Concentration
101-68-8	4,4' Methylene bis(phenylisocyanate) (MDI)	10% - 20%
9013-87-9	Polymethylene polyphenyl isocyanates	20% - 35%
85-68-7	Butyl benzyl phthalate	40% - 70%

Butyl benzyl phthalate is included in the Candidate List of Substances of Very High Concern (SVHC) according to Regulation (EC) No. 1907/2006 (REACH).

Section 4 - First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove source(s) of contamination and move victim to fresh air. If breathing has stopped, give artificial respiration, then oxygen if needed. Contact physician immediately.

Eye Contact: Flush eyes with plenty of water. If irritation persists, seek medical attention.

Skin Contact: In case of skin contact, wash thoroughly with soap and water.

Ingestion: Do not induce vomiting unless instructed by a physician. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed: None known.

4.3 After first aid, get appropriate in-plant, paramedic, or community medical support.

Section 5 - Fire-Fighting Measures

5.1 Extinguishing Media: Water Fog, Dry Chemical, and Carbon Dioxide Foam

5.2 Special hazards arising from the substance or mixture: None known.

5.3 Advice for firefighters: Use water spray to cool fire-exposed surfaces and to protect personnel. Shut off "fuel" to fire. If a leak or spill has not ignited, use water spray to disperse the vapors. Either allow fire to burn under controlled conditions or extinguish with foam or dry chemical. Try to cover liquid spills with foam. Because fire may produce toxic thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full face piece operated in pressure demand or positive-pressure mode.

Section 6 - Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures: Only properly protected personnel should remain in the spill area; dike and contain spill. Stop or reduce discharge if it can be done safely.

6.2 Environmental precautions:

Stop spill/release if it can be done safely. Prevent spilled material from entering sewers, storm drains or unauthorized drainage systems and natural waterways by using sand, earth, or other appropriate barriers.

6.3 Methods and material for containment and cleaning up:

Put on appropriate protective gear including NIOSH/MSHA approved self-contained breathing apparatus, rubber boots and heavy rubber gloves. Dike and contain spill; absorb or scrape up excess into suitable container for disposal; wash area with dilute ammonia solution. Stop or reduce discharge if it can be done safely.

Follow applicable OSHA regulations (29 CFR 1910.120) for disposal.

6.4 Reference to other sections: See Section 3 for list of Hazardous Ingredients; Sections 8 for Exposure Controls; and Section 13 for Disposal.

Section 7 - Handling and Storage

7.1 Precautions for safe handling: Use good general housekeeping procedures. Wash hands after use. Do not get in eyes, on skin or on clothing. Do not breathe vapors or mists. Use good personal hygiene practices.

7.2 Conditions for safe storage, including any incompatibilities: Keep container(s) tightly closed and properly labeled. Store in cool, dry, well ventilated place away from heat, direct sunlight, strong oxidizers and any incompatibles. Store in approved containers and protect against physical damage. Keep containers securely sealed when not in use. Indoor storage should meet OSHA standards and appropriate fire codes. Containers that have been opened must be carefully resealed to prevent leakage. Empty containers retain residue and may be dangerous. Avoid water contamination.

7.3 Specific end use(s): These precautions are for room temperature handling. Other uses including elevated temperatures or aerosol/spray applications may require added precautions.

Section 8 - Exposure Controls / Personal Protection

8.1 Control parameters:

4,4' Methylene bis(phenylisocyanate) (MDI)	OSHA PEL	CLV 0.02 ppm 0.2 mg/m ³
	ACGIH TLV	TWA value 0.005 ppm
Polymethylene polyphenyl isocyanates	OSHA PEL	CLV 0.02 ppm 0.2 mg/m ³
	ACGIH TLV	TWA value 0.005 ppm

8.2 Exposure controls:

Respiratory Protection: Respiratory protection is not normally required when using this product with adequate ventilation. Where risk assessment shows air-purifying respirators are appropriate, follow OSHA respirator regulations 29 CFR 1910.134 and European Standards EN 141, 143 and 371; wear an MSHA/NIOSH or European Standards EN 141, 143 and 371 approved respirators equipped with appropriate filter cartridges as a backup to engineering controls.

Hand Protection: Wear any liquid-tight gloves such as butyl rubber, neoprene or PVC.

Eye Protection: Safety glasses with side shields per OSHA eye- and face-protection regulations 29 CFR 1910.133 and European Standard EN166. Contact lenses are not eye protective devices. Appropriate eye protection must be worn instead of, or in conjunction with contact lenses.

Other Protective Clothing/Equipment: Additional protective clothing or equipment is not normally required. Provide eye bath and safety shower.

Comments: Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics. Wash thoroughly after handling.

Section 9 - Physical and Chemical Properties

9.1 Information on basic physical and chemical properties:

Appearance: brown liquid	Vapor Pressure: 0.00016 mmHg (68 °F)
Odor/Threshold: characteristic odor	Vapor Density (Air=1): 8.6
pH: N.A. (non-aqueous)	Specific Gravity (H₂O=1, at 4 °C): 1.1
Melting Point/Freezing Point: 37 °F	Water Solubility: Insoluble
Low/High Boiling Point: >390 °F	Partition coefficient: Not available
Flash Point: 390 °F	Auto-ignition temperature: Not available
Evaporation Rate: Not available	Decomposition temperature: Not available
Flammability: f.p. at or above 200 °F	Viscosity: 100 cPs
UEL/LEL: Not available	% Volatile: Nil

Section 10 - Stability and Reactivity

10.1 Reactivity: No hazardous reactions if stored and handled as prescribed/indicated. No corrosive effect on metal. Not fire propagating. Reacts with water with formation of carbon dioxide. Risk of bursting.

10.2 Chemical stability: These products are stable at room temperature in closed containers under normal storage and handling conditions.

10.3 Possibility of hazardous reactions: Hazardous polymerization cannot occur.

10.4 Conditions to avoid: Reacts with water with formation of carbon dioxide. Risk of bursting.

10.5 Incompatible materials: water (and moisture) strong bases and acids

10.6 Hazardous decomposition products: Thermal oxidative decomposition can produce carbon oxides, gasses/vapors, and traces of incompletely burned carbon compounds.

Section 11- Toxicological Information

11.1 Information on toxicological effects:

Skin Corrosion/Irritation: Prolonged contact may cause slight irritation with local redness; may stain skin.

Serious Eye Damage/Irritation: Draize test (rabbit): irritating (based on MDI); may cause moderate eye irritation; may cause slight temporary corneal injury

Respiratory/Skin Sensitization: skin contact may cause an allergic skin reaction; animal studies have shown that skin contact with isocyanates may play a role in respiratory sensitization; may cause allergic respiratory reaction.

Germ Cell Mutagenicity: genetic toxicity data on MDI are inconclusive.

Carcinogenicity:

IARC – Group 3, not classifiable as to its carcinogenicity in humans (MDI and butyl benzyl phthalate)

No component of this product at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by NTP or OSHA

Reproductive Toxicity: no data

Specific Target Organ Toxicity – Single Exposure: no data

Specific Target Organ Toxicity – Repeated Exposure: no data

Aspiration Hazard: based on physical properties, not likely to be an aspiration hazard

Acute Toxicity: based on 4,4' Methylene bis(phenylisocyanate) (MDI)

LD50, oral - >10,000 mg/kg (rat)

LD50, dermal - > 10,000 mg/kg (rabbit)

LC50, inhalation – 2.24 mg/l (rat, 1 hour, aerosol): at room temperature, vapors are minimal due to low volatility. Data based on spray operations.

Chronic Exposure: no data

Potential Health Effects – Miscellaneous: no data

Section 12 - Ecological Information

12.1 Toxicity:

LC0 (96 h): > 6,700 mg/l, *Brachydanio rerio*

EC50 (24 h): > 6,700 mg/l, *Daphnia magna*

EC0 (72 h, static): >10,900 mg/l (growth rate), *Scenedesmus subspicatus*

LC50 (96 h): 2.8 mg/l, *Lepomis macrochirus*

NOEC (96 h): 0.8 mg/l, *Oncorhynchus mykiss*

LC50, flow through (96 h): 3.5 mg/l *Pimephales promelas*

EC50 (72 h): 0.52 mg/l, *Desmodesmus subspicatus*

12.2 Persistence and Degradability: Poorly biodegradable. This product is unstable in water. The elimination data also refer to products of hydrolysis.

12.3 Bioaccumulative Potential: Significant accumulation in organisms is not to be expected. Bioconcentration factor >200

12.4 Mobility in Soil: Adsorption to solid soil phase is not expected.

12.5 Results of PBT and vPvB assessment: no data

12.6 Other Adverse Effects: The substance will not evaporate into the atmosphere from the water surface.

Section 13 - Disposal Considerations

13.1 Waste treatment methods: Under Resource Conservation and Recovery Act (RCRA) it is the responsibility of the user of the product to determine at the time of disposal whether the product meets RCRA criteria for hazardous waste as defined in 40 CFR Part 261. Waste management should be in full compliance with federal, state and local laws.

Empty containers retain product residue which may exhibit hazards of material, therefore to not pressurize, cut, glaze, weld or use for any other purposes. Return drums to reclamation centers for proper cleaning and reuse.

Section 14 - Transport Information

Classified by DOT, IATA and IMDG (for DOT only, PMC-724 and URE-BOND II containers less than 150 lb and PMC-726 containers less than 238 lb are not regulated)

14.1 UN number: 3082

14.2 UN proper shipping name: Environmentally hazardous substance, liquid, n.o.s. (Butyl Benzyl Phthalate Mixture)

14.3 Transport hazard class(es): 9

14.4 Packing group: III

14.5 Environmental hazards: Marine Pollutant

14.6 Special precautions for user: none known

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: not applicable

Section 15 - Regulatory Information

15.1 Safety health and environmental regulations/legislation specific for the substance or mixture:

In the United States (EPA Regulations):

TSCA Inventory Status (40 CFR710): All components of this formulation are listed in the TSCA Inventory.

SARA 302 Components: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components:

CAS	Chemical Name	Concentration
101-68-8	4,4' Methylene bis(phenylisocyanate) (MDI)	25% - 50%
9013-87-9	Polymethylene polyphenyl isocyanates	50% - 75%


SARA 311/312 Hazard(s): Immediate (Acute), Delayed (Chronic)

California Proposition 65: WARNING: This product contains chemicals known to the state of California to cause cancer, birth defects or other reproductive harm.

15.2 Chemical safety assessment: No chemical safety assessment has been carried out for this substance/mixture by the supplier.

16 - Other Information

HMIS	
H	2
F	1
R	1



SDS Version: 3

Date Prepared: March 9, 2017

NFPA

Glossary: ACGIH-American Conference of Governmental Industrial Hygienists; ANSI-American National Standards Institute; Canadian TDG-Canadian Transportation of Dangerous Goods; CAS-Chemical Abstract Service; Chemtrec-Chemical Transportation Emergency Center (US); CHIP-Chemical Hazard Information and Packaging; DSL-Domestic Substances List; EC-Equivalent Concentration; EH40 (UK)-HSE Guidance Note EH40 Occupational Exposure Limits; EPCRA-Emergency Planning and Community Right-To-Know Act; ESL-Effects screening levels; GHS-Globally Harmonized System of Classification and Labelling of Chemicals; HMIS-Hazardous Material Information Service; IATA-International Air Transport Association; IMDG-International Maritime Dangerous Goods Code; LC-Lethal Concentration; LD-Lethal Dose; LEL-Lower Explosion Level; NFPA-National Fire Protection Association; OEL-Occupational Exposure Limit; OSHA-Occupational Safety and Health Administration, US Dept. of Labor; PEL-Permissible Exposure Limit; RCRA-Resource Conservation and Recovery Act; SARA (Title III)-Superfund Amendments and Reauthorization Act;

SARA 313-Superfund Amendments and Reauthorization Act, Section 313; SCBA-Self-Contained Breathing Apparatus; STEL-Short Term Exposure Limit; TCEQ-Texas Commission on Environmental Quality; TLV-Threshold Limit Value; TSCA-Toxic Substances Control Act Public Law 94-469; TWA-Time Weighted Value; UEL-Upper Explosion Level; US DOT-US Department of Transportation; WHMIS-Workplace Hazardous Materials Information System.

Disclaimer: The information contained in this Safety Data Sheet (SDS) is considered accurate as of the version date. However, no warranty is expressed or implied regarding the accuracy of the data. Since the use of this product is not within the control of Smooth-On Inc., it is the user's obligation to determine the suitability of the product for its intended application and assumes all risk and liability for its safe use.

This SDS is prepared to comply with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) as prescribed by the United States (US) Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (29 CFR 1910.1200), the Canadian Workplace Hazardous Materials Information System (WHMIS), and European Union Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 (REACH).

Classifications of the chemical in accordance with 29 CFR 1910.1200, signal word, hazard and precautionary statement(s), symbol(s) and other information are based on listed concentration of each hazardous ingredient. Unlisted ingredients are not "hazardous" per the OSHA Hazard Communication Standard (29 CFR 1910.1200), WHMIS and EC No 1907/2006 and are considered trade secrets under US Federal Law (29 CFR and 40 CFR), Canadian Law (Health Canada Legislation), and European Union Directives.



Safety Data Sheet

SDS No. 402B

Section 1 - Identification

1.1 Product Identity: Part B for: Clear Flex® 30; FeatherLite®; FlexFoam-iT® Series; Foam-iT! 3, 10 and 10 Slow, 15, 26; Renew® Flexible Foam 10# and 25#; Renew® Rigid Foam 10#; Rigid Urethane 1800PF; Simpact® 60A and 85A; StyroCoat®; SMASH! Plastic®; Smooth-Cast® 300, 300Q, 320, 325, 45D, 57D, 60D, 61D, 65D, 66D, ONYX® Fast and Slow; Task® 2, 3, 7 FlameOut®, 8, 11, 15, 21; URE-BOND® II; Urethane 444; Urethane 666; Part A for Smooth-Cast® 380; Urethane Adhesive 110-253 and Urethane Adhesive 1701

1.2 General Use: Polyurethane Elastomer

1.3 Manufacturer: Smooth-On, Inc.,
5600 Lower Macungie Rd., Macungie, PA 18062
Phone (610) 252-5800, FAX (610) 252-6200
SDS@Smooth-On.com

1.4 Emergency Contact: Chem-Tel
Domestic: 800-255-3924 International: 813-248-0585

Section 2 – Hazard(s) Identification

2.1 Classification of the substance or mixture

Not a hazardous substance or mixture according to United States Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (29 CFR 1910.1200), the Canadian Workplace Hazardous Materials Information System (WHMIS) and Regulation (EC) No 1272/2008 and subsequent amendments.

2.2 GHS Label elements, including precautionary statements

Hazard Pictogram(s): none

Signal word: none

General Precautions

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P103: Read label before use.

Hazards not otherwise classified (HNOC) or not covered by GHS – none

Section 3 - Composition / Information on Ingredients

3.1 Substances

No ingredients are hazardous according to 2012 OSHA Regulation 29 CFR 1910.1200 criteria.

Section 4 - First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove source(s) of contamination and move victim to fresh air. If breathing has stopped, give artificial respiration, then oxygen if needed. Contact physician immediately.

Eye Contact: Flush eyes with plenty of water. If irritation persists, seek medical attention.

Skin Contact: In case of skin contact, wash thoroughly with soap and water.

Ingestion: Do not induce vomiting unless instructed by a physician. Never give anything by mouth to an unconscious person.

- 4.2 Most important symptoms and effects, both acute and delayed:** none known.
4.3 After first aid, get appropriate in-plant, paramedic, or community medical support.

Section 5 - Fire-Fighting Measures

- 5.1 Extinguishing Media:** Water Fog, Dry Chemical, and Carbon Dioxide Foam
5.2 Special hazards arising from the substance or mixture: None known.
5.3 Advice for firefighters: Use water spray to cool fire-exposed surfaces and to protect personnel. Shut off "fuel" to fire. If a leak or spill has not ignited, use water spray to disperse the vapors. Either allow fire to burn under controlled conditions or extinguish with foam or dry chemical. Try to cover liquid spills with foam. Because fire may produce toxic thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full face piece operated in pressure demand or positive-pressure mode.

Section 6 - Accidental Release Measures

- 6.1 Personal precautions, protective equipment and emergency procedures:** Only properly protected personnel should remain in the spill area; dike and contain spill. Stop or reduce discharge if it can be done safely.
6.2 Environmental precautions: No special environmental precautions required.
6.3 Methods and material for containment and cleaning up: absorb or scrape up excess into suitable container for disposal; wash area with dilute ammonia solution
6.4 Reference to other sections: See Section 3 for Hazardous Ingredients; Section 8 for Exposure Controls; and Section 13 for Disposal.

Section 7 - Handling and Storage

- 7.1 Precautions for safe handling:** Use good general housekeeping procedures. Wash hands after use.
7.2 Conditions for safe storage, including any incompatibilities: Keep container(s) tightly closed and properly labeled. Store in cool, dry, well ventilated place away from heat, direct sunlight, strong oxidizers and any incompatibles. Store in approved containers and protect against physical damage. Keep containers securely sealed when not in use. Indoor storage should meet OSHA standards and appropriate fire codes. Containers that have been opened must be carefully resealed to prevent leakage. Empty containers retain residue and may be dangerous. Avoid water contamination.
7.3 Specific end use(s): These precautions are for room temperature handling. Other uses including elevated temperatures or aerosol/spray applications may require added precautions.

Section 8 - Exposure Controls / Personal Protection

- 8.1 Control parameters:** none defined
8.2 Exposure controls:
Respiratory Protection: Use of this product does not require the use of a respirator. Should other occupational exposure factors warrant a respirator, follow OSHA respirator regulations 29 CFR 1910.134 and European Standards EN 141, 143 and 371; wear an MSHA/NIOSH or European Standards EN 141, 143 and 371 approved respirators equipped with appropriate cartridges.
Hand Protection: Wear any liquid-tight gloves such as butyl rubber, neoprene or PVC.

Eye Protection: Safety glasses with side shields per OSHA eye- and face-protection regulations 29 CFR 1910.133 and European Standard EN166. Contact lenses are not eye protective devices. Appropriate eye protection must be worn instead of, or in conjunction with contact lenses.

Other Protective Clothing/Equipment: Additional protective clothing or equipment is not normally required. Provide eye bath and safety shower.

Comments: Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics. Wash thoroughly after handling.

Section 9 - Physical and Chemical Properties

9.1 Information on basic physical and chemical properties:

Appearance : translucent viscous liquid

Odor/Threshold: Mild to sweet odor

pH: N.A. (non-aqueous)

Melting Point/Freezing Point: N.A.

Low/High Boiling Point: N.A.

Flash Point: >300 °F

Evaporation Rate: Not available

Flammability: f.p. at or above 200 °F

UEL/LEL: Not available

Vapor Pressure: None (Polymeric Resin)

Vapor Density (Air=1): >1

Specific Gravity (H₂O=1, at 4 °C): 1.07

Water Solubility: Insoluble

Partition coefficient: Not available

Auto-ignition temperature: Not available

Decomposition temperature: Not available

Viscosity: 20,000 – 30,000 centipoise

% Volatile: Nil

Section 10 - Stability and Reactivity

10.1 Reactivity: No hazardous reactions if stored and handled as prescribed/indicated., No corrosive effect on metal. Not fire propagating.

10.2 Chemical stability: These products are stable at room temperature in closed containers under normal storage and handling conditions.

10.3 Possibility of hazardous reactions: Hazardous polymerization cannot occur.

10.4 Conditions to avoid: none known

10.5 Incompatible materials: strong bases and acids

10.6 Hazardous decomposition products: Thermal oxidative decomposition can produce carbon oxides, gasses/vapors, and traces of incompletely burned carbon compounds.

Section 11- Toxicological Information

11.1 Information on toxicological effects:

Skin Corrosion/Irritation: no data

Serious Eye Damage/Irritation: no data

Respiratory/Skin Sensitization: no data

Germ Cell Mutagenicity: no data

Carcinogenicity: No component of this product at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by IARC, NTP, or OSHA.

Reproductive Toxicity: no data

Specific Target Organ Toxicity – Single Exposure: no data

Specific Target Organ Toxicity – Repeated Exposure: no data

Aspiration Hazard: no data

Acute Toxicity: (calculated)

Chronic Exposure: no data

Potential Health Effects – Miscellaneous: no data

Section 12 - Ecological Information

- 12.1 Toxicity:** no data
12.2 Persistence and Degradability: no data
12.3 Bioaccumulative Potential: no data
12.4 Mobility in Soil: no data
12.5 Results of PBT and vPvB assessment: no data
12.6 Other Adverse Effects: no data

Section 13 - Disposal Considerations

13.1 Waste treatment methods: Under Resource Conservation and Recovery Act (RCRA) it is the responsibility of the user of the product to determine at the time of disposal whether the product meets RCRA criteria for hazardous waste as defined in 40 CFR Parts 261. Waste management should be in full compliance with federal, state and local laws.
Empty containers retain product residue which may exhibit hazards of material, therefore to not pressurize, cut, glaze, weld or use for any other purposes. Return drums to reclamation centers for proper cleaning and reuse.

Section 14 - Transport Information

- Not regulated by DOT, IATA or IMDG
14.1 UN number: none
14.2 UN proper shipping name: none
14.3 Transport hazard class(es): not applicable
14.4 Packing group: not applicable
14.5 Environmental hazards: none known
14.6 Special precautions for user: none known
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: not applicable

Section 15 - Regulatory Information

15.1 Safety health and environmental regulations/legislation specific for the substance or mixture:

In the United States (EPA Regulations):

TSCA Inventory Status (40 CFR710): All components of this formulation are listed in the TSCA Inventory.

SARA 302 Components: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 313.


SARA 311/312 Hazards: none

California Proposition 65: This product does not intentionally contain any chemicals known to the state of California to cause cancer, birth defects or other reproductive harm.

15.2 Chemical safety assessment: No chemical safety assessment has been carried out for this substance/mixture by the supplier.

16 - Other Information

HMIS	
H	1
F	0
R	0



SDS Version: 9

Date Prepared: March 22, 2017

NFPA

Glossary: ACGIH-American Conference of Governmental Industrial Hygienists; ANSI-American National Standards Institute; Canadian TDG-Canadian Transportation of Dangerous Goods; CAS-Chemical Abstract Service; Chemtrec-Chemical Transportation Emergency Center (US); CHIP-Chemical Hazard Information and Packaging; DSL-Domestic Substances List; EC-Equivalent Concentration; EH40 (UK)-HSE Guidance Note EH40 Occupational Exposure Limits; EPCRA-Emergency Planning and Community Right-To-Know Act; ESL-Effects screening levels; GHS-Globally Harmonized System of Classification and Labelling of Chemicals; HMIS-Hazardous Material Information Service; IATA-International Air Transport Association; IMDG-International Maritime Dangerous Goods Code; LC-Lethal Concentration; LD-Lethal Dose; LEL-Lower Explosion Level; NFPA-National Fire Protection Association; OEL-Occupational Exposure Limit; OSHA-Occupational Safety and Health Administration, US Dept. of Labor; PEL-Permissible Exposure Limit; RCRA-Resource Conservation and Recovery Act; SARA (Title III)-Superfund Amendments and Reauthorization Act; SARA 313-Superfund Amendments and Reauthorization Act, Section 313; SCBA-Self-Contained Breathing Apparatus; STEL-Short Term Exposure Limit; TCEQ-Texas Commission on Environmental Quality; TLV-Threshold Limit Value; TSCA-Toxic Substances Control Act Public Law 94-469; TWA-Time Weighted Value; UEL-Upper Explosion Level; US DOT-US Department of Transportation; WHMIS-Workplace Hazardous Materials Information System.

Disclaimer: The information contained in this Safety Data Sheet (SDS) is considered accurate as of the version date. However, no warranty is expressed or implied regarding the accuracy of the data. Since the use of this product is not within the control of Smooth-On Inc., it is the user's obligation to determine the suitability of the product for its intended application and assumes all risk and liability for its safe use.

This SDS is prepared to comply with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) as prescribed by the United States (US) Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (29 CFR 1910.1200), the Canadian Workplace Hazardous Materials Information System (WHMIS), and European Union Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 (REACH).

Classifications of the chemical in accordance with 29 CFR 1910.1200, signal word, hazard and precautionary statement(s), symbol(s) and other information are based on listed concentration of each hazardous ingredient. Unlisted ingredients are not "hazardous" per the OSHA Hazard Communication Standard (29 CFR 1910.1200), WHMIS and EC No 1907/2006 and are considered trade secrets under US Federal Law (29 CFR and 40 CFR), Canadian Law (Health Canada Legislation), and European Union Directives.