

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 14-Feb-2025

Revision Number 3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Safety data sheet number	FG-10B
Product Name	Part B: MetalSet A4
Other means of identification	
Unique Formula Identifier (UFI)	F030-10UD-M008-7YTV
Pure substance/mixture	Mixture
Contains Tetraethylenepentamine; Tit	anium dioxide; Triethylenetetramine; Diethylenetriamine; Bisphenol A
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Recommended use	Epoxy Adhesive
Uses advised against	No information available
1.3. Details of the supplier of the sa	ifety data sheet
Supplier Smooth-On, Inc, 5600 Lower Macung sds@smooth-on.com For further information, please contact	ie Rd, Macungie, PA 18062, USA, Phone: +01.610.252.5800, www.smooth-on.com,
E-mail address	sds@smooth-on.com
1.4. Emergency telephone number	_
Emergency Telephone	CHEMTEL +01-813-248-0585
Emergency Telephone - §45 - (EC)	1272/2008
Europe	112
Austria	01 406 43 43
Belgium	070 245 245
Bulgaria	+359 9154 233
Croatia	+385 1 2348 342
Cyprus	1401
Czech Republic	224 91 92 93 22191 54 02
Denmark	+45 8212 1212
Estonia	16662
Finland	Maksuton Puhelu: 0800 147 111 Normihinta: +358 9 471 977
France	+33 01 45 42 59 59

112

Germany

Greece	(0030) 2107793777	
Hungary	+36 80 201 199	
Iceland	+354 543 2222	
Ireland	01 837 9964	
	01 809 2566	
Italy	06 3054 343	
Latvia	+370 (5) 2362052	
Liechtenstein	01 406 43 43	
Lithuania	+370 5 236 20 52	
	+370 687 533 78	
Luxembourg	(+352) 8002 5500	
Netherlands	+31 (0) 88 755 8000	
Norway	22 59 13 00	
Poland	+48 22 619 66 54	
Portugal	+351 800 250 250	
Romania	+40 21 599 2300	
Slovakia	+421 2 5477 4166	
Spain	+34 91 562 04 20	
Sweden	112	
Switzerland	145	
United Kingdom	0344 892 0111	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 1 - (H318)
Skin sensitization	Category 1 - (H317)
Reproductive toxicity	Category 1B - (H360F)
Chronic aquatic toxicity	Category 2 - (H411)

2.2. Label elements

Contains Tetraethylenepentamine; Titanium dioxide; Triethylenetetramine; Diethylenetriamine; Bisphenol A



Signal word Danger

Hazard statements

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H360F May damage fertility.
- H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements - EU (§28, 1272/2008)

- P260 Do not breathe dust/fume/gas/mist/vapors/spray.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 - Immediately call a POISON CENTER or doctor.
P391 - Collect spillage.

Additional information

This product requires child resistant fastenings if supplied to the general public. This product requires tactile warnings if supplied to the general public.

2.3. Other hazards

Toxic to aquatic life.

Endocrine Disruptor Information Contains a known or suspected endocrine disruptor.

Chemical name	EU - REACH (1907/2006) - Article 59(1)	EU - REACH (1907/2006) - Endocrine
	- Candidate List of Substances of Very	Disruptor Assessment List of
	High Concern (SVHC) for Authorisation	Substances
Bisphenol A	Endocrine disrupting properties	-

	Endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100(3) or Commission Regulation (EU) 2018/605(4)
Bisphenol A	Endocrine disrupting properties

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical name	Weight-%	REACH registration	EC No (EU	Classification according	Specific	M-Factor	M-Factor
		number	Index No)	to Regulation (EC) No.	concentration		(long-term)
				1272/2008 [CLP]	limit (SCL)		
Tetraethylenepenta	1 - 5	Below import	203-986-2	Acute Tox. 4 (H302)	-	-	-
mine		reportable quantity	(612-060-00				
112-57-2		threshold or otherwise	-0)	Skin Corr. 1B (H314)			
		exempt		Skin Sens. 1 (H317)			
				Aquatic Chronic 2			
				(H411)			
Titanium dioxide	1 - 5	Below import	236-675-5	Carc. 2 (H351i)	-	-	-
13463-67-7		reportable quantity	(022-006-00				
		threshold or otherwise	-2)				
		exempt					
Triethylenetetramine	1 - 5	Below import	203-950-6	Acute Tox. 4 (H312)	-	-	-
112-24-3		reportable quantity	(612-059-00	Skin Corr. 1B (H314)			
		threshold or otherwise	-5)	Skin Sens. 1 (H317)			
		exempt		Aquatic Chronic 3			
				(H412)			
Diethylenetriamine	0.1 - 1	Below import	203-865-4	Acute Tox. 4 (H302)	-	-	-
111-40-0		reportable quantity	(612-058-00	Acute Tox. 4 (H312)			
		threshold or otherwise	-X)	Skin Corr. 1B (H314)			
		exempt		Skin Sens. 1 (H317)			
Bisphenol A	0.1 - 1	Below import	201-245-8	Eye Dam. 1 (H318)	-	1	10
80-05-7		reportable quantity	(604-030-00	Skin Sens. 1 (H317)			
		threshold or otherwise	-0)	Repr. 1B (H360F)			

	exempt	STOT SE 3 (H335)		
		Aquatic Acute 1 (H400)		
		Aquatic Chronic 1		
		(H410)		

If "No data available" is reported in the REACH Registration Number column, then the chemical substance is imported in quantities that are below the REACH registration threshold or are otherwise exempt from registration "Below import reportable quantity threshold or otherwise exempt"

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg		Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapor - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Tetraethylenepentamine 112-57-2	3990	655.38	No data available	No data available	No data available
Titanium dioxide 13463-67-7	10000	No data available	5.09	No data available	No data available
Triethylenetetramine 112-24-3	1716.2	1720 1465.4	No data available	No data available	No data available
Diethylenetriamine 111-40-0	1080	672	70	No data available	No data available
Bisphenol A 80-05-7	3300	3000	No data available	No data available	No data available

This product contains one or more candidate substance(s) of very high concern (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Chemical name	CAS No.	SVHC candidates
Bisphenol A	80-05-7	Х

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention.
Inhalation	Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical attention.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get immediate medical attention. May cause an allergic skin reaction.
Ingestion	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

	person. Get immediate medical attention.
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Wear personal protective clothing (see section 8).
4.2. Most important symptoms and	effects, both acute and delayed
Symptoms	Burning sensation. Itching. Rashes. Hives.
Effects of Exposure	May cause adverse reproductive effects - such as birth defect, miscarriages, or infertility.
4.3. Indication of any immediate me	dical attention and special treatment needed
Note to physicians	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. May cause sensitization in susceptible persons. Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.
5.2. Special hazards arising from the	ne substance or mixture
Specific bezords origing from the	The product causes burns of avec, skip and museus membranes. Thermal decompo

Specific hazards arising from the chemical The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors. Product is or contains a sensitizer. May cause sensitization by skin contact.

5.3. Advice for firefighters

Special protective equipment and
precautions for fire-fightersFirefighters should wear self-contained breathing apparatus and full firefighting turnout gear.
Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1- Recommendations for those who intervene directly

No information available.

6.1.2.- Recommendations for those who do not intervene directly

No information available.

Personal precautions	Attention! Corrosive material. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
Other information	Refer to protective measures listed in Sections 7 and 8.

For emergency responders	Use personal protection recommended in Section 8.
6.2. Environmental precautions	
Environmental precautions	Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.
6.3. Methods and material for conta	ainment and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.
6.4. Reference to other sections	
Reference to other sections	See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Remove contaminated clothing and shoes.
General hygiene considerations	Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.
7.2. Conditions for safe storage, inc	luding any incompatibilities
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.
Storage class (TRGS 510)	Storage class 6.1C.
7.3. Specific end use(s)	
Risk Management Methods (RMM)	The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Titanium dioxide	-	TWA: 5 mg/m ³	TWA: 10 mg/m ³	TWA: 10.0 mg/m ³	TWA: 10 mg/m ³

13463-67-7	ľ	STEL 10 mg/m ³			TWA: 4 mg/m ³
Diethylenetriamine		TWA: 1 ppm	TWA: 1 ppm	TWA: 4.0 mg/m ³	TWA: 4 mg/m²
111-40-0		TWA: 4 mg/m ³ Sh+	TWA: 4.3 mg/m ³ Sk*	i wix. no mg/m	TWA: 4.3 mg/m ³ Skin Sensitisation
Bisphenol A 80-05-7	TWA: 2 mg/m ³ inhalable fraction TWA: 2 mg/m ³	TWA: 2 mg/m ³ STEL 5 mg/m ³ S+	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 2 mg/m ³ Skin Sensitisation
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Titanium dioxide 13463-67-7	-	-	TWA: 6 mg/m ³ STEL: 12 mg/m ³	TWA: 5 mg/m ³	-
Triethylenetetramine 112-24-3	-	-	-	TWA: 1 ppm TWA: 6 mg/m ³ STEL: 12 mg/m ³ S+	-
Diethylenetriamine 111-40-0	-	TWA: 4 mg/m ³ Ceiling: 8 mg/m ³	TWA: 1 ppm TWA: 4 mg/m ³ STEL: 2 ppm STEL: 8 mg/m ³ Sk [*]	TWA: 1 ppm TWA: 4.5 mg/m ³ STEL: 2 ppm STEL: 10 mg/m ³ Sk* S+	TWA: 1 ppm TWA: 4.3 mg/m ³ STEL: 3 ppm STEL: 13 mg/m ³ Sk*
Bisphenol A 80-05-7	TWA: 2 mg/m ³	TWA: 2 mg/m ³ S+ Ceiling: 5 mg/m ³	TWA: 2 mg/m ³ STEL: 4 mg/m ³	TWA: 2 mg/m ³	TWA: 2 mg/m ³
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
Titanium dioxide 13463-67-7	TWA: 10 mg/m ³	TWA: 1.25 mg/m ³ TWA: 10 mg/m ³	TWA: 0.3 mg/m ³ Peak: 2.4 mg/m ³	TWA: 10 mg/m ³ TWA: 5 mg/m ³	-
Triethylenetetramine 112-24-3	-	-	skin sensitizer	-	-
Diethylenetriamine 111-40-0	TWA: 1 ppm TWA: 4 mg/m ³ AC+	-	skin sensitizer	TWA: 1 ppm TWA: 4 mg/m³ Sk*	TWA: 1 ppm TWA: 4 mg/m ³ STEL: 2 ppm STEL: 8 mg/m ³ Sk* sz+
Bisphenol A 80-05-7	TWA: 2 mg/m ³	TWA: 2 mg/m³ Sh+	TWA: 5 mg/m ³ Peak: 5 mg/m ³ photo sensitizer	TWA: 2 mg/m ³	TWA: 2 mg/m ³
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
Titanium dioxide 13463-67-7	TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 30 mg/m ³ STEL: 12 mg/m ³	-	TWA: 10 mg/m ³	TWA: 10 mg/m³	TWA: 5 mg/m³
Triethylenetetramine 112-24-3	-	-	-	-	TWA: 1 ppm TWA: 6 mg/m ³ STEL: 2 ppm STEL: 12 mg/m ³ J+
Diethylenetriamine 111-40-0	TWA: 1 ppm TWA: 4 mg/m ³ STEL: 3 ppm STEL: 12 mg/m ³ Sk*	-	TWA: 1 ppm TWA: 4.2 mg/m ³ Sk*	-	TWA: 1 ppm TWA: 4.5 mg/m ³ STEL: 2 ppm STEL: 10 mg/m ³ Sk [*] J+
Bisphenol A 80-05-7	TWA: 2 mg/m ³ STEL: 6 mg/m ³ Sens+	TWA: 2 mg/m³ Sk*	-	TWA: 2 mg/m ³	TWA: 10 mg/m³ J+
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
Titanium dioxide 13463-67-7	-	-	-	TWA: 5 mg/m ³ STEL: 10 mg/m ³	TWA: 10 mg/m ³ STEL: 30 mg/m ³

Triethylenetetramine 112-24-3	_		-	-	TWA: 1 TWA: 6 STEL: STEL: 12 A	mg/m ³ 3 ppm 2 mg/m ³	TWA: 1 mg/m ³ STEL: 3 mg/m ³ Sk*
Diethylenetriamine 111-40-0	-		-	-	TWA: ⁻ TWA: 4 STEL: 8 STEL: 8 Sł	mg/m ³ 3 ppm mg/m ³	TWA: 4 mg/m³ STEL: 12 mg/m³ Sk*
Bisphenol A 80-05-7	TWA: 2 mg/m ³		TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 2 STEL: 4 A·	mg/m³ +	TWA: 2 mg/m ³
Chemical name	Portu	gal	Romania	Slovakia	Slove	enia	Spain
Titanium dioxide 13463-67-7	TWA: 10		TWA: 10 mg/m ³ STEL: 15 mg/m ³	TWA: 5 mg/m ³	-		TWA: 10 mg/m ³
Triethylenetetramine 112-24-3	-		TWA: 1.7 ppm TWA: 10 mg/m ³ STEL: 3.3 ppm STEL: 20 mg/m ³	-	-		-
Diethylenetriamine 111-40-0	TWA: 1 Sk		TWA: 0.5 ppm TWA: 2 mg/m ³ STEL: 1 ppm STEL: 4 mg/m ³ Sk*	-	-		TWA: 1 ppm TWA: 4.3 mg/m ³ Sk* Sen+
Bisphenol A 80-05-7	TWA: 2	mg/m³	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 2 STEL: 2	mg/m ³	TWA: 2 mg/m ³ Sen+
Chemical name	•		Sweden	Switzerlan	nd	Ur	nited Kingdom
Titanium dioxide 13463-67-7		1	NGV: 5 mg/m³	TWA: 3 mg/ TWA: 10 mg		יד ST	VA: 10 mg/m ³ WA: 4 mg/m ³ 'EL: 30 mg/m ³ 'EL: 12 mg/m ³
Triethylenetetrami 112-24-3	Vägle		NGV: 1 ppm NGV: 6 mg/m ³ dande KGV: 2 ppm ande KGV: 12 mg/m ³ S+	-			-
Diethylenetriamir 111-40-0	N Vägle Vägled		NGV: 1 ppm IGV: 4.5 mg/m ³ dande KGV: 2 ppm ande KGV: 10 mg/m ³ Sk [*] S+	TWA: 4 mg, Sk*	TWA: 4 mg/m ³ TV Sk*		TWA: 1 ppm VA: 4.3 mg/m ³ STEL: 3 ppm EL: 12.9 mg/m ³ Sk*
Bisphenol A 80-05-7			NGV: 2 mg/m ³	TWA: 3 mg/ S+	/m ³		WA: 2 mg/m³ TEL: 6 mg/m³

Biological occupational exposure limits

mmus

Chemical name	Denmark	Finland	France	Germany DFG	Germany TRGS
Bisphenol A	-	-	-	80 mg/L - BLW (end	-
80-05-7				of exposure or end	
				of shift) urine	

Derived No Effect Level (DNEL) - Workers

Chemical name Oral Dermal Inhalation

Chemical name	Oral	Dermal	Inhalation
Fatty acids, C18-unsaturated, dimers, polymers with tall-oil fatty acids and triethylenetetramine 68082-29-1	-	1.1 mg/kg bw/day [4] [6]	3.9 mg/m³ [4] [6]
Diethylenetriamine 111-40-0	-	11.4 mg/kg bw/day [4] [6] 1.1 mg/cm2 [5] [6]	15.4 mg/m ³ [4] [6] 92.1 mg/m ³ [4] [7] 0.87 mg/m ³ [5] [6] 2.6 mg/m ³ [5] [7]
Bisphenol A 80-05-7	-	0.031 mg/kg bw/day [4] [6] 0.031 mg/kg bw/day [4] [7]	2 mg/m ³ [4] [6] 2 mg/m ³ [4] [7] 2 mg/m ³ [5] [6] 2 mg/m ³ [5] [7]
1,3-Propanediol, 2-ethyl-2-(hydroxymethyl)- 77-99-6	-	0.94 mg/kg bw/day [4] [6]	3.3 mg/m³ [4] [6]

Notes

[4]	Systemic health effects.
[5]	Local health effects.
[6]	Long term.
[7]	Short term.

Derived No Effect Level (DNEL) - General Public

Chemical name	Oral	Dermal	Inhalation
Fatty acids, C18-unsaturated, dimers, polymers with tall-oil fatty acids and triethylenetetramine 68082-29-1	0.56 mg/kg bw/day [4] [6]	-	0.97 mg/m³ [4] [6]
Diethylenetriamine 111-40-0	-	4.88 mg/kg bw/day [4] [6] 4.88 mg/kg bw/day [4] [7]	4.6 mg/m ³ [4] [6] 27.5 mg/m ³ [4] [7]
Bisphenol A 80-05-7	0.004 mg/kg bw/day [4] [6] 0.004 mg/kg bw/day [4] [7]	0.0019 mg/kg bw/day [4] [6] 0.0019 mg/kg bw/day [4] [7]	1 mg/m ³ [4] [6] 1 mg/m ³ [4] [7] 1 mg/m ³ [5] [6] 1 mg/m ³ [5] [7]
1,3-Propanediol, 2-ethyl-2-(hydroxymethyl)- 77-99-6	0.34 mg/kg bw/day [4] [6]	-	0.58 mg/m³ [4] [6]

Notes	
[4]	Systemic health effects.
[5]	Local health effects.
[6]	Long term.
[7]	Short term.

Predicted No Effect Concentration (PNEC)

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
Fatty acids, C18-unsaturated, dimers, polymers with tall-oil fatty acids and triethylenetetramine 68082-29-1	0.00434 mg/L	0.0434 mg/L	0.000434 mg/L	-	-
Diethylenetriamine	0.56 mg/L	0.32 mg/L	0.056 mg/L	-	-

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
111-40-0					
Bisphenol A 80-05-7	0.018 mg/L	0.011 mg/L	0.018 mg/L	-	-

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
Fatty acids, C18-unsaturated, dimers, polymers with tall-oil fatty acids and triethylenetetramine 68082-29-1	434.02 mg/kg sediment dw	43.4 mg/kg sediment dw	3.84 mg/L	86.78 mg/kg soil dw	-
Diethylenetriamine 111-40-0	1072 mg/kg sediment dw	107.2 mg/kg sediment dw	6 mg/L	7.97 mg/kg soil dw	-
Bisphenol A 80-05-7	1.2 mg/kg sediment dw	0.24 mg/kg sediment dw	320 mg/L	3.7 mg/kg soil dw	-
Aluminum oxide (Al2O3) 1344-28-1	-	-	20 mg/L	-	-

8.2.	Exposure controls	

Engineering controls	No information available.
Personal protective equipment	
Eye/face protection	Tight sealing safety goggles. Face protection shield.
Hand protection	Wear suitable gloves. Impervious gloves.
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.
Respiratory protection	Appropriate respiratory protection should be selected and used according to the chemical nature, hazards and use of this product and safety requirements of the local jurisdiction. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.
Environmental exposure controls	No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties		
Physical state	Paste / Gel Liquid	
Appearance	Paste	
Color	White	

Odor Odor threshold	Mild ammonia odor. No information available	
<u>Property</u> Melting point / freezing point Initial boiling point and boiling rang Flammability Flammability Limit in Air Upper flammability or explosive limits Lower flammability or explosive	<u>Values</u> No data available e No data available No data available No data available	Remarks • Method None known None known None known None known
limits Flash point Autoignition temperature Decomposition temperature	 > 251.667 °C / 485 °F No data available 	None known None known None known
pH pH (as aqueous solution) Kinematic viscosity Dynamic viscosity	No data available No data available 320,000 centipoise No data available	None known None known None known None known
Water solubility Solubility(ies) Partition coefficient Vapor pressure	Insoluble in water No data available No data available < 10 mmHg @ 20 °C / 70 °F	None known None known None known None known
Relative density Bulk density Liquid Density Relative vapor density Particle characteristics	1.4 No data available No data available > 1.0	None known None known
Particle Size Particle Size Distribution	No information available No information available	

9.2. Other information

9.2.1. Information with regard to physical hazard classes Not applicable

9.2.2. Other safety characteristics No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity

No information available.

10.2. Chemical stability

Stability

Stable under normal conditions.

Explosion data Sensitivity to mechanical impact None. Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid

Exposure to air or moisture over prolonged periods.

10.5. Incompatible materials

Incompatible materials

Acids. Bases. Oxidizing agent.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available. Corrosive by inhalation. (based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye damage. (based on components). Corrosive to the eyes and may cause severe damage including blindness. May cause irreversible damage to eyes.
Skin contact	Specific test data for the substance or mixture is not available. Corrosive. (based on components). Causes burns. May cause sensitization by skin contact. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.
Ingestion	Specific test data for the substance or mixture is not available. Causes burns. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways.
Symptoms related to the physical, c	hemical and toxicological characteristics
Symptoms	Redness. Burning. May cause blindness. Coughing and/ or wheezing. Itching. Rashes. Hives.
Acute toxicity	
Numerical measures of toxicity	

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	2,683.50 mg/kg
ATEmix (dermal)	2,421.20 mg/kg
ATEmix (inhalation-dust/mist)	9.35 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Tetraethylenepentamine	= 3990 mg/kg (Rat)	= 660 µL/kg (Rabbit)	-
Titanium dioxide	> 10000 mg/kg (Rat)	-	= 5.09 mg/L (Rat) 4 h

Triethylenetetramine	= 1716.2 mg/kg (Rat)	= 1720 mg/kg (Rabbit)	-
		= 1465.4 mg/kg (Rabbit)	
Diethylenetriamine	= 1080 mg/kg (Rat)	= 672 mg/kg (Rabbit)	= 70 mg/L (Rat)4 h
			-
Bisphenol A	= 3300 mg/kg (Rat)	= 3000 mg/kg (Rabbit)	> 170 mg/m ³ (Rat) 6 h
			-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Classification based on data available for ingredients. Causes severe skin burns and eye damage.
Serious eye damage/eye irritation	Classification based on data available for ingredients. Causes serious eye damage. Causes burns.
Respiratory or skin sensitization	May cause an allergic skin reaction.
Germ cell mutagenicity	No information available.
Carcinogenicity	Contains a known or suspected carcinogen. Classification based on data available for ingredients. Suspected of causing cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

	Chem	ical name			Eur	opean	Union	
Titanium dioxide		Carc. 2						
_							6	

Reproductive toxicity Classification based on data available for ingredients. May damage fertility or the unborn child.

Chemical name	European Union
Bisphenol A	Repr. 1B
Dispiteitor A	Корг. ты

- STOT single exposure No information available.
- **STOT repeated exposure** No information available.
- Aspiration hazard No information available.
- 11.2. Information on other hazards
- 11.2.1. Endocrine disrupting properties
- **Endocrine disrupting properties** No information available.
- 11.2.2. Other information
- Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Tetraethylenepentamine	EC50: =2.1mg/L (72h, Pseudokirchneriella subcapitata)	LC50: =420mg/L (96h, Poecilia reticulata)	-	EC50: =24.1mg/L (48h, Daphnia magna)
Triethylenetetramine	EC50: =2.5mg/L (72h, Desmodesmus subspicatus) EC50: =20mg/L (72h, Pseudokirchneriella subcapitata) EC50: =3.7mg/L (96h, Pseudokirchneriella subcapitata)	LC50: =570mg/L (96h, Poecilia reticulata) LC50: =495mg/L (96h, Pimephales promelas)	-	EC50: =31.1mg/L (48h, Daphnia magna)
Diethylenetriamine	EC50: =1164mg/L (72h, Pseudokirchneriella subcapitata) EC50: =345.6mg/L (96h, Pseudokirchneriella subcapitata) EC50: =592mg/L (96h, Desmodesmus subspicatus)	Poecilia reticulata) LC50: =1014mg/L (96h,	-	EC50: =16mg/L (48h, Daphnia magna)
Bisphenol A	EC50: =2.5mg/L (96h, Pseudokirchneriella subcapitata)	LC50: 3.6 - 5.4mg/L (96h, Pimephales promelas) LC50: 4.0 - 5.5mg/L (96h, Pimephales promelas) LC50: =4mg/L (96h, Oncorhynchus mykiss) LC50: =9.9mg/L (96h, Brachydanio rerio)	-	EC50: =10.2mg/L (48h, Daphnia magna) EC50: =3.9mg/L (48h, Daphnia magna) EC50: 9.2 - 11.4mg/L (48h, Daphnia magna)

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name	Partition coefficient	
Tetraethylenepentamine	1	
Triethylenetetramine	-1.4	
Diethylenetriamine	-1.3	
Bisphenol A	3.4	

12.4. Mobility in soil

Mobility in soilNo information available.12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

The product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

Chemical name	PBT and vPvB assessment
Titanium dioxide	The substance is not PBT / vPvB
Diethylenetriamine	The substance is not PBT / vPvB
Bisphenol A	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.

SECTION 14: Transport information

<u>IATA</u>

<u>1/1/1</u> /1	-	
14.2 14.3 14.4 14.5 14.6	Transport hazard class(es) Packing group Environmental hazards	Not regulated Not regulated Not regulated Not regulated Not applicable
IMDO		
14.1	•••••••••••••••••••••••••••••••••••••••	Not regulated
14.2 14 3	UN proper shipping name Transport hazard class(es)	Not regulated Not regulated
14.4		Not regulated
	Environmental hazards	Not applicable
14.6	Special precautions for user	
	pecial Provisions	None
	Maritime transport in bulk	No information available
acco	rding to IMO instruments	
RID		
14.1	UN number or ID number	Not regulated
14.2		Not regulated
14.3		Not regulated
14.4		Not regulated
14.5 14.6	Special precautions for user	Not applicable
-	pecial Provisions	None

ADR

14.1	UN number or ID number	Not regulated
14.2	UN proper shipping name	Not regulated
14.3	Transport hazard class(es)	Not regulated
14.4	Packing group	Not regulated
14.5	Environmental hazards	Not applicable
14.6	Special precautions for user	
S	pecial Provisions	None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number
Tetraethylenepentamine - 112-57-2	RG 49,RG 49bis
Triethylenetetramine - 112-24-3	RG 49,RG 49bis
Diethylenetriamine - 111-40-0	RG 49,RG 49bis

Germany

TA Luft (German Air Pollution Control Regulation)

Chemical name	Number	Class
Diethylenetriamine	5.2.5	Class I

Netherlands

Carcinogenic, mutagenic and reproductive toxic effects

Chemical name	Netherlands - List of Carcinogens	Netherlands - List of Mutagens	Netherlands - List of Reproductive Toxins
Bisphenol A	-	-	Fertility Category 1B

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorizations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

	-j() · · · ·		
Chemical name	Restricted substance per REACH	Substance subject to authorization per	
	Annex XVII	REACH Annex XIV	
Tetraethylenepentamine - 112-57-2	75	-	
Titanium dioxide - 13463-67-7	75	-	
Triethylenetetramine - 112-24-3	75	-	
Diethylenetriamine - 111-40-0	75	-	
Bisphenol A - 80-05-7	30	-	
	66		
	75		

Persistent Organic Pollutants

Not applicable

Dangerous substance category per Seveso Directive (2012/18/EU)

E2 - Hazardous to the Aquatic Environment in Category Chronic 2

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

International	Inventories
TOCA	

TSCA	Contact supplier for inventory compliance status
DSL/NDSL	Contact supplier for inventory compliance status
EINECS/ELINCS	Contact supplier for inventory compliance status
ENCS	Contact supplier for inventory compliance status
IECSC	Contact supplier for inventory compliance status
KECI	Contact supplier for inventory compliance status
PICCS	Contact supplier for inventory compliance status
AIIC	Contact supplier for inventory compliance status
NZIoC	Contact supplier for inventory compliance status

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
 ENCS - Japan Existing and New Chemical Substances
 IECSC - China Inventory of Existing Chemical Substances
 KECL - Korean Existing and Evaluated Chemical Substances
 PICCS - Philippines Inventory of Chemicals and Chemical Substances
 AllC - Australian Inventory of Industrial Chemicals

NZIOC - New Zealand Inventory of Chemicals

15.2. Chemical safety assessment

Chemical Safety Report

No information available

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H302 - Harmful if swallowed

- H312 Harmful in contact with skin
- H314 Causes severe skin burns and eye damage
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H335 May cause respiratory irritation
- H351i Suspected of causing cancer if inhaled
- H360F May damage fertility
- H400 Very toxic to aquatic life
- H410 Very toxic to aquatic life with long lasting effects

H411 - Toxic to aquatic life with long lasting effects H412 - Harmful to aquatic life with long lasting effects

Legend

SVHC: Substances of Very High Concern for Authorization: PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances STOT: Specific Target Organ Toxicity ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration LD50: 50% Lethal Dose

Legend Section 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	Sk*	Skin designation
+	Sensitizers		

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapor	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitization	Calculation method
Skin sensitization	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC) European Chemicals Agency (ECHA) (ECHA_API) Environmental Protection Agency Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) National Institute of Technology and Evaluation (NITE) Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) U.S. National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization

Revision date

14-Feb-2025

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 14-Feb-2025

Revision Number 3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Safety data sheet number	FG-10B
Product Name	Part B: MetalSet A4
Other means of identification	
Unique Formula Identifier (UFI)	F030-10UD-M008-7YTV
Pure substance/mixture	Mixture
Contains Tetraethylenepentamine; Tit	anium dioxide; Triethylenetetramine; Diethylenetriamine; Bisphenol A
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Recommended use	Epoxy Adhesive
Uses advised against	No information available
1.3. Details of the supplier of the sa	ifety data sheet
Supplier Smooth-On, Inc, 5600 Lower Macung sds@smooth-on.com For further information, please contact	ie Rd, Macungie, PA 18062, USA, Phone: +01.610.252.5800, www.smooth-on.com,
E-mail address	sds@smooth-on.com
1.4. Emergency telephone number	_
Emergency Telephone	CHEMTEL +01-813-248-0585
Emergency Telephone - §45 - (EC)	1272/2008
Europe	112
Austria	01 406 43 43
Belgium	070 245 245
Bulgaria	+359 9154 233
Croatia	+385 1 2348 342
Cyprus	1401
Czech Republic	224 91 92 93 22191 54 02
Denmark	+45 8212 1212
Estonia	16662
Finland	Maksuton Puhelu: 0800 147 111 Normihinta: +358 9 471 977
France	+33 01 45 42 59 59

112

Germany

Greece	(0030) 2107793777		
Hungary	+36 80 201 199		
Iceland	+354 543 2222		
Ireland	01 837 9964		
	01 809 2566		
Italy	06 3054 343		
Latvia	+370 (5) 2362052		
Liechtenstein	01 406 43 43		
Lithuania	+370 5 236 20 52		
	+370 687 533 78		
Luxembourg	(+352) 8002 5500		
Netherlands	+31 (0) 88 755 8000		
Norway	22 59 13 00		
Poland	+48 22 619 66 54		
Portugal	+351 800 250 250		
Romania	+40 21 599 2300		
Slovakia	+421 2 5477 4166		
Spain	+34 91 562 04 20		
Sweden	112		
Switzerland	145		
United Kingdom	0344 892 0111		

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 1 - (H318)
Skin sensitization	Category 1 - (H317)
Reproductive toxicity	Category 1B - (H360F)
Chronic aquatic toxicity	Category 2 - (H411)

2.2. Label elements

Contains Tetraethylenepentamine; Titanium dioxide; Triethylenetetramine; Diethylenetriamine; Bisphenol A



Signal word Danger

Hazard statements

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H360F May damage fertility.
- H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements - EU (§28, 1272/2008)

- P260 Do not breathe dust/fume/gas/mist/vapors/spray.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 - Immediately call a POISON CENTER or doctor.
P391 - Collect spillage.

Additional information

This product requires child resistant fastenings if supplied to the general public. This product requires tactile warnings if supplied to the general public.

2.3. Other hazards

Toxic to aquatic life.

Endocrine Disruptor Information Contains a known or suspected endocrine disruptor.

Chemical name	EU - REACH (1907/2006) - Article 59(1)	EU - REACH (1907/2006) - Endocrine
	- Candidate List of Substances of Very	Disruptor Assessment List of
	High Concern (SVHC) for Authorisation	Substances
Bisphenol A	Endocrine disrupting properties	-

	Endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100(3) or Commission Regulation (EU) 2018/605(4)
Bisphenol A	Endocrine disrupting properties

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical name	Weight-%	REACH registration	EC No (EU	Classification according	Specific	M-Factor	M-Factor
		number	Index No)	to Regulation (EC) No.	concentration		(long-term)
				1272/2008 [CLP]	limit (SCL)		
Tetraethylenepenta	1 - 5	Below import	203-986-2	Acute Tox. 4 (H302)	-	-	-
mine		reportable quantity	(612-060-00				
112-57-2		threshold or otherwise	-0)	Skin Corr. 1B (H314)			
		exempt		Skin Sens. 1 (H317)			
				Aquatic Chronic 2			
				(H411)			
Titanium dioxide	1 - 5	Below import	236-675-5	Carc. 2 (H351i)	-	-	-
13463-67-7		reportable quantity	(022-006-00				
		threshold or otherwise	-2)				
		exempt					
Triethylenetetramine	1 - 5	Below import	203-950-6	Acute Tox. 4 (H312)	-	-	-
112-24-3		reportable quantity	(612-059-00	Skin Corr. 1B (H314)			
		threshold or otherwise	-5)	Skin Sens. 1 (H317)			
		exempt		Aquatic Chronic 3			
				(H412)			
Diethylenetriamine	0.1 - 1	Below import	203-865-4	Acute Tox. 4 (H302)	-	-	-
111-40-0		reportable quantity	(612-058-00	Acute Tox. 4 (H312)			
		threshold or otherwise	-X)	Skin Corr. 1B (H314)			
		exempt		Skin Sens. 1 (H317)			
Bisphenol A	0.1 - 1	Below import	201-245-8	Eye Dam. 1 (H318)	-	1	10
80-05-7		reportable quantity	(604-030-00	Skin Sens. 1 (H317)			
		threshold or otherwise	-0)	Repr. 1B (H360F)			

	exempt	STOT SE 3 (H335)		
		Aquatic Acute 1 (H400)		
		Aquatic Chronic 1		
		(H410)		

If "No data available" is reported in the REACH Registration Number column, then the chemical substance is imported in quantities that are below the REACH registration threshold or are otherwise exempt from registration "Below import reportable quantity threshold or otherwise exempt"

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg		Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapor - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Tetraethylenepentamine 112-57-2	3990	655.38	No data available	No data available	No data available
Titanium dioxide 13463-67-7	10000	No data available	5.09	No data available	No data available
Triethylenetetramine 112-24-3	1716.2	1720 1465.4	No data available	No data available	No data available
Diethylenetriamine 111-40-0	1080	672	70	No data available	No data available
Bisphenol A 80-05-7	3300	3000	No data available	No data available	No data available

This product contains one or more candidate substance(s) of very high concern (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Chemical name	CAS No.	SVHC candidates
Bisphenol A	80-05-7	Х

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention.
Inhalation	Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical attention.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get immediate medical attention. May cause an allergic skin reaction.
Ingestion	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

	person. Get immediate medical attention.
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Wear personal protective clothing (see section 8).
4.2. Most important symptoms and	effects, both acute and delayed
Symptoms	Burning sensation. Itching. Rashes. Hives.
Effects of Exposure	May cause adverse reproductive effects - such as birth defect, miscarriages, or infertility.
4.3. Indication of any immediate me	dical attention and special treatment needed
Note to physicians	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. May cause sensitization in susceptible persons. Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.
5.2. Special hazards arising from the	ne substance or mixture
Specific bezords origing from the	The product causes burns of avec, skip and museus membranes. Thermal decompo

Specific hazards arising from the chemical The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors. Product is or contains a sensitizer. May cause sensitization by skin contact.

5.3. Advice for firefighters

Special protective equipment and
precautions for fire-fightersFirefighters should wear self-contained breathing apparatus and full firefighting turnout gear.
Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1- Recommendations for those who intervene directly

No information available.

6.1.2.- Recommendations for those who do not intervene directly

No information available.

Personal precautions	Attention! Corrosive material. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
Other information	Refer to protective measures listed in Sections 7 and 8.

For emergency responders	Use personal protection recommended in Section 8.
6.2. Environmental precautions	
Environmental precautions	Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.
6.3. Methods and material for conta	ainment and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.
6.4. Reference to other sections	
Reference to other sections	See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Remove contaminated clothing and shoes.
General hygiene considerations	Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.
7.2. Conditions for safe storage, inc	luding any incompatibilities
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.
Storage class (TRGS 510)	Storage class 6.1C.
7.3. Specific end use(s)	
Risk Management Methods (RMM)	The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Titanium dioxide	-	TWA: 5 mg/m ³	TWA: 10 mg/m ³	TWA: 10.0 mg/m ³	TWA: 10 mg/m ³

13463-67-7	ľ	STEL 10 mg/m ³			TWA: 4 mg/m ³
Diethylenetriamine		TWA: 1 ppm	TWA: 1 ppm	TWA: 4.0 mg/m ³	TWA: 4 mg/m²
111-40-0		TWA: 4 mg/m ³ Sh+	TWA: 4.3 mg/m ³ Sk*	1 W X. 1.0 Mg/m	TWA: 4.3 mg/m ³ Skin Sensitisation
Bisphenol A 80-05-7	TWA: 2 mg/m ³ inhalable fraction TWA: 2 mg/m ³	TWA: 2 mg/m ³ STEL 5 mg/m ³ S+	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 2 mg/m ³ Skin Sensitisation
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Titanium dioxide 13463-67-7	-	-	TWA: 6 mg/m ³ STEL: 12 mg/m ³	TWA: 5 mg/m ³	-
Triethylenetetramine 112-24-3	-	-	-	TWA: 1 ppm TWA: 6 mg/m ³ STEL: 12 mg/m ³ S+	-
Diethylenetriamine 111-40-0	-	TWA: 4 mg/m ³ Ceiling: 8 mg/m ³	TWA: 1 ppm TWA: 4 mg/m ³ STEL: 2 ppm STEL: 8 mg/m ³ Sk [*]	TWA: 1 ppm TWA: 4.5 mg/m ³ STEL: 2 ppm STEL: 10 mg/m ³ Sk* S+	TWA: 1 ppm TWA: 4.3 mg/m ³ STEL: 3 ppm STEL: 13 mg/m ³ Sk*
Bisphenol A 80-05-7	TWA: 2 mg/m ³	TWA: 2 mg/m ³ S+ Ceiling: 5 mg/m ³	TWA: 2 mg/m ³ STEL: 4 mg/m ³	TWA: 2 mg/m ³	TWA: 2 mg/m ³
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
Titanium dioxide 13463-67-7	TWA: 10 mg/m ³	TWA: 1.25 mg/m ³ TWA: 10 mg/m ³	TWA: 0.3 mg/m ³ Peak: 2.4 mg/m ³	TWA: 10 mg/m ³ TWA: 5 mg/m ³	-
Triethylenetetramine 112-24-3	-	-	skin sensitizer	-	-
Diethylenetriamine 111-40-0	TWA: 1 ppm TWA: 4 mg/m ³ AC+	-	skin sensitizer	TWA: 1 ppm TWA: 4 mg/m³ Sk*	TWA: 1 ppm TWA: 4 mg/m ³ STEL: 2 ppm STEL: 8 mg/m ³ Sk* sz+
Bisphenol A 80-05-7	TWA: 2 mg/m ³	TWA: 2 mg/m³ Sh+	TWA: 5 mg/m ³ Peak: 5 mg/m ³ photo sensitizer	TWA: 2 mg/m ³	TWA: 2 mg/m ³
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
Titanium dioxide 13463-67-7	TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 30 mg/m ³ STEL: 12 mg/m ³	-	TWA: 10 mg/m ³	TWA: 10 mg/m³	TWA: 5 mg/m³
Triethylenetetramine 112-24-3	-	-	_	-	TWA: 1 ppm TWA: 6 mg/m ³ STEL: 2 ppm STEL: 12 mg/m ³ J+
Diethylenetriamine 111-40-0	TWA: 1 ppm TWA: 4 mg/m ³ STEL: 3 ppm STEL: 12 mg/m ³ Sk*	-	TWA: 1 ppm TWA: 4.2 mg/m ³ Sk*	-	TWA: 1 ppm TWA: 4.5 mg/m ³ STEL: 2 ppm STEL: 10 mg/m ³ Sk [*] J+
Bisphenol A 80-05-7	TWA: 2 mg/m ³ STEL: 6 mg/m ³ Sens+	TWA: 2 mg/m³ Sk*	-	TWA: 2 mg/m ³	TWA: 10 mg/m³ J+
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
Titanium dioxide 13463-67-7	-	-	-	TWA: 5 mg/m ³ STEL: 10 mg/m ³	TWA: 10 mg/m ³ STEL: 30 mg/m ³

Triethylenetetramine 112-24-3	-		-	-	TWA: 1 TWA: 6 STEL: STEL: 12 A	mg/m ³ 3 ppm 2 mg/m ³	TWA: 1 mg/m ³ STEL: 3 mg/m ³ Sk*
Diethylenetriamine 111-40-0	-		-	-	TWA: ⁻ TWA: 4 STEL: 8 STEL: 8 Sł	mg/m ³ 3 ppm mg/m ³	TWA: 4 mg/m³ STEL: 12 mg/m³ Sk*
Bisphenol A 80-05-7	TWA: 2	mg/m³	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 2 STEL: 4 A·	mg/m³ +	TWA: 2 mg/m ³
Chemical name	Portu	gal	Romania	Slovakia	Slove	enia	Spain
Titanium dioxide 13463-67-7	TWA: 10		TWA: 10 mg/m ³ STEL: 15 mg/m ³	TWA: 5 mg/m ³	-		TWA: 10 mg/m ³
Triethylenetetramine 112-24-3	-		TWA: 1.7 ppm TWA: 10 mg/m ³ STEL: 3.3 ppm STEL: 20 mg/m ³	-	-		-
Diethylenetriamine 111-40-0	TWA: 1 ppm Sk*		TWA: 0.5 ppm TWA: 2 mg/m ³ STEL: 1 ppm STEL: 4 mg/m ³ Sk*	-	-		TWA: 1 ppm TWA: 4.3 mg/m ³ Sk* Sen+
Bisphenol A 80-05-7	TWA: 2	mg/m³	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 2 STEL: 2	mg/m ³	TWA: 2 mg/m ³ Sen+
Chemical name	•		Sweden	Switzerlan	nd	Ur	nited Kingdom
Titanium dioxide 13463-67-7		1	NGV: 5 mg/m³	TWA: 3 mg/ TWA: 10 mg		יד ST	VA: 10 mg/m ³ WA: 4 mg/m ³ 'EL: 30 mg/m ³ 'EL: 12 mg/m ³
Triethylenetetramine 112-24-3		NGV: 1 ppm NGV: 6 mg/m ³ Vägledande KGV: 2 ppm Vägledande KGV: 12 mg/m ³ S+		-			-
Väg Vägle		Vägle Vägleda	NGV: 1 ppm IGV: 4.5 mg/m ³ dande KGV: 2 ppm ande KGV: 10 mg/m ³ Sk [*] S+	TWA: 1 pp TWA: 4 mg, Sk*	/m³	TV S STE	TWA: 1 ppm VA: 4.3 mg/m ³ STEL: 3 ppm EL: 12.9 mg/m ³ Sk*
Bisphenol A 80-05-7			NGV: 2 mg/m ³	TWA: 3 mg/ S+	/m ³		WA: 2 mg/m³ TEL: 6 mg/m³

Biological occupational exposure limits

mmus

Chemical name	Denmark	Finland	France	Germany DFG	Germany TRGS
Bisphenol A	-	-	-	80 mg/L - BLW (end	-
80-05-7				of exposure or end	
				of shift) urine	

Derived No Effect Level (DNEL) - Workers

Chemical name Oral Dermal Inhalation

Chemical name	Oral	Dermal	Inhalation
Fatty acids, C18-unsaturated, dimers, polymers with tall-oil fatty acids and triethylenetetramine 68082-29-1	-	1.1 mg/kg bw/day [4] [6]	3.9 mg/m³ [4] [6]
Diethylenetriamine 111-40-0	-	11.4 mg/kg bw/day [4] [6] 1.1 mg/cm2 [5] [6]	15.4 mg/m ³ [4] [6] 92.1 mg/m ³ [4] [7] 0.87 mg/m ³ [5] [6] 2.6 mg/m ³ [5] [7]
Bisphenol A 80-05-7	-	0.031 mg/kg bw/day [4] [6] 0.031 mg/kg bw/day [4] [7]	2 mg/m ³ [4] [6] 2 mg/m ³ [4] [7] 2 mg/m ³ [5] [6] 2 mg/m ³ [5] [7]
1,3-Propanediol, 2-ethyl-2-(hydroxymethyl)- 77-99-6	-	0.94 mg/kg bw/day [4] [6]	3.3 mg/m³ [4] [6]

Notes

[4]	Systemic health effects.
[5]	Local health effects.
[6]	Long term.
[7]	Short term.

Derived No Effect Level (DNEL) - General Public

Chemical name	Oral	Dermal	Inhalation
Fatty acids, C18-unsaturated, dimers, polymers with tall-oil fatty acids and triethylenetetramine 68082-29-1	0.56 mg/kg bw/day [4] [6]	-	0.97 mg/m³ [4] [6]
Diethylenetriamine 111-40-0	-	4.88 mg/kg bw/day [4] [6] 4.88 mg/kg bw/day [4] [7]	4.6 mg/m ³ [4] [6] 27.5 mg/m ³ [4] [7]
Bisphenol A 80-05-7	0.004 mg/kg bw/day [4] [6] 0.004 mg/kg bw/day [4] [7]	0.0019 mg/kg bw/day [4] [6] 0.0019 mg/kg bw/day [4] [7]	1 mg/m ³ [4] [6] 1 mg/m ³ [4] [7] 1 mg/m ³ [5] [6] 1 mg/m ³ [5] [7]
1,3-Propanediol, 2-ethyl-2-(hydroxymethyl)- 77-99-6	0.34 mg/kg bw/day [4] [6]	-	0.58 mg/m³ [4] [6]

Notes	
[4]	Systemic health effects.
[5]	Local health effects.
[6]	Long term.
[7]	Short term.

Predicted No Effect Concentration (PNEC)

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
Fatty acids, C18-unsaturated, dimers, polymers with tall-oil fatty acids and triethylenetetramine 68082-29-1	0.00434 mg/L	0.0434 mg/L	0.000434 mg/L	-	-
Diethylenetriamine	0.56 mg/L	0.32 mg/L	0.056 mg/L	-	-

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
111-40-0					
Bisphenol A 80-05-7	0.018 mg/L	0.011 mg/L	0.018 mg/L	-	-

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
Fatty acids, C18-unsaturated, dimers, polymers with tall-oil fatty acids and triethylenetetramine 68082-29-1	434.02 mg/kg sediment dw	43.4 mg/kg sediment dw	3.84 mg/L	86.78 mg/kg soil dw	-
Diethylenetriamine 111-40-0	1072 mg/kg sediment dw	107.2 mg/kg sediment dw	6 mg/L	7.97 mg/kg soil dw	-
Bisphenol A 80-05-7	1.2 mg/kg sediment dw	0.24 mg/kg sediment dw	320 mg/L	3.7 mg/kg soil dw	-
Aluminum oxide (Al2O3) 1344-28-1	-	-	20 mg/L	-	-

8.2.	Exposure controls	

Engineering controls	No information available.
Personal protective equipment	
Eye/face protection	Tight sealing safety goggles. Face protection shield.
Hand protection	Wear suitable gloves. Impervious gloves.
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.
Respiratory protection	Appropriate respiratory protection should be selected and used according to the chemical nature, hazards and use of this product and safety requirements of the local jurisdiction. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.
Environmental exposure controls	No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties			
Physical state Paste / Gel Liquid			
Appearance	Paste		
Color	White		

Odor Odor threshold	Mild ammonia odor. No information available	
<u>Property</u> Melting point / freezing point Initial boiling point and boiling rang Flammability Flammability Limit in Air Upper flammability or explosive limits Lower flammability or explosive	<u>Values</u> No data available e No data available No data available No data available	Remarks • Method None known None known None known None known
limits Flash point Autoignition temperature Decomposition temperature	 > 251.667 °C / 485 °F No data available 	None known None known None known
pH pH (as aqueous solution) Kinematic viscosity Dynamic viscosity	No data available No data available 320,000 centipoise No data available	None known None known None known None known
Water solubility Solubility(ies) Partition coefficient Vapor pressure	Insoluble in water No data available No data available < 10 mmHg @ 20 °C / 70 °F	None known None known None known None known
Relative density Bulk density Liquid Density Relative vapor density Particle characteristics	1.4 No data available No data available > 1.0	None known None known
Particle Size Particle Size Distribution	No information available No information available	

9.2. Other information

9.2.1. Information with regard to physical hazard classes Not applicable

9.2.2. Other safety characteristics No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity

No information available.

10.2. Chemical stability

Stability

Stable under normal conditions.

Explosion data Sensitivity to mechanical impact None. Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid

Exposure to air or moisture over prolonged periods.

10.5. Incompatible materials

Incompatible materials

Acids. Bases. Oxidizing agent.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available. Corrosive by inhalation. (based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye damage. (based on components). Corrosive to the eyes and may cause severe damage including blindness. May cause irreversible damage to eyes.
Skin contact	Specific test data for the substance or mixture is not available. Corrosive. (based on components). Causes burns. May cause sensitization by skin contact. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.
Ingestion	Specific test data for the substance or mixture is not available. Causes burns. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways.
Symptoms related to the physical, c	hemical and toxicological characteristics
Symptoms	Redness. Burning. May cause blindness. Coughing and/ or wheezing. Itching. Rashes. Hives.
Acute toxicity	
Numerical measures of toxicity	

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	2,683.50 mg/kg
ATEmix (dermal)	2,421.20 mg/kg
ATEmix (inhalation-dust/mist)	9.35 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50	
Tetraethylenepentamine	= 3990 mg/kg (Rat)	= 660 µL/kg (Rabbit)	-	
Titanium dioxide	> 10000 mg/kg (Rat)	-	= 5.09 mg/L (Rat) 4 h	

Triethylenetetramine	= 1716.2 mg/kg (Rat)	= 1720 mg/kg (Rabbit)	-
		= 1465.4 mg/kg (Rabbit)	
Diethylenetriamine	= 1080 mg/kg (Rat)	= 672 mg/kg (Rabbit)	= 70 mg/L (Rat)4 h
			-
Bisphenol A	= 3300 mg/kg (Rat)	= 3000 mg/kg (Rabbit)	> 170 mg/m ³ (Rat) 6 h
			-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Classification based on data available for ingredients. Causes severe skin burns and eye damage.
Serious eye damage/eye irritation	Classification based on data available for ingredients. Causes serious eye damage. Causes burns.
Respiratory or skin sensitization	May cause an allergic skin reaction.
Germ cell mutagenicity	No information available.
Carcinogenicity	Contains a known or suspected carcinogen. Classification based on data available for ingredients. Suspected of causing cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

	Chemical name		European Union						
Titanium dioxide		Carc. 2							
_							6		

Reproductive toxicity Classification based on data available for ingredients. May damage fertility or the unborn child.

Chemical name	European Union
Bisphenol A	Repr. 1B
Dispiteitor A	Корг. ты

- STOT single exposure No information available.
- **STOT repeated exposure** No information available.
- Aspiration hazard No information available.
- 11.2. Information on other hazards
- 11.2.1. Endocrine disrupting properties
- **Endocrine disrupting properties** No information available.
- 11.2.2. Other information
- Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Tetraethylenepentamine	EC50: =2.1mg/L (72h, Pseudokirchneriella subcapitata)	LC50: =420mg/L (96h, Poecilia reticulata)	-	EC50: =24.1mg/L (48h, Daphnia magna)
Triethylenetetramine	EC50: =2.5mg/L (72h, Desmodesmus subspicatus) EC50: =20mg/L (72h, Pseudokirchneriella subcapitata) EC50: =3.7mg/L (96h, Pseudokirchneriella subcapitata)	LC50: =570mg/L (96h, Poecilia reticulata) LC50: =495mg/L (96h, Pimephales promelas)	-	EC50: =31.1mg/L (48h, Daphnia magna)
Diethylenetriamine	EC50: =1164mg/L (72h, Pseudokirchneriella subcapitata) EC50: =345.6mg/L (96h, Pseudokirchneriella subcapitata) EC50: =592mg/L (96h, Desmodesmus subspicatus)	Poecilia reticulata) LC50: =1014mg/L (96h,	-	EC50: =16mg/L (48h, Daphnia magna)
Bisphenol A	EC50: =2.5mg/L (96h, Pseudokirchneriella subcapitata)	LC50: 3.6 - 5.4mg/L (96h, Pimephales promelas) LC50: 4.0 - 5.5mg/L (96h, Pimephales promelas) LC50: =4mg/L (96h, Oncorhynchus mykiss) LC50: =9.9mg/L (96h, Brachydanio rerio)	-	EC50: =10.2mg/L (48h, Daphnia magna) EC50: =3.9mg/L (48h, Daphnia magna) EC50: 9.2 - 11.4mg/L (48h, Daphnia magna)

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Tetraethylenepentamine	1
Triethylenetetramine	-1.4
Diethylenetriamine	-1.3
Bisphenol A	3.4

12.4. Mobility in soil

Mobility in soilNo information available.12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

The product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

Chemical name	PBT and vPvB assessment
Titanium dioxide	The substance is not PBT / vPvB
Diethylenetriamine	The substance is not PBT / vPvB
Bisphenol A	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.

SECTION 14: Transport information

<u>IATA</u>

<u>1/1/1</u> /1	-	
14.2 14.3 14.4 14.5 14.6	Transport hazard class(es) Packing group Environmental hazards	Not regulated Not regulated Not regulated Not regulated Not applicable
IMDO		
14.1	•••••••••••••••••••••••••••••••••••••••	Not regulated
14.2 14 3	UN proper shipping name Transport hazard class(es)	Not regulated Not regulated
14.4		Not regulated
	Environmental hazards	Not applicable
14.6	Special precautions for user	
	pecial Provisions	None
	Maritime transport in bulk	No information available
according to IMO instruments		
RID		
14.1	UN number or ID number	Not regulated
14.2		Not regulated
14.3		Not regulated
14.4		Not regulated
14.5 14.6	Special precautions for user	Not applicable
-	pecial Provisions	None

ADR

14.1	UN number or ID number	Not regulated
14.2	UN proper shipping name	Not regulated
14.3	Transport hazard class(es)	Not regulated
14.4	Packing group	Not regulated
14.5	Environmental hazards	Not applicable
14.6	Special precautions for user	
S	pecial Provisions	None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number
Tetraethylenepentamine - 112-57-2	RG 49,RG 49bis
Triethylenetetramine - 112-24-3	RG 49,RG 49bis
Diethylenetriamine - 111-40-0	RG 49,RG 49bis

Germany

TA Luft (German Air Pollution Control Regulation)

Chemical name	Number	Class
Diethylenetriamine	5.2.5	Class I

Netherlands

Carcinogenic, mutagenic and reproductive toxic effects

Chemical name	Netherlands - List of Carcinogens	Netherlands - List of Mutagens	Netherlands - List of Reproductive Toxins
Bisphenol A	-	-	Fertility Category 1B

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorizations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

	-j() · · · ·	
Chemical name	Restricted substance per REACH	Substance subject to authorization per
	Annex XVII	REACH Annex XIV
Tetraethylenepentamine - 112-57-2	75	-
Titanium dioxide - 13463-67-7	75	-
Triethylenetetramine - 112-24-3	75	-
Diethylenetriamine - 111-40-0	75	-
Bisphenol A - 80-05-7	30	-
	66	
	75	

Persistent Organic Pollutants

Not applicable

Dangerous substance category per Seveso Directive (2012/18/EU)

E2 - Hazardous to the Aquatic Environment in Category Chronic 2

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

International	Inventories
TOCA	

TSCA	Contact supplier for inventory compliance status
DSL/NDSL	Contact supplier for inventory compliance status
EINECS/ELINCS	Contact supplier for inventory compliance status
ENCS	Contact supplier for inventory compliance status
IECSC	Contact supplier for inventory compliance status
KECI	Contact supplier for inventory compliance status
PICCS	Contact supplier for inventory compliance status
AIIC	Contact supplier for inventory compliance status
NZIoC	Contact supplier for inventory compliance status

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
 ENCS - Japan Existing and New Chemical Substances
 IECSC - China Inventory of Existing Chemical Substances
 KECL - Korean Existing and Evaluated Chemical Substances
 PICCS - Philippines Inventory of Chemicals and Chemical Substances
 AllC - Australian Inventory of Industrial Chemicals

NZIOC - New Zealand Inventory of Chemicals

15.2. Chemical safety assessment

Chemical Safety Report

No information available

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H302 - Harmful if swallowed

- H312 Harmful in contact with skin
- H314 Causes severe skin burns and eye damage
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H335 May cause respiratory irritation
- H351i Suspected of causing cancer if inhaled
- H360F May damage fertility
- H400 Very toxic to aquatic life
- H410 Very toxic to aquatic life with long lasting effects

H411 - Toxic to aquatic life with long lasting effects H412 - Harmful to aquatic life with long lasting effects

Legend

SVHC: Substances of Very High Concern for Authorization: PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances STOT: Specific Target Organ Toxicity ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration LD50: 50% Lethal Dose

Legend Section 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	Sk*	Skin designation
+	Sensitizers		

Classification procedure			
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used		
Acute oral toxicity	Calculation method		
Acute dermal toxicity	Calculation method		
Acute inhalation toxicity - gas	Calculation method		
Acute inhalation toxicity - vapor	Calculation method		
Acute inhalation toxicity - dust/mist	Calculation method		
Skin corrosion/irritation	Calculation method		
Serious eye damage/eye irritation	Calculation method		
Respiratory sensitization	Calculation method		
Skin sensitization	Calculation method		
Mutagenicity	Calculation method		
Carcinogenicity	Calculation method		
Reproductive toxicity	Calculation method		
STOT - single exposure	Calculation method		
STOT - repeated exposure	Calculation method		
Acute aquatic toxicity	Calculation method		
Chronic aquatic toxicity	Calculation method		
Aspiration hazard	Calculation method		
Ozone	Calculation method		

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC) European Chemicals Agency (ECHA) (ECHA_API) Environmental Protection Agency Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) National Institute of Technology and Evaluation (NITE) Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) U.S. National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization

Revision date

14-Feb-2025

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet