

# SAFETY DATA SHEET

Revision date 14-Feb-2025 Revision Number 2

# Section 1: Identification: Product identifier and chemical identity

Product identifier

Product Name Part B: MetalSet A4

Product Code(s) FG-10B

Other means of identification

Safety data sheet number FG-10B

Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

**Recommended use** Epoxy Adhesive.

**Uses advised against** No information available.

Details of manufacturer or importer

**Supplier** 

Smooth-On, Inc, 5600 Lower Macungie Rd, Macungie, PA 18062, USA, Phone: +01.610.252.5800, www.smooth-on.com, sds@smooth-on.com

For further information, please contact

Contact Point Product Safety Department

E-mail address sds@smooth-on.com

Emergency telephone number

Emergency telephone number CHEMTEL +01-813-248-0585

Australia Poisons Information Centre: 13 11 26

# Section 2: Hazard(s) identification

#### **GHS Classification**

<u></u>	
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Reproductive toxicity	Category 1B

## Label elements

Exclamation mark Health hazard Corrosion



#### Signal word DANGER

#### **Hazard statements**

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye damage.

May damage fertility or the unborn child.

#### **Precautionary Statements - Prevention**

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash face, hands and any exposed skin thoroughly after handling.

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves.

#### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention.

Immediately call a POISON CENTER or doctor.

Immediately call a POISON CENTER or doctor.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

Wash contaminated clothing before reuse.

IF ON SKIN: Wash with plenty of water and soap.

If skin irritation or rash occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Immediately call a POISON CENTER or doctor.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

#### **Precautionary Statements - Storage**

Store locked up.

## **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant.

### Other hazards which do not result in classification

May be harmful if swallowed.

May be harmful in contact with skin.

# Section 3: Composition/information on ingredients

Chemical name	CAS No.	Weight-%
Tetraethylenepentamine	112-57-2	1 - 5
Titanium dioxide	13463-67-7	1 - 5
Triethylenetetramine	112-24-3	1 - 5
Diethylenetriamine	111-40-0	0.1 - 1
Bisphenol A	80-05-7	0.1 - 1

## Section 4: First aid measures

## **Description of first aid measures**

**General advice** 

Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance. IF exposed or concerned: Get medical advice/attention.

Inhalation Remove to fresh air. If breathing has stopped, give artificial respiration, Get medical

attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel

should) give oxygen. Delayed pulmonary edema may occur.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present

and easy to do. Continue rinsing. Get immediate medical attention.

**Skin contact**Wash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes. Get immediate medical attention. May cause an allergic skin reaction.

**Ingestion** Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

person. Get immediate medical attention.

**Self-protection of the first aider** Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

Wear personal protective clothing (see section 8).

#### Most important symptoms and effects, both acute and delayed

**Symptoms** Burning sensation. Itching. Rashes. Hives.

Effects of Exposure May cause adverse reproductive effects - such as birth defect, miscarriages, or infertility.

#### Indication of any immediate medical attention and special treatment needed

**Note to physicians** Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. May cause

sensitization in susceptible persons. Treat symptomatically.

# Section 5: Firefighting measures

Suitable Extinguishing Media

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

**Unsuitable extinguishing media** Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the chemical

Specific hazards arising from the

chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors. Product is or contains a sensitizer. May

cause sensitization by skin contact.

Special protective actions for fire-fighters

Special protective equipment and

precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

### Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Attention! Corrosive material. Avoid contact with skin, eyes or clothing. Ensure adequate

ventilation. Use personal protective equipment as required. Evacuate personnel to safe

areas. Keep people away from and upwind of spill/leak.

**Other information** Refer to protective measures listed in Sections 7 and 8.

For emergency responders

Use personal protection recommended in Section 8.

**Environmental precautions** 

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Should not be released into the

environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

# Section 7: Handling and storage, including how the chemical may be safely used

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before

reuse. Remove contaminated clothing and shoes.

**General hygiene considerations** Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do

not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from

moisture. Store locked up. Keep out of the reach of children. Store away from other

materials.

**Incompatible materials** Acids. Bases. Oxidizing agent.

# Section 8: Exposure controls and personal protection

Control parameters

**Exposure Limits** 

Chemical name	Australia	New Zealand	ACGIH TLV
Titanium dioxide	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup> nanoscale
13463-67-7	-	-	respirable particulate matter

			TWA: 2.5 mg/m³ finescale respirable particulate matter
Diethylenetriamine	TWA: 1 ppm	TWA: 1 ppm	TWA: 1 ppm
111-40-0	TWA: 4.2 mg/m <sup>3</sup>	TWA: 4.2 mg/m <sup>3</sup>	Sk*
	_	Sk*	

Chemical name	European Union	United Kingdom	Germany DFG
Titanium dioxide	-	TWA: 10 mg/m <sup>3</sup>	TWA: 0.3 mg/m <sup>3</sup>
13463-67-7		TWA: 4 mg/m <sup>3</sup>	Peak: 2.4 mg/m <sup>3</sup>
		STEL: 30 mg/m <sup>3</sup>	
		STEL: 12 mg/m <sup>3</sup>	
Triethylenetetramine	-	-	skin sensitizer
112-24-3			
Diethylenetriamine	-	TWA: 1 ppm	skin sensitizer
111-40-0		TWA: 4.3 mg/m <sup>3</sup>	
		STEL: 3 ppm	
		STEL: 12.9 mg/m <sup>3</sup>	
		Sk*	
Bisphenol A	TWA: 2 mg/m <sup>3</sup> inhalable	TWA: 2 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>
80-05-7	fraction	STEL: 6 mg/m <sup>3</sup>	Peak: 5 mg/m <sup>3</sup>
	TWA: 2 mg/m <sup>3</sup>		photo sensitizer

Biological occupational exposure

limits

This product, as supplied, does not contain any hazardous materials with biological limits

established by the region specific regulatory bodies

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Tight sealing safety goggles. Face protection shield.

**Skin and body protection** Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

**Hand protection** Wear suitable gloves. Impervious gloves.

Respiratory protection Appropriate respiratory protection should be selected and used according to the chemical

nature, hazards and use of this product and safety requirements of the local jurisdiction. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be

required.

**Environmental exposure controls** No information available.

Thermal hazards No information available.

# Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Paste / Gel Liquid

Appearance Paste Color White

Odor Mild ammonia odor.
Odor threshold No information available

Property Values Remarks • Method

pHNo data availableNone knownMelting point / freezing pointNo data availableNone knownInitial boiling point and boiling rangeNo data availableNone known

Flash point> 251.667 °C / 485 °FNone knownEvaporation rateNo data availableNone knownFlammabilityNo data availableNone knownFlammability Limit in AirNone known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

< 10 mmHg @ 20 °C / 70 °F None known Vapor pressure Relative vapor density > 1.0 None known Relative density 1.4 None known Water solubility Insoluble in water None known Solubility(ies) No data available None known **Partition coefficient** No data available None known **Autoignition temperature** No data available None known No data available None known **Decomposition temperature** Kinematic viscosity 320,000 centipoise None known Dynamic viscosity No data available None known

Other information

VOC content
Particle characteristics
No information available
No information available

# Section 10: Stability and reactivity

Reactivity

**Reactivity** No information available.

Chemical stability

**Stability** Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

**Conditions to avoid** Exposure to air or moisture over prolonged periods.

Incompatible materials

**Incompatible materials** Acids. Bases. Oxidizing agent.

Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

## Section 11: Toxicological information

Information on likely routes of exposure

**Product Information** 

**Inhalation** Specific test data for the substance or mixture is not available. Corrosive by inhalation.

(based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs.

Pulmonary edema can be fatal.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye damage.

(based on components). Corrosive to the eyes and may cause severe damage including

blindness. May cause irreversible damage to eyes.

**Skin contact** Specific test data for the substance or mixture is not available. Corrosive. (based on

components). Causes burns. May cause sensitization by skin contact. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. May be

harmful in contact with skin.

Ingestion Specific test data for the substance or mixture is not available. Causes burns. (based on

components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung

damage if swallowed. May be fatal if swallowed and enters airways.

**Symptoms** Redness. Burning. May cause blindness. Coughing and/ or wheezing. Itching. Rashes.

Hives.

Acute toxicity .

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 2,683.50 mg/kg

 ATEmix (dermal)
 2,421.20 mg/kg

 ATEmix (inhalation-dust/mist)
 9.35 mg/l

Unknown acute toxicity

**Component Information** 

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Tetraethylenepentamine	= 3990 mg/kg (Rat)	= 660 μL/kg (Rabbit)	-
Titanium dioxide	> 10000 mg/kg (Rat)	-	= 5.09 mg/L (Rat) 4 h
Triethylenetetramine	= 1716.2 mg/kg (Rat)	= 1720 mg/kg (Rabbit) = 1465.4 mg/kg (Rabbit)	-
Diethylenetriamine	= 1080 mg/kg (Rat)	= 672 mg/kg (Rabbit)	= 70 mg/L (Rat)4 h
Bisphenol A	= 3300 mg/kg (Rat)	= 3000 mg/kg (Rabbit)	> 170 mg/m <sup>3</sup> (Rat) 6 h

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes severe skin burns and eye

damage.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye damage. Causes

burns.

**Respiratory or skin sensitization** May cause an allergic skin reaction.

Germ cell mutagenicity No information available.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for

ingredients. Suspected of causing cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	Australia	European Union	IARC
Titanium dioxide - 13463-67-7	-	Carc. 2	Group 2B

#### Legend

#### IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Reproductive toxicity Classification based on data available for ingredients. May damage fertility or the unborn

child.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Aspiration hazard** No information available.

# Section 12: Ecological information

#### **Ecotoxicity**

### **Aquatic ecotoxicity**

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Tetraethylenepentamine	EC50: =2.1mg/L (72h,	LC50: =420mg/L (96h,	-	EC50: =24.1mg/L (48h,
	Pseudokirchneriella	Poecilia reticulata)		Daphnia magna)
	subcapitata)	·		
Triethylenetetramine	EC50: =2.5mg/L (72h,	LC50: =570mg/L (96h,	-	EC50: =31.1mg/L (48h,
	Desmodesmus	Poecilia reticulata)		Daphnia magna)
	subspicatus)	LC50: =495mg/L (96h,		
	EC50: =20mg/L (72h,	Pimephales promelas)		
	Pseudokirchneriella			
	subcapitata)			
	EC50: =3.7mg/L (96h,			
	Pseudokirchneriella			
	subcapitata)			
Diethylenetriamine	EC50: =1164mg/L (72h,		-	EC50: =16mg/L (48h,
	Pseudokirchneriella	Poecilia reticulata)		Daphnia magna)
	• • •	LC50: =1014mg/L (96h,		
	EC50: =345.6mg/L (96h,	Poecilia reticulata)		
	Pseudokirchneriella			
	subcapitata)			1
	EC50: =592mg/L (96h,			
	Desmodesmus			1
	subspicatus)			
Bisphenol A	EC50: =2.5mg/L (96h,	LC50: 3.6 - 5.4mg/L	-	EC50: =10.2mg/L (48h,

Pseudokirchneriella	(96h, Pimephales	Daphnia magna)
subcapitata)	promelas)	EC50: =3.9mg/L (48h,
	LC50: 4.0 - 5.5mg/L	Daphnia magna)
	(96h, Pimephales	EC50: 9.2 - 11.4mg/L
	promelas)	(48h, Daphnia magna)
	LC50: =4mg/L (96h,	
	Oncorhynchus mykiss)	
	LC50: =9.9mg/L (96h,	
	Brachydanio rerio)	

**Terrestrial ecotoxicity** There is no data for this product.

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

**Bioaccumulation** 

**Component Information** 

e o in portone in contactori	
Chemical name	Partition coefficient
Tetraethylenepentamine	1
Triethylenetetramine	-1.4
Diethylenetriamine	-1.3
Bisphenol A	3.4

**Mobility** 

**Mobility** No information available.

Other adverse effects

Other adverse effects

**Endocrine Disruptor Information** Contains a known or suspected endocrine disruptor.

Chemical name	EU - REACH (1907/2006) - Article 59(1)	EU - REACH (1907/2006) - Endocrine
	- Candidate List of Substances of Very	Disruptor Assessment List of
	High Concern (SVHC) for Authorisation	Substances
Bisphenol A	Endocrine disrupting properties	

# Section 13: Disposal considerations

Disposal methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

See section 8 for more information

# Section 14: Transport information

ADG Not regulated

IATA Not regulated

IMDG Not regulated

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available

# Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia

See section 8 for national exposure control parameters

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Poison Schedule Number

#### **Australian Industrial Chemicals Introduction Scheme (AICIS)**

Chemical name	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
Tetraethylenepentamine - 112-57-2	Contact supplier for	-
	inventory compliance	
	status Present	
Titanium dioxide - 13463-67-7	Contact supplier for inventory compliance status Present	-
Triethylenetetramine - 112-24-3	Present	-
Diethylenetriamine - 111-40-0	Present	-
Bisphenol A - 80-05-7	Present	-

## **Illicit Drug Precursors/Reagents**

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

#### **National pollutant inventory**

Subject to reporting requirement

Chemical name	National pollutant inventory	
Bisphenol A - 80-05-7	20 MW Threshold category 2b total	
	60000 MWH Threshold category 2b total	
	1 tonne/h Threshold category 2a total	
	25 tonne/yr Threshold category 1a total	
	400 tonne/yr Threshold category 2a total	
	2000 tonne/yr Threshold category 2b total	

International Inventories

AIIC Contact supplier for inventory compliance status.

NZIOC Contact supplier for inventory compliance status.

TSCA Contact supplier for inventory compliance status.

DSL/NDSL

EINECS/ELINCS

Contact supplier for inventory compliance status.

PICCS

Contact supplier for inventory compliance status.

Contact supplier for inventory compliance status.

Legend:

AllC - Australian Inventory of Industrial Chemicals
NZIoC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

#### International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

## Section 16: Any other relevant information

Revision date 14-Feb-2025

#### **Revision Note**

#### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Legend

SVHC: Substances of Very High Concern for Authorization:
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances
vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT: Specific Target Organ Toxicity

ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration

LD50: 50% Lethal Dose

#### Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Sk\* Skin designation

C Carcinogen

### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

**Environmental Protection Agency** 

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

<sup>\*\*\*</sup>Indicates updated data since last publication.

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

Australian Industrial Chemicals Introduction Scheme (AICIS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet** 



# SAFETY DATA SHEET

Revision date 14-Feb-2025 Revision Number 2

# Section 1: Identification: Product identifier and chemical identity

Product identifier

Product Name Part B: MetalSet A4

Product Code(s) FG-10B

Other means of identification

Safety data sheet number FG-10B

Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

**Recommended use** Epoxy Adhesive.

**Uses advised against** No information available.

Details of manufacturer or importer

**Supplier** 

Smooth-On, Inc, 5600 Lower Macungie Rd, Macungie, PA 18062, USA, Phone: +01.610.252.5800, www.smooth-on.com, sds@smooth-on.com

For further information, please contact

Contact Point Product Safety Department

E-mail address sds@smooth-on.com

Emergency telephone number

Emergency telephone number CHEMTEL +01-813-248-0585

Australia Poisons Information Centre: 13 11 26

# Section 2: Hazard(s) identification

#### **GHS Classification**

<u></u>	
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Reproductive toxicity	Category 1B

#### Label elements

Exclamation mark Health hazard Corrosion



#### Signal word DANGER

#### **Hazard statements**

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye damage.

May damage fertility or the unborn child.

#### **Precautionary Statements - Prevention**

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash face, hands and any exposed skin thoroughly after handling.

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves.

#### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention.

Immediately call a POISON CENTER or doctor.

Immediately call a POISON CENTER or doctor.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

Wash contaminated clothing before reuse.

IF ON SKIN: Wash with plenty of water and soap.

If skin irritation or rash occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Immediately call a POISON CENTER or doctor.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

#### **Precautionary Statements - Storage**

Store locked up.

## **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant.

## Other hazards which do not result in classification

May be harmful if swallowed.

May be harmful in contact with skin.

# Section 3: Composition/information on ingredients

Chemical name	CAS No.	Weight-%
Tetraethylenepentamine	112-57-2	1 - 5
Titanium dioxide	13463-67-7	1 - 5
Triethylenetetramine	112-24-3	1 - 5
Diethylenetriamine	111-40-0	0.1 - 1
Bisphenol A	80-05-7	0.1 - 1

## Section 4: First aid measures

## **Description of first aid measures**

General advice

Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance. IF exposed or concerned: Get medical advice/attention.

Inhalation Remove to fresh air. If breathing has stopped, give artificial respiration, Get medical

attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel

should) give oxygen. Delayed pulmonary edema may occur.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present

and easy to do. Continue rinsing. Get immediate medical attention.

**Skin contact**Wash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes. Get immediate medical attention. May cause an allergic skin reaction.

**Ingestion** Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

person. Get immediate medical attention.

**Self-protection of the first aider** Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

Wear personal protective clothing (see section 8).

#### Most important symptoms and effects, both acute and delayed

**Symptoms** Burning sensation. Itching. Rashes. Hives.

Effects of Exposure May cause adverse reproductive effects - such as birth defect, miscarriages, or infertility.

#### Indication of any immediate medical attention and special treatment needed

**Note to physicians** Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. May cause

sensitization in susceptible persons. Treat symptomatically.

# Section 5: Firefighting measures

Suitable Extinguishing Media

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

**Unsuitable extinguishing media** Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the chemical

Specific hazards arising from the

chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors. Product is or contains a sensitizer. May

cause sensitization by skin contact.

Special protective actions for fire-fighters

Special protective equipment and

precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

### Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Attention! Corrosive material. Avoid contact with skin, eyes or clothing. Ensure adequate

ventilation. Use personal protective equipment as required. Evacuate personnel to safe

areas. Keep people away from and upwind of spill/leak.

**Other information** Refer to protective measures listed in Sections 7 and 8.

For emergency responders

Use personal protection recommended in Section 8.

**Environmental precautions** 

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Should not be released into the

environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

# Section 7: Handling and storage, including how the chemical may be safely used

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before

reuse. Remove contaminated clothing and shoes.

**General hygiene considerations** Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do

not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from

moisture. Store locked up. Keep out of the reach of children. Store away from other

materials.

**Incompatible materials** Acids. Bases. Oxidizing agent.

# Section 8: Exposure controls and personal protection

Control parameters

**Exposure Limits** 

Chemical name	Australia	New Zealand	ACGIH TLV
Titanium dioxide	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup> nanoscale
13463-67-7	-	-	respirable particulate matter

			TWA: 2.5 mg/m³ finescale respirable particulate matter
Diethylenetriamine	TWA: 1 ppm	TWA: 1 ppm	TWA: 1 ppm
111-40-0	TWA: 4.2 mg/m <sup>3</sup>	TWA: 4.2 mg/m <sup>3</sup>	Sk*
	_	Sk*	

Chemical name	European Union	United Kingdom	Germany DFG
Titanium dioxide	-	TWA: 10 mg/m <sup>3</sup>	TWA: 0.3 mg/m <sup>3</sup>
13463-67-7		TWA: 4 mg/m <sup>3</sup>	Peak: 2.4 mg/m <sup>3</sup>
		STEL: 30 mg/m <sup>3</sup>	
		STEL: 12 mg/m <sup>3</sup>	
Triethylenetetramine	-	-	skin sensitizer
112-24-3			
Diethylenetriamine	-	TWA: 1 ppm	skin sensitizer
111-40-0		TWA: 4.3 mg/m <sup>3</sup>	
		STEL: 3 ppm	
		STEL: 12.9 mg/m <sup>3</sup>	
		Sk*	
Bisphenol A	TWA: 2 mg/m <sup>3</sup> inhalable	TWA: 2 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>
80-05-7	fraction	STEL: 6 mg/m <sup>3</sup>	Peak: 5 mg/m <sup>3</sup>
	TWA: 2 mg/m <sup>3</sup>		photo sensitizer

Biological occupational exposure

limits

This product, as supplied, does not contain any hazardous materials with biological limits

established by the region specific regulatory bodies

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Tight sealing safety goggles. Face protection shield.

**Skin and body protection** Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

**Hand protection** Wear suitable gloves. Impervious gloves.

Respiratory protection Appropriate respiratory protection should be selected and used according to the chemical

nature, hazards and use of this product and safety requirements of the local jurisdiction. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be

required.

**Environmental exposure controls** No information available.

Thermal hazards No information available.

# Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Paste / Gel Liquid

Appearance Paste Color White

Odor Mild ammonia odor.
Odor threshold No information available

Property Values Remarks • Method

pHNo data availableNone knownMelting point / freezing pointNo data availableNone knownInitial boiling point and boiling rangeNo data availableNone known

Flash point> 251.667 °C / 485 °FNone knownEvaporation rateNo data availableNone knownFlammabilityNo data availableNone knownFlammability Limit in AirNone known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

< 10 mmHg @ 20 °C / 70 °F None known Vapor pressure Relative vapor density > 1.0 None known Relative density 1.4 None known Water solubility Insoluble in water None known Solubility(ies) No data available None known **Partition coefficient** No data available None known **Autoignition temperature** No data available None known No data available None known **Decomposition temperature** Kinematic viscosity 320,000 centipoise None known Dynamic viscosity No data available None known

Other information

VOC content
Particle characteristics
No information available
No information available

# Section 10: Stability and reactivity

Reactivity

**Reactivity** No information available.

Chemical stability

**Stability** Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

**Conditions to avoid** Exposure to air or moisture over prolonged periods.

Incompatible materials

**Incompatible materials** Acids. Bases. Oxidizing agent.

Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

## Section 11: Toxicological information

Information on likely routes of exposure

**Product Information** 

**Inhalation** Specific test data for the substance or mixture is not available. Corrosive by inhalation.

(based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs.

Pulmonary edema can be fatal.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye damage.

(based on components). Corrosive to the eyes and may cause severe damage including

blindness. May cause irreversible damage to eyes.

**Skin contact** Specific test data for the substance or mixture is not available. Corrosive. (based on

components). Causes burns. May cause sensitization by skin contact. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. May be

harmful in contact with skin.

Ingestion Specific test data for the substance or mixture is not available. Causes burns. (based on

components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung

damage if swallowed. May be fatal if swallowed and enters airways.

**Symptoms** Redness. Burning. May cause blindness. Coughing and/ or wheezing. Itching. Rashes.

Hives.

Acute toxicity .

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 2,683.50 mg/kg

 ATEmix (dermal)
 2,421.20 mg/kg

 ATEmix (inhalation-dust/mist)
 9.35 mg/l

Unknown acute toxicity

**Component Information** 

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Tetraethylenepentamine	= 3990 mg/kg (Rat)	= 660 μL/kg (Rabbit)	-
Titanium dioxide	> 10000 mg/kg (Rat)	-	= 5.09 mg/L (Rat) 4 h
Triethylenetetramine	= 1716.2 mg/kg (Rat)	= 1720 mg/kg (Rabbit) = 1465.4 mg/kg (Rabbit)	-
Diethylenetriamine	= 1080 mg/kg (Rat)	= 672 mg/kg (Rabbit)	= 70 mg/L (Rat) 4 h
Bisphenol A	= 3300 mg/kg (Rat)	= 3000 mg/kg ( Rabbit )	> 170 mg/m³ (Rat) 6 h

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes severe skin burns and eye

damage.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye damage. Causes

burns.

**Respiratory or skin sensitization** May cause an allergic skin reaction.

Germ cell mutagenicity No information available.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for

ingredients. Suspected of causing cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	Australia	European Union	IARC
Titanium dioxide - 13463-67-7	-	Carc. 2	Group 2B

#### Legend

#### IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Reproductive toxicity Classification based on data available for ingredients. May damage fertility or the unborn

child.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Aspiration hazard** No information available.

# Section 12: Ecological information

#### **Ecotoxicity**

### **Aquatic ecotoxicity**

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Tetraethylenepentamine	EC50: =2.1mg/L (72h,	LC50: =420mg/L (96h,	-	EC50: =24.1mg/L (48h,
	Pseudokirchneriella	Poecilia reticulata)		Daphnia magna)
	subcapitata)	·		
Triethylenetetramine	EC50: =2.5mg/L (72h,	LC50: =570mg/L (96h,	-	EC50: =31.1mg/L (48h,
	Desmodesmus	Poecilia reticulata)		Daphnia magna)
	subspicatus)	LC50: =495mg/L (96h,		
	EC50: =20mg/L (72h,	Pimephales promelas)		
	Pseudokirchneriella			
	subcapitata)			
	EC50: =3.7mg/L (96h,			
	Pseudokirchneriella			
	subcapitata)			
Diethylenetriamine	EC50: =1164mg/L (72h,		-	EC50: =16mg/L (48h,
	Pseudokirchneriella	Poecilia reticulata)		Daphnia magna)
	• • •	LC50: =1014mg/L (96h,		
	EC50: =345.6mg/L (96h,	Poecilia reticulata)		
	Pseudokirchneriella			
	subcapitata)			
	EC50: =592mg/L (96h,			
	Desmodesmus			
	subspicatus)			
Bisphenol A	EC50: =2.5mg/L (96h,	LC50: 3.6 - 5.4mg/L	-	EC50: =10.2mg/L (48h,

Pseudokirchneriella	(96h, Pimephales	Daphnia magna)
subcapitata)	promelas)	EC50: =3.9mg/L (48h,
	LC50: 4.0 - 5.5mg/L	Daphnia magna)
	(96h, Pimephales	EC50: 9.2 - 11.4mg/L
	promelas)	(48h, Daphnia magna)
	LC50: =4mg/L (96h,	
	Oncorhynchus mykiss)	
	LC50: =9.9mg/L (96h,	
	Brachydanio rerio)	

**Terrestrial ecotoxicity** There is no data for this product.

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

**Bioaccumulation** 

**Component Information** 

e o in portone in contactori	
Chemical name	Partition coefficient
Tetraethylenepentamine	1
Triethylenetetramine	-1.4
Diethylenetriamine	-1.3
Bisphenol A	3.4

**Mobility** 

**Mobility** No information available.

Other adverse effects

Other adverse effects

**Endocrine Disruptor Information** Contains a known or suspected endocrine disruptor.

Chemical name	EU - REACH (1907/2006) - Article 59(1)	EU - REACH (1907/2006) - Endocrine
	- Candidate List of Substances of Very	Disruptor Assessment List of
	High Concern (SVHC) for Authorisation	Substances
Bisphenol A	Endocrine disrupting properties	

# Section 13: Disposal considerations

Disposal methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

See section 8 for more information

# Section 14: Transport information

ADG Not regulated

IATA Not regulated

IMDG Not regulated

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available

# Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia

See section 8 for national exposure control parameters

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Poison Schedule Number

#### **Australian Industrial Chemicals Introduction Scheme (AICIS)**

Chemical name	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
Tetraethylenepentamine - 112-57-2	Contact supplier for	-
	inventory compliance	
	status Present	
Titanium dioxide - 13463-67-7	Contact supplier for inventory compliance status Present	-
Triethylenetetramine - 112-24-3	Present	-
Diethylenetriamine - 111-40-0	Present	-
Bisphenol A - 80-05-7	Present	-

## **Illicit Drug Precursors/Reagents**

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

#### **National pollutant inventory**

Subject to reporting requirement

Chemical name	National pollutant inventory
Bisphenol A - 80-05-7	20 MW Threshold category 2b total
	60000 MWH Threshold category 2b total
	1 tonne/h Threshold category 2a total
	25 tonne/yr Threshold category 1a total
	400 tonne/yr Threshold category 2a total
	2000 tonne/yr Threshold category 2b total

International Inventories

AIIC Contact supplier for inventory compliance status.

NZIOC Contact supplier for inventory compliance status.

TSCA Contact supplier for inventory compliance status.

DSL/NDSL

EINECS/ELINCS

Contact supplier for inventory compliance status.

PICCS

Contact supplier for inventory compliance status.

Contact supplier for inventory compliance status.

Legend:

AllC - Australian Inventory of Industrial Chemicals
NZIoC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

#### International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

## Section 16: Any other relevant information

Revision date 14-Feb-2025

#### **Revision Note**

#### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Legend

SVHC: Substances of Very High Concern for Authorization:
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances
vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT: Specific Target Organ Toxicity

ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration

LD50: 50% Lethal Dose

#### Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Sk\* Skin designation

C Carcinogen

### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

**Environmental Protection Agency** 

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

<sup>\*\*\*</sup>Indicates updated data since last publication.

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

Australian Industrial Chemicals Introduction Scheme (AICIS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**