

# **SAFETY DATA SHEET**

**Revision Number** 1

# 1. Identification

**Product identifier** 

Product Name Ease Release 2770, 2831

UN number or ID number 1268

Other means of identification

**Product Code(s)** FG-7119 **Synonyms** None

Recommended use of the chemical and restrictions on use

**Recommended use** Mold Release Agent.

**Restrictions on use**No information available.

Details of the supplier of the safety data sheet

Manufacturer

Smooth-On, Inc, 5600 Lower Macungie Rd, Macungie, PA 18062, USA, Phone: +01.610.252.5800, www.smooth-on.com, sds@smooth-on.com

E-mail sds@smooth-on.com

Emergency telephone number

Emergency Telephone CHEMTEL +01-813-248-0585

# 2. Hazard(s) identification

# Classification

Classification	
Flammable liquids	Category 2 - (H225)
Acute toxicity - Dermal	Category 5 - (H313)
Aspiration hazard	Category 1 - (H304)

### Label elements

Danger

## **Hazard statements**

H225 - Highly flammable liquid and vapor.

H304 - May be fatal if swallowed and enters airways.

H313 - May be harmful in contact with skin.





Health hazard

#### Flame

#### **Precautionary Statements - Prevention**

P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P280 - Wear protective gloves, protective clothing, eye protection and face protection.

P240 - Ground and bond container and receiving equipment.

P242 - Use non-sparking tools.

P243 - Take action to prevent static discharges.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 - Keep container tightly closed.

P241 - Use explosion-proof electrical, ventilating and lighting equipment.

#### **Precautionary Statements - Response**

P308 + P313 - IF exposed or concerned: Get medical advice/attention.

#### Skir

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

#### Ingestion

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor.

P331 - Do NOT induce vomiting.

#### **Fire**

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

#### **Precautionary Statements - Storage**

P405 - Store locked up.

P403 + P235 - Store in a well-ventilated place. Keep cool.

### **Precautionary Statements - Disposal**

P501 - Dispose of contents and container in accordance with local, regional, national, and international regulations as applicable.

#### Other information

Toxic to aquatic life with long lasting effects.

# 3. Composition/information on ingredients

### **Substance**

Not applicable.

#### <u>Mixture</u>

Chemical name	CAS No.	Weight-%
Naphtha, petroleum, light alkylate	64741-66-8	80 - 100
Paraffin waxes and Hydrocarbon waxes	8002-74-2	5 - <10

### 4. First-aid measures

#### Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get

medical advice/attention. Immediate medical attention is required.

**Inhalation** Aspiration into lungs can produce severe lung damage. If breathing has stopped, give

artificial respiration. Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult,

(trained personnel should) give oxygen. Delayed pulmonary edema may occur.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes.

Ingestion ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE.

Do NOT induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Rinse mouth. Never give anything by mouth to an unconscious person.

Get immediate medical attention.

Self-protection of the first aider Remove all sources of ignition Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of contamination Use personal protective equipment as required See section 8 for more information Avoid direct

contact with skin. Use barrier to give mouth-to-mouth resuscitation

Most important symptoms and effects, both acute and delayed

Symptoms Difficulty in breathing. Coughing and/ or wheezing. Dizziness.

Effects of Exposure May cause cancer. Mutagenic effects.

Indication of any immediate medical attention and special treatment needed

Note to physicians Because of the danger of aspiration, emesis or gastric lavage should not be employed

unless the risk is justified by the presence of additional toxic substances.

# 5. Fire-fighting measures

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

**Unsuitable extinguishing media** Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire

extinguishing water must be disposed of in accordance with local regulations.

**Explosion data** 

Sensitivity to mechanical impact None. Sensitivity to static discharge Yes.

Special protective actions for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

# 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

**Personal precautions** Evacuate personnel to safe areas. Use personal protective equipment as required. See

section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the

product must be grounded. Do not touch or walk through spilled material.

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

**Environmental precautions** 

**Environmental precautions** Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if

safe to do so. Prevent product from entering drains.

### Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor

suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other

non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labeled containers.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

# 7. Handling and storage

### Precautions for safe handling

Advice on safe handling

Use personal protection equipment. Avoid breathing vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes.

### Conditions for safe storage, including any incompatibilities

**Storage Conditions** 

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store locked up. Keep out of the reach of children. Store away from other materials.

# 8. Exposure controls/personal protection

Working area parameters, subject to mandatory control (MAC or TSEL)

Exposure Limits NOM-010-STPS-2014.

Chemical name	Mexico	
Paraffin waxes and Hydrocarbon waxes	VLE-PPT: 2 mg/m <sup>3</sup>	
8002-74-2		

### Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

#### Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Tight sealing safety goggles.

Hand protection Wear suitable gloves Impervious gloves

**Skin and body protection** Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Antistatic boots.

**Respiratory protection** Appropriate respiratory protection should be selected and used according to the chemical

nature, hazards and use of this product and safety requirements of the local jurisdiction. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be

required.

**General hygiene considerations** Do not eat, drink or smoke when using this product. Contaminated work clothing should not

be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

## 9. Physical and chemical properties

### Information on basic physical and chemical properties

Physical state Liquid

**Appearance** Clear to Amber Liquid

**Color** Transparent

Odor Mild petroleum / solvent
Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

рΗ No data available None known Melting point / freezing point No data available None known Initial boiling point and boiling range 97 °C / 206.6 °F 104°C / 219.2 °F None known > 8 °C / 46.6 °F Flash point None known **Evaporation rate** 3.83 (nBuAc=1) None known **Flammability** No data available None known Flammability Limit in Air None known

6.3 (approximate)

Upper flammability or explosive

limits

Lower flammability or explosive 0.9 (approximate)

limits

Vapor pressure 34 mmHg @ 20 °C / 70 °F None known 3.9 None known Relative vapor density Relative density 0.7 - 0.9None known Water solubility Insoluble in water None known Solubility in other solvents No data available None known Partition coefficient No data available None known 430 °C / 806 °F Autoignition temperature None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known < 100 centipoise None known **Dynamic viscosity** 

#### Other information

Oxidizing properties

Explosive properties

Molecular weight
Liquid Density

Bulk density

No information available.
No information available
No information available
No information available

## 10. Stability and reactivity

**Reactivity** No information available.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions 
None under normal processing.

**Conditions to avoid** Heat, flames and sparks.

**Incompatible materials**None known based on information supplied.

Hazardous decomposition products None known based on information supplied.

# 11. Toxicological information

#### Information on likely routes of exposure

#### **Product Information**

**Inhalation** Specific test data for the substance or mixture is not available. Aspiration into lungs can

produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be

fatal. May cause irritation of respiratory tract.

**Eye contact** Specific test data for the substance or mixture is not available. May cause irritation.

**Skin contact** Repeated exposure may cause skin dryness or cracking. May be harmful in contact with

skin.

**Ingestion** Specific test data for the substance or mixture is not available. Potential for aspiration if

swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema

and pneumonitis. May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Difficulty in breathing. Coughing and/ or wheezing. Dizziness.

Acute toxicity May be harmful in contact with skin.

**Numerical measures of toxicity** 

The following ATE values have been calculated for the mixture

 ATEmix (oral)
 6,835.90 mg/kg

 ATEmix (dermal)
 2,054.80 mg/kg

**Component Information** 

Naphtha, petroleum, light alkylate > 7000 mg/kg (Rat) > 2000 mg/kg (Rabbit) > 6.3	6.31 mg/L (Rat)4 h
64741-66-8	0.51 mg/L (Nat ) + 11
Paraffin waxes and Hydrocarbon > 5000 mg/kg (Rat) > 3600 mg/kg (Rabbit) waxes 8002-74-2	-

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Interactive effects

No information available.

Skin corrosion/irritation

No information available.

Serious eye damage/eye irritation No information available.

**Respiratory or skin sensitization** No information available.

Germ cell mutagenicity Contains a known or suspected mutagen. Classification based on data available for

ingredients. May cause genetic defects.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for

ingredients. May cause cancer.

**Reproductive toxicity**No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure**No information available.

Target organ effects Respiratory system, Eyes, Skin.

**Aspiration hazard** May be fatal if swallowed and enters airways.

Other information No information available.

# 12. Ecological information

**Ecotoxicity** Toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Naphtha, petroleum, light alkylate 64741-66-8	EC50: =30000mg/L (72h, Pseudokirchneriella subcapitata)	-	-	LC50: =2mg/L (48h, Mysidopsis bahia)

Persistence and degradability No information available.

**Bioaccumulation** No information available.

Other adverse effects No information available.

# 13. Disposal considerations

Disposal methods

Waste from residues/unused

products

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

containers.

# 14. Transport information

MEX Regulated
UN number or ID number 1268

**UN proper shipping name** Petroleum distillates, n.o.s. (Octanes)

Transport hazard class(es) 3
Packing group | |

Transport in bulk according to Annex II of MARPOL 73/78 and

No information available

TDG

the IBC Code

DOT

ICAO (air)

IATA Regulated
UN number or ID number 1268

**UN proper shipping name** Petroleum distillates, n.o.s. (Octanes)

Transport hazard class(es) 3
Packing group | |

IMDG Regulated

UN number or ID number 1268

**UN proper shipping name** Petroleum distillates, n.o.s. (Octanes)

Transport hazard class(es) 3
Packing group ||

Marine PollutantMarine pollutantEmS-No.F-E, S-E

# 15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

### International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

Contact supplier for inventory compliance status. **TSCA DSL/NDSL** Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. **EINECS/ELINCS** Contact supplier for inventory compliance status. **ENCS** Contact supplier for inventory compliance status. **IECSC** Contact supplier for inventory compliance status. **KECL** Contact supplier for inventory compliance status. **PICCS** Contact supplier for inventory compliance status. **AIIC** Contact supplier for inventory compliance status. **NZIoC** 

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

**AIIC** - Australian Inventory of Industrial Chemicals **NZIOC** - New Zealand Inventory of Chemicals

# 16. Other information

NFPAHealth hazards2Flammability3Instability0Special hazards-HMISHealth hazards2 \*Flammability3Physical hazards0Personal protectionX

Chronic Hazard Star Legend

\* = Chronic Health Hazard

### Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

SVHC: Substances of Very High Concern for Authorization:
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances
vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT: Specific Target Organ Toxicity

ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration

LD50: 50% Lethal Dose

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Sk\* Skin designation

+ Sensitizers

### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

**Environmental Protection Agency** 

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 24-Apr-2025

**Revision Note** No information available.

NOM-018-STPS-2015

The information is believed to be accurate, but it is not exhaustive and must be used only as guidance. It is based on the current state of knowledge of the chemical substance or mixture and is applicable to the appropriate safety precautions for the product.

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage,

transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**