



This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard (29 CFR 1910.1200)

Revision Number 1

1. Identification

Product identifier		
Product Name	Ease Release 2770, 2831	
Other means of identification		
Product Code(s)	FG-7119	
UN number or ID number	1268	
Synonyms	None	
Recommended use of the chemical and restrictions on use		
Recommended use	Mold Release Agent	
Restrictions on use	No information available	
Details of the supplier of the safety data sheet		
<u>Supplier Address</u> Mann Release Technologies, Inc. 5600 Lower Macungie Rd., Macungie, PA 18062, Phone (610) 252-5800, FAX (610) 252-6200, www.mann-release.com/, sds@smooth-on.com		
E-mail	sds@smooth-on.com	
Emergency telephone number		
Emergency Telephone	Chemtel: US: 1-800.255.3924; International: 1-813.248.0585	

2. Hazard(s) identification

Classification

Flammable liquids	Category 2
Aspiration hazard	Category 1

Hazards not otherwise classified (HNOC)

Not applicable

Label elements



Danger

Hazard statements

H225 - Highly flammable liquid and vapor H304 - May be fatal if swallowed and enters airways

Precautionary Statements - Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves, protective clothing, eye protection and face protection. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground and bond container and receiving equipment. Use only non-sparking tools. Take action to prevent static discharges.

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF SWALLOWED: Immediately call a POISON CENTER or doctor. Do NOT induce vomiting. In case of fire: Use CO2, dry chemical, or foam to extinguish.

Precautionary Statements - Storage

Store locked up. Store in a well-ventilated place. Keep cool.

Precautionary Statements - Disposal

Dispose of contents and container in accordance with local, regional, national, and international regulations as applicable.

Other information

May be harmful in contact with skin. Toxic to aquatic life with long lasting effects.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Chemical name	CAS No.	Weight-%	Trade secret
Naphtha, petroleum, light alkylate	64741-66-8	80 - 100	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention. Immediate medical attention is required.
Inhalation	Aspiration into lungs can produce severe lung damage. If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult,

	(trained personnel should) give oxygen. Delayed pulmonary edema may occur.	
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area.	
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.	
Ingestion	ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. Do NOT induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Rinse mouth. Never give anything by mouth to an unconscious person. Get immediate medical attention.	
Self-protection of the first aider	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.	
Most important symptoms and effects, both acute and delayed		
Symptoms	Difficulty in breathing. Coughing and/ or wheezing. Dizziness.	
Effects of Exposure	May cause cancer. Mutagenic effects.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Because of the danger of aspiration, emesis or gastric lavage should not be employed unless the risk is justified by the presence of additional toxic substances.	

5. Fire-fighting measures	
Suitable Extinguishing Media Large Fire	Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam. CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.
Specific hazards arising from the chemical	Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Explosion data Sensitivity to mechanical impact None.	
Sensitivity to static discharge	Yes.
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.

Other information	Ventilate the area. Refer to protective measures listed in Sections 7 and 8.	
Methods and material for containment and cleaning up		
Methods for containment	Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.	
Methods for cleaning up	Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.	
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.	

7. Handling and storage

Precautions for safe handling

Advice on safe handling	Use personal protection equipment. Avoid breathing vapors or mists. Keep away from he hot surfaces, sparks, open flames and other ignition sources. No smoking. Use groundin and bonding connection when transferring this material to prevent static discharge, fire of explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avo contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes.
	explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Aver contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage ConditionsKeep containers tightly closed in a dry, cool and well-ventilated place. Keep away from
heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static
electricity). Keep in properly labeled containers. Do not store near combustible materials.
Keep in an area equipped with sprinklers. Store in accordance with the particular national
regulations. Store in accordance with local regulations. Store locked up. Keep out of the
reach of children. Store away from other materials.

8. Exposure controls/personal protection

Working area parameters, subject to mandatory control (MAC or TSEL)

Exposure LimitsThe following ingredients are the only ingredients of the product above the cut-off level (or
level that contributes to the hazard classification of the mixture) which have an exposure
limit applicable in the region for which this safety data sheet is intended or other
recommended limit. At this time, the other relevant constituents have no known exposure
limits from the sources listed here.

Appropriate engineering controls

Engineering controls

Showers Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection	Tight sealing safety goggles.
Hand protection	Wear suitable gloves. Impervious gloves.
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.
Respiratory protection	Appropriate respiratory protection should be selected and used according to the chemical nature, hazards and use of this product and safety requirements of the local jurisdiction. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Do not eat, drink or smoke when using this product. Contaminated work clothing must not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

9. Physical and chemical properties

Information on basic physical and chemical properties

Information on basic physical and o	chemical properties	
Physical state	Liquid	
Appearance	Clear to Amber Liquid	
Color	Transparent	
Odor	Mild petroleum / solvent	
Odor threshold	No information available	
Property	Values	Remarks • Method
рН	No data available	None known
pH (as aqueous solution)		None known
Melting point / freezing point	No data available	None known
Initial boiling point and boiling	97 °C / 206.6 °F 104°C / 219.2 °F	None known
range		
Flash point	> 8 °C / 46.6 °F	None known
Evaporation rate	3.83 (nBuAc=1)	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive	6.3 (approximate)	
limits		
Lower flammability or explosive	0.9 (approximate)	
limits		
Vapor pressure	34 mmHg @ 20 °C / 70 °F	None known
Relative vapor density	3.9	None known
Relative density	0.7 - 0.9	None known
Water solubility	Insoluble in water	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	430 °C / 806 °F	None known
Decomposition temperature		None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	< 100 centipoise	None known
Other information		
Explosive properties	No information available	
Oxidizing properties	No information available	
Softening point	No information available	
Molecular weight	No information available	
VOC content	No information available	

Liquid Density	No information available
Bulk density	No information available

10. Stability and reactivity

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	Heat, flames and sparks.
Incompatible materials	None known based on information supplied.
Hazardous decomposition products None known based on information supplied.	

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substa produce severe lung damage. fatal. May cause irritation of re-	May cause pulmonary edema.	
Eye contact	Specific test data for the substa	ance or mixture is not available	e. May cause irritation.
Skin contact	Repeated exposure may cause skin.	e skin dryness or cracking. May	/ be harmful in contact with
Ingestion	Specific test data for the substance or mixture is not available. Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways.		
Symptoms related to the physical, o	hemical and toxicological cha	aracteristics	
Symptoms	Difficulty in breathing. Coughin	g and/ or wheezing. Dizziness.	
Acute toxicity			
Numerical measures of toxicity			
The following ATE values have been ATEmix (oral) ATEmix (dermal)	calculated for the mixture 6,835.90 mg/kg 2,054.80 mg/kg		
Component Information			
Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Naphtha, petroleum, light alkylate 64741-66-8	> 7000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 6.31 mg/L (Rat)4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	Contains a known or suspected mutagen. Classification based on data available for ingredients. May cause genetic defects.
Carcinogenicity	Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Target organ effects	Respiratory system, Eyes, Skin.
Aspiration hazard	May be fatal if swallowed and enters airways.
Other adverse effects	No information available.
Interactive effects	No information available.

12. Ecological information

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Naphtha, petroleum, light alkylate 64741-66-8	EC50: =30000mg/L (72h, Pseudokirchneriella subcapitata)	-	-	LC50: =2mg/L (48h, Mysidopsis bahia)
Persistence and degradability	No information av	ailable.		
Bioaccumulation	There is no data for	or this product.		
Other adverse effects	No information av	ailable.		

13. Disposal considerations

Disposal methods

Waste from residues/unused products	Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

14. Transport information

DOT_	Regulated
UN number or ID number	1268
Proper shipping name	Petroleum distillates, n.o.s. (Octanes)
Transport hazard class(es)	3
Packing group	II
TDG	Regulated
UN number or ID number	1268
UN proper shipping name	Petroleum distillates, n.o.s. (Octanes)
Transport hazard class(es)	3
Packing group	II
<u>IATA</u>	Regulated
UN number or ID number	1268
UN proper shipping name	Petroleum distillates, n.o.s. (Octanes)
Transport hazard class(es)	3
Packing group	II
IMDG	Regulated
UN number or ID number	1268
UN proper shipping name	Petroleum distillates, n.o.s. (Octanes)
Transport hazard class(es)	3
Packing group	II
EmS-No.	F-E, S-E
Marine Pollutant	Marine pollutant

15. Regulatory information

International Inventories

EINECS/ELINCS Contact supplier for	r inventory compliance status. r inventory compliance status. r inventory compliance status.
KECLContact supplier forPICCSContact supplier for	r inventory compliance status. r inventory compliance status. r inventory compliance status. r inventory compliance status.

NZIoC

Contact supplier for inventory compliance status.

Legend:

- **TSCA** United States Toxic Substances Control Act Section 8(b) Inventory
- **DSL/NDSL** Canadian Domestic Substances List/Non-Domestic Substances List
- EINECS/ELINCS European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
- **ENCS** Japan Existing and New Chemical Substances
- **IECSC** China Inventory of Existing Chemical Substances
- KECL Korean Existing and Evaluated Chemical Substances
- PICCS Philippines Inventory of Chemicals and Chemical Substances
- AIIC Australian Inventory of Industrial Chemicals
- **NZIOC** New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

U.S. State Right-to-Know Regulations

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPA	
HMIS	
Chronic H	lazard Star Legend

Health hazards 2 Health hazards 2 *

ds 2 Flammability 0 ds 2 * Flammability 0 * = Chronic Health Hazard Instability 0 Physical hazards 0 Special hazards - Personal protection X

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

SVHC: Substances of Very High Concern for Authorization: PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances STOT: Specific Target Organ Toxicity ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration LD50: 50% Lethal Dose Legend Section 8: Exposure controls/personal protection TWA (time-weighted average) STEL (Short Term Exposure Limit) TWA STEL Ceiling Maximum limit value Sk* Skin designation Sensitizers + Key literature references and sources for data used to compile the SDS Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) Environmental Protection Agency Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) National Institute of Technology and Evaluation (NITE) Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) U.S. National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization 24-Apr-2025 **Revision date Revision Note**

No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet