



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 06-Feb-2026

Revision Number 1.01

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Safety data sheet number FG-838B

Product Name Inhibit X

### Other means of identification

EC No. (Index No.) 265-068-8  
(649-276-00-X)

CAS No. 64741-66-8

Unique Formula Identifier (UFI) XY40-P0QH-N00Y-EFMR

Pure substance/mixture Mixture

Contains Naphtha, petroleum, light alkylate; 2,2,4-Trimethylpentane

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Release Agent

### Uses advised against

### 1.3. Details of the supplier of the safety data sheet

#### Supplier

Smooth-On Inc, 5600 Lower Macungie Rd, Macungie, PA 18062, USA, Phone: +01.610.252.5800, www.smooth-on.com, sds@smooth-on.com

For further information, please contact

E-mail address sds@smooth-on.com

### 1.4. Emergency telephone number

Emergency Telephone CHEMTEL +01-813-248-0585

Emergency Telephone - §45 - (EC)1272/2008	
Europe	112
Austria	01 406 43 43
Belgium	070 245 245
Bulgaria	+359 9154 233
Croatia	+385 1 2348 342
Cyprus	1401
Czech Republic	224 91 92 93 22191 54 02
Denmark	+45 8212 1212
Estonia	16662
Finland	Maksuton Puhelu: 0800 147 111

	Normihinta: +358 9 471 977
France	+33 01 45 42 59 59
Germany	112
Greece	(0030) 2107793777
Hungary	+36 80 201 199
Iceland	+354 543 2222
Ireland	01 837 9964 01 809 2566
Italy	06 3054 343 10 Italian Poison Centres: Rome +39 06-68593726 / +30 06-49978000 / +39 06-3054343, Foggia +39 800183459, Naples +39 081-5453333, Firenze +39 055-7947819, Pavia +39 0382-24444, Milan +39 02-66101029, Bergamo +39 80088300, Verona +39 800011858
Latvia	+370 (5) 2362052
Liechtenstein	01 406 43 43
Lithuania	+370 5 236 20 52 +370 687 533 78
Luxembourg	(+352) 8002 5500
Netherlands	+31 (0) 88 755 8000
Norway	22 59 13 00
Poland	+48 22 619 66 54
Portugal	+351 800 250 250
Romania	+40 21 599 2300
Slovakia	+421 2 5477 4166
Spain	+34 91 562 04 20
Sweden	112
Switzerland	145
United Kingdom	0344 892 0111

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids	Category 2 - (H225)
Skin corrosion/irritation	Category 2 - (H315)
Specific target organ toxicity (single exposure)	Category 3 - (H336)
Category 3 Narcotic effects	
Aspiration hazard	Category 1 - (H304)
Hazardous to the aquatic environment - acute	Category 1 - (H400)
Hazardous to the aquatic environment - chronic	Category 1 - (H410)

### 2.2. Label elements

Contains Naphtha, petroleum, light alkylate; 2,2,4-Trimethylpentane



#### Signal word

Danger

#### Hazard statements

H225 - Highly flammable liquid and vapor.  
 H304 - May be fatal if swallowed and enters airways.  
 H315 - Causes skin irritation.  
 H336 - May cause drowsiness or dizziness.  
 H410 - Very toxic to aquatic life with long lasting effects.

**Precautionary Statements - EU (§28, 1272/2008)**

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 P273 - Avoid release to the environment.  
 P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor.  
 P331 - Do NOT induce vomiting.  
 P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.  
 P391 - Collect spillage.  
 P102 - Keep out of reach of children.  
 P260 - Do not breathe dust, fume, gas, mist, vapors and spray.  
 P262 - Do not get in eyes, on skin, or on clothing.

**Additional information**

This product requires tactile warnings if supplied to the general public. This product requires child resistant fastenings when supplied to the general public unless the product is placed on the market in the form of aerosols or in a container with a sealed spray attachment. Restricted to professional users.

**2.3. Other hazards**

May be harmful if swallowed.

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors.

**SECTION 3: Composition/information on ingredients**

**3.1. Substances**

Not applicable

**3.2. Mixtures**

Hazardous

Chemical name	Weight-%	REACH registration number	EC No. (Index No.)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)	Notes
Naphtha, petroleum, light alkylate 64741-66-8	80-100	01-21194713 05-42-0012	265-068-8 (649-276-00-X)	Asp. Tox. 1 (H304) Muta. 1B (H340) Carc. 1B (H350)	-	-	-	P
2,2,4-Trimethylpentane 540-84-1	80-100	No data available	208-759-1 (601-009-00-8)	Flam. Liq. 2 (H225) Asp. Tox. 1 (H304) Skin Irrit. 2 (H315) STOT SE 3 (H336) Aquatic Acute	-	-	-	C

				1 (H400) Aquatic Chronic 1 (H410)				
--	--	--	--	--	--	--	--	--

**CLP Notes:**

*Note C - Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.*

*Note P - The harmonized classification as a carcinogen or mutagen applies unless it can be shown that the substance contains less than 0.1 % w/w benzene (Einecs No 200-753-7), in which case a classification in accordance with Title II of this Regulation shall be performed also for those hazard classes. Where the substance is not classified as a carcinogen or mutagen, at least the precautionary statements (P102-)P260-P262-P301 + P310-P331 shall apply.*

**Full text of H- and EUH-phrases: see section 16****Acute Toxicity Estimate**

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapor - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Naphtha, petroleum, light alkylate 64741-66-8	7000	2002	No data available	No data available	No data available
2,2,4-Trimethylpentane 540-84-1	5000	2002	33.5535	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No. 1907/2006 (REACH), Article 59).

**SECTION 4: First aid measures****4.1. Description of first aid measures**

<b>General advice</b>	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
<b>Inhalation</b>	Remove to fresh air. Aspiration into lungs can produce severe lung damage. If breathing has stopped, give artificial respiration. Get medical attention immediately. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention if irritation develops and persists.
<b>Ingestion</b>	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Get immediate medical attention.
<b>Self-protection of the first aider</b>	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid direct

contact with skin. Use barrier to give mouth-to-mouth resuscitation. Avoid contact with skin, eyes or clothing.

#### **4.2. Most important symptoms and effects, both acute and delayed**

<b>Symptoms</b>	Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.
<b>Effects of Exposure</b>	No information available.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

<b>Note to physicians</b>	Because of the danger of aspiration, emesis or gastric lavage should not be employed unless the risk is justified by the presence of additional toxic substances.
---------------------------	---

### **SECTION 5: Firefighting measures**

#### **5.1. Extinguishing media**

<b>Suitable Extinguishing Media</b>	Dry chemical. Carbon dioxide (CO <sub>2</sub> ). Water spray. Alcohol resistant foam.
<b>Large Fire</b>	CAUTION: Use of water spray when fighting fire may be inefficient.
<b>Unsuitable extinguishing media</b>	Do not scatter spilled material with high pressure water streams.

#### **5.2. Special hazards arising from the substance or mixture**

<b>Specific hazards arising from the chemical</b>	Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
---	---

#### **5.3. Advice for firefighters**

<b>Special protective equipment and precautions for fire-fighters</b>	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
---	--

### **SECTION 6: Accidental release measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

##### **6.1.1- Recommendations for those who intervene directly**

No information available.

##### **6.1.2.- Recommendations for those who do not intervene directly**

No information available.

<b>Personal precautions</b>	Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.
<b>Other information</b>	Ventilate the area. Refer to protective measures listed in Sections 7 and 8.
<b>For emergency responders</b>	Use personal protection recommended in Section 8.

## **6.2. Environmental precautions**

**Environmental precautions** Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

## **6.3. Methods and material for containment and cleaning up**

**Methods for containment** Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

**Methods for cleaning up** Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

## **6.4. Reference to other sections**

**Reference to other sections** See section 8 for more information. See section 13 for more information.

# **SECTION 7: Handling and storage**

## **7.1. Precautions for safe handling**

**Advice on safe handling** Use personal protection equipment. Avoid breathing vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. In case of insufficient ventilation, wear suitable respiratory equipment.

**General hygiene considerations** Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection.

## **7.2. Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store locked up. Keep out of the reach of children. Store away from other materials.

**Storage class (TRGS 510)** Storage class 3.

## **7.3. Specific end use(s)**

**Risk Management Methods (RMM)** The information required is contained in this Safety Data Sheet.

# **SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters****Exposure Limits**

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
2,2,4-Trimethylpentane 540-84-1	-	TWA-TMW: 300 ppm; TWA-TMW: 1400 mg/m <sup>3</sup> ; STEL-KZGW: 1200 ppm (4 X 15 min); STEL-KZGW: 5600 mg/m <sup>3</sup> (4 X 15 min);	-	-	-
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
2,2,4-Trimethylpentane 540-84-1	-	-	-	TWA: 200 ppm; TWA: 900 mg/m <sup>3</sup> ; STEL: 300 ppm; STEL: 1400 mg/m <sup>3</sup> ;	TWA: 300 ppm; TWA: 1400 mg/m <sup>3</sup> ; STEL: 380 ppm; STEL: 1800 mg/m <sup>3</sup> ;
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
2,2,4-Trimethylpentane 540-84-1	TWA-VME: 1000 mg/m <sup>3</sup> ; vapor STEL-VLCT: 1500 mg/m <sup>3</sup> ; vapor	-	-	-	TWA-AK: 2350 mg/m <sup>3</sup> ; TWA-AK: 500 ppm;
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
2,2,4-Trimethylpentane 540-84-1	-	-	TWA: 300 ppm; TWA: 1401 mg/m <sup>3</sup> ;	TWA: 100 mg/m <sup>3</sup> ; STEL: 300 mg/m <sup>3</sup> ;	TWA-IPRD: 200 ppm; TWA-IPRD: 900 mg/m <sup>3</sup> ; STEL-TPRD: 300 ppm; STEL-TPRD: 1400 mg/m <sup>3</sup> ;
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
2,2,4-Trimethylpentane 540-84-1	-	-	-	TWA: 40 ppm; TWA: 275 mg/m <sup>3</sup> ; STEL: 60 ppm (higher than Decane;value calculated); STEL: 343.75 mg/m <sup>3</sup> (higher than Decane;value calculated);	-
Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
2,2,4-Trimethylpentane 540-84-1	TWA (VLE-MP): 300 ppm;	TWA: 700 mg/m <sup>3</sup> ; STEL: 1000 mg/m <sup>3</sup> ;	TWA: 200 ppm; TWA: 900 mg/m <sup>3</sup> ;	TWA: 500 ppm; TWA: 2400 mg/m <sup>3</sup> ; STEL: 1000 ppm; STEL: 4800 mg/m <sup>3</sup> ;	TWA-(VLA-ED): 300 ppm; TWA-(VLA-ED): 1420 mg/m <sup>3</sup> ;
Chemical name	Sweden		Switzerland		United Kingdom
2,2,4-Trimethylpentane 540-84-1	TLV-NGV: 200 ppm; TLV-NGV: 900 mg/m <sup>3</sup> ; TLV-NGV: 350 mg/m <sup>3</sup> ; vapor STEL (Vägledande KGV): 300 ppm; STEL (Vägledande KGV): 1400 mg/m <sup>3</sup> ; STEL (Vägledande KGV): 500 mg/m <sup>3</sup> ;		TWA-MAK: 100 ppm; TWA-MAK: 470 mg/m <sup>3</sup> ; STEL-KZGW: 200 ppm; STEL-KZGW: 940 mg/m <sup>3</sup> ;		-

**Biological occupational exposure limits** This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

#### Derived No Effect Level (DNEL) - Workers

Chemical name	Oral	Dermal	Inhalation
2,2,4-Trimethylpentane 540-84-1	-	773 mg/kg bw/day [4] [6]	2035 mg/m <sup>3</sup> [4] [6]

#### Notes

[4] Systemic health effects.  
[6] Long term.

#### Derived No Effect Level (DNEL) - General Public

Chemical name	Oral	Dermal	Inhalation
2,2,4-Trimethylpentane 540-84-1	699 mg/kg bw/day [4] [6]	-	608 mg/m <sup>3</sup> [4] [6]

#### Notes

[4] Systemic health effects.  
[6] Long term.

**Predicted No Effect Concentration (PNEC)** No information available.

### 8.2. Exposure controls

**Engineering controls** No information available.

#### Personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles). Tight sealing safety goggles.

**Hand protection** Wear suitable gloves.

**Skin and body protection** Wear suitable protective clothing. Long sleeved clothing. Antistatic boots. Chemical resistant apron. Wear fire/flame resistant/retardant clothing.

**Respiratory protection** Use appropriate respiratory protection.

**General hygiene considerations** Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection.

**Environmental exposure controls** No information available.

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

<b>Physical state</b>	Liquid
<b>Appearance</b>	Liquid
<b>Color</b>	clear
<b>Odor</b>	Mild petroleum / solvent.
<b>Odor threshold</b>	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
<b>Melting point / freezing point</b>	No data available	None known
<b>Initial boiling point and boiling range</b>	98 - 104 °C	None known
<b>Flammability</b>	No data available	None known
<b>Flammability Limit in Air</b>		None known
<b>Upper flammability or explosive limits</b>	0.9/6.3 (approximate)	
<b>Lower flammability or explosive limits</b>	0.9/6.3 (approximate)	
<b>Flash point</b>	> -8 °C	None known
<b>Autoignition temperature</b>	No data available	None known
<b>Decomposition temperature</b>		None known
<b>pH</b>	No data available	None known
<b>pH (as aqueous solution)</b>	No data available	None known
<b>Kinematic viscosity</b>	No data available	None known
<b>Dynamic viscosity</b>	<100 Centipoise	None known
<b>Water solubility</b>	No data available	None known
<b>Solubility(ies)</b>	No data available	None known
<b>Partition coefficient</b>	No data available	None known
<b>Vapor pressure</b>	No data available	None known
<b>Relative density</b>	0.8	None known
<b>Bulk density</b>	No data available	
<b>Liquid Density</b>	No data available	
<b>Relative vapor density</b>	4	None known
<b>Particle characteristics</b>		
<b>Particle Size</b>	No information available	
<b>Particle Size Distribution</b>	No information available	

**9.2. Other information**

**9.2.1. Information with regard to physical hazard classes**

Not applicable

**9.2.2. Other safety characteristics**

No information available ~ 3.8

**SECTION 10: Stability and reactivity**

**10.1. Reactivity**

**Reactivity** No information available.

**10.2. Chemical stability**

**Stability** Stable under normal conditions.

**Explosion data**

**Sensitivity to mechanical impact** None.  
**Sensitivity to static discharge** Yes.

**10.3. Possibility of hazardous reactions**

**Possibility of hazardous reactions** None under normal processing.

**10.4. Conditions to avoid**

**Conditions to avoid** Heat, flames and sparks.

**10.5. Incompatible materials**

**Incompatible materials** Strong acids. Strong bases. Strong oxidizing agents.

**10.6. Hazardous decomposition products**

**Hazardous decomposition products** None known based on information supplied.

**SECTION 11: Toxicological information**

**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Information on likely routes of exposure**

**Product Information**

<b>Inhalation</b>	Specific test data for the substance or mixture is not available. Aspiration into lungs can produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be fatal. May cause irritation of respiratory tract. May cause drowsiness or dizziness.
<b>Eye contact</b>	Specific test data for the substance or mixture is not available. May cause irritation.
<b>Skin contact</b>	Repeated exposure may cause skin dryness or cracking. Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components).
<b>Ingestion</b>	Specific test data for the substance or mixture is not available. Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

**Symptoms related to the physical, chemical and toxicological characteristics**

**Symptoms** Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Redness. May cause redness and tearing of the eyes. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

**Acute toxicity**

**Numerical measures of toxicity**

The following ATE values have been calculated for the mixture

ATEmix (oral) 3,292.30 mg/kg

**Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Naphtha, petroleum, light alkylate	> 7000 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	> 6.31 mg/L ( Rat ) 4 h
2,2,4-Trimethylpentane	> 5000 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	> 33.52 mg/L ( Rat ) 4 h

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Skin corrosion/irritation** Classification based on data available for ingredients. Causes skin irritation.

**Serious eye damage/eye irritation** No information available.

**Respiratory or skin sensitization** No information available.

**Germ cell mutagenicity** No information available.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as mutagenic.

Chemical name	European Union
Naphtha, petroleum, light alkylate	Muta. 1B

**Carcinogenicity** No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union
Naphtha, petroleum, light alkylate	Carc. 1B

**Reproductive toxicity** No information available.

**STOT - single exposure** May cause drowsiness or dizziness.

**STOT - repeated exposure** No information available.

**Aspiration hazard** May be fatal if swallowed and enters airways.

## 11.2. Information on other hazards

### 11.2.1. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

### 11.2.2. Other information

**Other adverse effects** No information available.

## **SECTION 12: Ecological information**

### 12.1. Toxicity

**Ecotoxicity** Very toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Naphtha, petroleum, light alkylate	EC50: =30000mg/L (72h, Pseudokirchneriella subcapitata)	-	-	LC50: =2mg/L (48h, Mysidopsis bahia)
2,2,4-Trimethylpentane	-	-	-	EC50: =0.02856mg/L (48h, Daphnia magna)

**12.2. Persistence and degradability**

**Persistence and degradability** No information available.

**12.3. Bioaccumulative potential**

**Bioaccumulation** There is no data for this product.

**12.4. Mobility in soil**

**Mobility in soil** No information available.

**12.5. Results of PBT and vPvB assessment**

**PBT and vPvB assessment** The product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

Chemical name	PBT and vPvB assessment
Naphtha, petroleum, light alkylate	Not PBT/vPvB
2,2,4-Trimethylpentane	Not PBT/vPvB

**12.6. Endocrine disrupting properties**

**Endocrine disrupting properties** No information available.

**12.7. Other adverse effects**

No information available.

**SECTION 13: Disposal considerations**

**13.1. Waste treatment methods**

**Waste from residues/unused products** Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

**SECTION 14: Transport information**

**IATA**

- 14.1 UN number or ID number UN1866
- 14.2 UN proper shipping name Resin Solution
- 14.3 Transport hazard class(es) 3
- 14.4 Packing group II
- 14.5 Environmental hazards Yes
- 14.6 Special precautions for user  
Special Provisions None

**IMDG**

- 14.1 UN number or ID number UN1866
- 14.2 UN proper shipping name Resin Solution
- 14.3 Transport hazard class(es) 3
- 14.4 Packing group II
- 14.5 Environmental hazards Yes

**14.6 Special precautions for user****Special Provisions** None**14.7 Maritime transport in bulk according to IMO instruments** No information available**RID****14.1 UN number or ID number** UN1866**14.2 UN proper shipping name** Resin Solution**14.3 Transport hazard class(es)** 3**14.4 Packing group** II**14.5 Environmental hazards** Yes**14.6 Special precautions for user**  
**Special Provisions** None**ADR****14.1 UN number or ID number** UN1866**14.2 UN proper shipping name** Resin Solution**14.3 Transport hazard class(es)** 3**14.4 Packing group** II**14.5 Environmental hazards** Yes**14.6 Special precautions for user**  
**Special Provisions** None**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations****Germany****Water hazard class (WGK)** strongly hazardous to water (WGK 3)**European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

**Authorizations and/or restrictions on use:**

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorization per REACH Annex XIV
Naphtha, petroleum, light alkylate - 64741-66-8	28	-
	29	
	75	
2,2,4-Trimethylpentane - 540-84-1	75	-

**Persistent Organic Pollutants**

Not applicable

**Dangerous substance category per Seveso Directive (2012/18/EU)**

P5a - FLAMMABLE LIQUIDS

P5b - FLAMMABLE LIQUIDS

P5c - FLAMMABLE LIQUIDS

E1 - Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1

**Named dangerous substances per Seveso Directive (2012/18/EU)**

Chemical name	Lower-tier requirements (tons)	Upper-tier requirements (tons)
Naphtha, petroleum, light alkylate - 64741-66-8	-	25000

**Ozone-depleting substances (ODS) Regulation (EU) 2024/590**

Not applicable

**International Inventories**

<b>TSCA</b>	Contact supplier for inventory compliance status
<b>DSL/NDSL</b>	Contact supplier for inventory compliance status
<b>EINECS/ELINCS</b>	Contact supplier for inventory compliance status
<b>ENCS</b>	Contact supplier for inventory compliance status
<b>IECSC</b>	Contact supplier for inventory compliance status
<b>KECL</b>	Contact supplier for inventory compliance status
<b>PICCS</b>	Contact supplier for inventory compliance status
<b>AIIC</b>	Contact supplier for inventory compliance status
<b>NZIoC</b>	Contact supplier for inventory compliance status

**Legend:**

- TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing Chemicals Inventory  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**AIIC** - Australian Inventory of Industrial Chemicals  
**NZIoC** - New Zealand Inventory of Chemicals

**15.2. Chemical safety assessment****Chemical Safety Report** No information available**SECTION 16: Other information****Key or legend to abbreviations and acronyms used in the safety data sheet****Full text of any hazard and/or precautionary statements referred to under Sections 2-15**

- H225 - Highly flammable liquid and vapor  
H304 - May be fatal if swallowed and enters airways  
H315 - Causes skin irritation  
H336 - May cause drowsiness or dizziness  
H340 - May cause genetic defects  
H350 - May cause cancer  
H400 - Very toxic to aquatic life  
H410 - Very toxic to aquatic life with long lasting effects

**Legend**

- SVHC: Substances of Very High Concern for Authorization:  
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances  
vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances  
STOT: Specific Target Organ Toxicity

ATE: Acute Toxicity Estimate  
 LC50: 50% Lethal Concentration  
 LD50: 50% Lethal Dose

**Legend Section 8: Exposure controls/personal protection**

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)  
 Ceiling Maximum limit value Sk\* Skin designation  
 + Sensitizers

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapor	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitization	Calculation method
Skin sensitization	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Chronic aquatic toxicity	Calculation method
Acute aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

**Key literature references and sources for data used to compile the SDS**

U.S. Agency for Toxic Substances and Disease Registry (ATSDR)  
 U.S. Environmental Protection Agency ChemView Database  
 European Food Safety Authority (EFSA)  
 European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA\_RAC)  
 European Chemicals Agency (ECHA) (ECHA\_API)  
 U.S. Environmental Protection Agency  
 Acute Exposure Guideline Level(s) (AEGl(s))  
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
 U.S. Environmental Protection Agency High Production Volume Chemicals  
 Food Research Journal  
 Hazardous Substance Database  
 International Uniform Chemical Information Database (IUCLID)  
 Japan National Institute of Technology and Evaluation (NITE)  
 Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
 NIOSH (National Institute for Occupational Safety and Health)  
 National Library of Medicine's ChemID Plus (NLM CIP)  
 National Library of Medicine's PubMed database (NLM PUBMED)  
 U.S. National Toxicology Program (NTP)  
 New Zealand's Chemical Classification and Information Database (CCID)  
 International Organization for Economic Co-operation and Development (OECD) Environment, Health, and Safety Publications  
 International Organization for Economic Co-operation and Development (OECD) High Production Volume Chemicals Program  
 International Organization for Economic Co-operation and Development (OECD) Screening Information Data Set  
 United Nations World Health Organization (WHO)

Revision date 06-Feb-2026

**Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)  
 Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**