

TEST FACILITY

**MB Research Laboratories
1765 Wentz Rd.
P.O. Box 178
Spinnerstown, PA 18968
(215) 536-4110**

CLIENT

**Smooth-On, Inc.
5600 Lower Macungie Rd.
Macungie, PA 18062**

Test Report No: MB 16-24539.19	Date: August 25, 2016
---------------------------------------	------------------------------

SAMPLE ID: The client identified the following test material as “**Silc Pig Flesh**”

SAMPLING DETAIL: Test samples were submitted to the laboratory directly by the client. No special sampling conditions or sample preparation were observed by MB Research Laboratories.

DATE OF RECEIPT: Samples were received at MB Research Laboratories facilities on June 3, 2016.

PROTOCOL: 713-02

TEST REQUESTED: Evaluate for the potential to elicit delayed dermal contact sensitization. This study was conducted based on the requirements of OECD TG 439, in accordance with the EU classification R38 and GHS category 2 requirements: Tests for irritation and skin sensitization.

TEST RESULTS: The test article showed no evidence of causing dermal contact sensitization and was classified as a non-irritant.

PERFORMED BY: Matthew Troese, Ph. D., Study Director

Prepared For:

**Rodney Conn
EHS Director
Smooth-On, Inc.**