

**TEST FACILITY**

---

**MB Research Laboratories  
1765 Wentz Rd.  
P.O. Box 178  
Spinnerstown, PA 18968  
(215) 536-4110**

**CLIENT**

---

**Smooth-On, Inc.  
5600 Lower Macungie Rd.  
Macungie, PA 18062**

---

<b>Test Report No: MB 16-24539.19</b>	<b>Date: August 25, 2016</b>
---------------------------------------	------------------------------

**SAMPLE ID:** The client identified the following test material as “**Silc Pig Flesh**”

**SAMPLING DETAIL:** Test samples were submitted to the laboratory directly by the client. No special sampling conditions or sample preparation were observed by MB Research Laboratories.

**DATE OF RECEIPT:** Samples were received at MB Research Laboratories facilities on June 3, 2016.

**PROTOCOL:** 713-02

**TEST REQUESTED:** Evaluate for the potential to elicit delayed dermal contact sensitization. This study was conducted based on the requirements of OECD TG 439, in accordance with the EU classification R38 and GHS category 2 requirements: Tests for irritation and skin sensitization.

**TEST RESULTS:** The test article showed no evidence of causing dermal contact sensitization and was classified as a non-irritant.

**PERFORMED BY:** Matthew Troese, Ph. D., Study Director

**Prepared For:**

**Rodney Conn  
EHS Director  
Smooth-On, Inc.**

**TEST FACILITY**

---

**Consumer Product Testing Company**  
70 New Dutch Lane  
Fairfield, NJ 07004-2514  
(973) 808-7111

**CLIENT**

---

**Smooth-On, Inc.**  
5600 Lower Macungie Rd.  
Macungie, PA 18062

---

<b>Test Report No: V20-5897-2</b>	<b>Date: December 1, 2020</b>
-----------------------------------	-------------------------------

**SAMPLE ID:** The client identified the following test material as “**Silc Pig Medium Flesh Tone**”

**SAMPLING DETAIL:** Test samples were submitted to the laboratory directly by the client. No special sampling conditions or sample preparation were observed by Consumer Product Testing Company.

**TEST INTERVAL:** November 11, 2020 – November 13, 2020

**PROTOCOL:** The MatTek Corporation *In Vitro* EpiDerm™ Skin Irritation Test (EPI-200-SIT)

**TEST REQUESTED:** To predict skin irritation potential of neat test substances in the context of identification and classification of skin irritation hazard according to the EU classification system. The Modified EpiDerm SIT allows discrimination between irritants of category 2 and non-irritants. The protocol used is in compliance with OECD 439 (Adopted 18 June 2019).

**TEST RESULTS:** The test article showed no evidence of causing dermal contact sensitization and was classified as a non-irritant.

**PERFORMED BY:** Steven Nitka, B.S., Vice President, Laboratory Director (Study Director)

**Prepared For:**

**Tim Boyer**  
Technical Director  
Smooth-On, Inc.

**TEST FACILITY**

---

**Consumer Product Testing Company**  
70 New Dutch Lane  
Fairfield, NJ 07004-2514  
(973) 808-7111

**CLIENT**

---

**Smooth-On, Inc.**  
5600 Lower Macungie Rd.  
Macungie, PA 18062

---

<b>Test Report No: V20-5897-3</b>	<b>Date: December 1, 2020</b>
-----------------------------------	-------------------------------

**SAMPLE ID:** The client identified the following test material as “**Silc Pig Dark Flesh Tone**”

**SAMPLING DETAIL:** Test samples were submitted to the laboratory directly by the client. No special sampling conditions or sample preparation were observed by Consumer Product Testing Company.

**TEST INTERVAL:** November 11, 2020 – November 13, 2020

**PROTOCOL:** The MatTek Corporation *In Vitro* EpiDerm™ Skin Irritation Test (EPI-200-SIT)

**TEST REQUESTED:** To predict skin irritation potential of neat test substances in the context of identification and classification of skin irritation hazard according to the EU classification system. The Modified EpiDerm SIT allows discrimination between irritants of category 2 and non-irritants. The protocol used is in compliance with OECD 439 (Adopted 18 June 2019).

**TEST RESULTS:** The test article showed no evidence of causing dermal contact sensitization and was classified as a non-irritant.

**PERFORMED BY:** Steven Nitka, B.S., Vice President, Laboratory Director (Study Director)

**Prepared For:**

**Tim Boyer**  
Technical Director  
Smooth-On, Inc.

**TEST FACILITY**

---

**Consumer Product Testing Company  
70 New Dutch Lane  
Fairfield, NJ 07004-2514  
(973) 808-7111**

**CLIENT**

---

**Smooth-On, Inc.  
5600 Lower Macungie Rd.  
Macungie, PA 18062**

---

<b>Test Report No: V21-5962.04</b>	<b>Date: October 18, 2021</b>
------------------------------------	-------------------------------

**SAMPLE ID:** The client identified the following test material as “**Silc Pig Black**”

**SAMPLING DETAIL:** Test samples were submitted to the laboratory directly by the client. No special sampling conditions or sample preparation were observed by Consumer Product Testing Company.

**TEST INTERVAL:** October 13, 2021 – October 15, 2021

**PROTOCOL:** The MatTek Corporation *In Vitro* EpiDerm™ Skin Irritation Test (EPI-200-SIT)

**TEST REQUESTED:** To predict skin irritation potential of neat test substances in the context of identification and classification of skin irritation hazard according to the EU classification system. The Modified EpiDerm SIT allows discrimination between irritants of category 2 and non-irritants. The protocol used is in compliance with OECD 439 (Adopted 18 June 2019).

**TEST RESULTS:** The test article showed no evidence of causing dermal contact sensitization and was classified as a non-irritant.

**PERFORMED BY:** Steven Nitka, B.S., Vice President/Laboratory Director (Study Director)

**Prepared For:**

**Tim Boyer  
Technical Director  
Smooth-On, Inc.**

**TEST FACILITY**

---

**Consumer Product Testing Company**  
**70 New Dutch Lane**  
**Fairfield, NJ 07004-2514**  
**(973) 808-7111**

**CLIENT**

---

**Smooth-On, Inc.**  
**5600 Lower Macungie Rd.**  
**Macungie, PA 18062**

---

<b>Test Report No: V22-4711.02</b>	<b>Date: October 13, 2022</b>
------------------------------------	-------------------------------

**SAMPLE ID:** The client identified the following test material as “**Silc Pig Blood**”

**SAMPLING DETAIL:** Test samples were submitted to the laboratory directly by the client. No special sampling conditions or sample preparation were observed by Consumer Product Testing Company.

**TEST INTERVAL:** October 5, 2022 – October 7, 2022

**PROTOCOL:** The MatTek Corporation *In Vitro* EpiDerm™ Skin Irritation Test (EPI-200-SIT)

**TEST REQUESTED:** To predict skin irritation potential of neat test substances in the context of identification and classification of skin irritation hazard according to the EU classification system. The Modified EpiDerm SIT allows discrimination between irritants of category 2 and non-irritants. The protocol used is in compliance with OECD 439 (Adopted 18 June 2019).

**TEST RESULTS:** The test article showed no evidence of causing dermal contact sensitization and was classified as a non-irritant.

**PERFORMED BY:** Steven Nitka, B.S., Vice President/Laboratory Director (Study Director)

**Prepared For:**

**Tim Boyer**  
**Technical Director**  
**Smooth-On, Inc.**

**TEST FACILITY**

---

**Consumer Product Testing Company**  
**70 New Dutch Lane**  
**Fairfield, NJ 07004-2514**  
**(973) 808-7111**

**CLIENT**

---

**Smooth-On, Inc.**  
**5600 Lower Macungie Rd.**  
**Macungie, PA 18062**

---

<b>Test Report No: V22-3775.02</b>	<b>Date: August 9, 2022</b>
------------------------------------	-----------------------------

**SAMPLE ID:** The client identified the following test material as “**Silc Pig Blue**”

**SAMPLING DETAIL:** Test samples were submitted to the laboratory directly by the client. No special sampling conditions or sample preparation were observed by Consumer Product Testing Company.

**TEST INTERVAL:** August 3, 2022 - August 5, 2022

**PROTOCOL:** The MatTek Corporation *In Vitro* EpiDerm™ Skin Irritation Test (EPI-200-SIT)

**TEST REQUESTED:** To predict skin irritation potential of neat test substances in the context of identification and classification of skin irritation hazard according to the EU classification system. The Modified EpiDerm SIT allows discrimination between irritants of category 2 and non-irritants. The protocol used is in compliance with OECD 439 (Adopted 18 June 2019).

**TEST RESULTS:** The test article showed no evidence of causing dermal contact sensitization and was classified as a non-irritant.

**PERFORMED BY:** Steven Nitka, B.S., Vice President/Laboratory Director (Study Director)

**Prepared For:**

**Tim Boyer**  
**Technical Director**  
**Smooth-On, Inc.**

**TEST FACILITY**

---

**Consumer Product Testing Company**  
**70 New Dutch Lane**  
**Fairfield, NJ 07004-2514**  
**(973) 808-7111**

**CLIENT**

---

**Smooth-On, Inc.**  
**5600 Lower Macungie Rd.**  
**Macungie, PA 18062**

---

<b>Test Report No: V22-4711.07</b>	<b>Date: October 13, 2022</b>
------------------------------------	-------------------------------

**SAMPLE ID:** The client identified the following test material as “**Silc Pig Brown**”

**SAMPLING DETAIL:** Test samples were submitted to the laboratory directly by the client. No special sampling conditions or sample preparation were observed by Consumer Product Testing Company.

**TEST INTERVAL:** October 5, 2022 – October 7, 2022

**PROTOCOL:** The MatTek Corporation *In Vitro* EpiDerm™ Skin Irritation Test (EPI-200-SIT)

**TEST REQUESTED:** To predict skin irritation potential of neat test substances in the context of identification and classification of skin irritation hazard according to the EU classification system. The Modified EpiDerm SIT allows discrimination between irritants of category 2 and non-irritants. The protocol used is in compliance with OECD 439 (Adopted 18 June 2019).

**TEST RESULTS:** The test article showed no evidence of causing dermal contact sensitization and was classified as a non-irritant.

**PERFORMED BY:** Steven Nitka, B.S., Vice President/Laboratory Director (Study Director)

**Prepared For:**

**Tim Boyer**  
**Technical Director**  
**Smooth-On, Inc.**

**TEST FACILITY**

---

**Consumer Product Testing Company**  
**70 New Dutch Lane**  
**Fairfield, NJ 07004-2514**  
**(973) 808-7111**

**CLIENT**

---

**Smooth-On, Inc.**  
**5600 Lower Macungie Rd.**  
**Macungie, PA 18062**

---

<b>Test Report No: V22-4711.03</b>	<b>Date: October 13, 2022</b>
------------------------------------	-------------------------------

**SAMPLE ID:** The client identified the following test material as “**Silc Pig Cyan**”

**SAMPLING DETAIL:** Test samples were submitted to the laboratory directly by the client. No special sampling conditions or sample preparation were observed by Consumer Product Testing Company.

**TEST INTERVAL:** October 5, 2022 – October 7, 2022

**PROTOCOL:** The MatTek Corporation *In Vitro* EpiDerm™ Skin Irritation Test (EPI-200-SIT)

**TEST REQUESTED:** To predict skin irritation potential of neat test substances in the context of identification and classification of skin irritation hazard according to the EU classification system. The Modified EpiDerm SIT allows discrimination between irritants of category 2 and non-irritants. The protocol used is in compliance with OECD 439 (Adopted 18 June 2019).

**TEST RESULTS:** The test article showed no evidence of causing dermal contact sensitization and was classified as a non-irritant.

**PERFORMED BY:** Steven Nitka, B.S., Vice President/Laboratory Director (Study Director)

**Prepared For:**

**Tim Boyer**  
**Technical Director**  
**Smooth-On, Inc.**

**TEST FACILITY**

---

**Consumer Product Testing Company**  
**70 New Dutch Lane**  
**Fairfield, NJ 07004-2514**  
**(973) 808-7111**

**CLIENT**

---

**Smooth-On, Inc.**  
**5600 Lower Macungie Rd.**  
**Macungie, PA 18062**

---

<b>Test Report No: V22-4711.05</b>	<b>Date: October 13, 2022</b>
------------------------------------	-------------------------------

**SAMPLE ID:** The client identified the following test material as “**Silc Pig Green**”

**SAMPLING DETAIL:** Test samples were submitted to the laboratory directly by the client. No special sampling conditions or sample preparation were observed by Consumer Product Testing Company.

**TEST INTERVAL:** October 5, 2022 – October 7, 2022

**PROTOCOL:** The MatTek Corporation *In Vitro* EpiDerm™ Skin Irritation Test (EPI-200-SIT)

**TEST REQUESTED:** To predict skin irritation potential of neat test substances in the context of identification and classification of skin irritation hazard according to the EU classification system. The Modified EpiDerm SIT allows discrimination between irritants of category 2 and non-irritants. The protocol used is in compliance with OECD 439 (Adopted 18 June 2019).

**TEST RESULTS:** The test article showed no evidence of causing dermal contact sensitization and was classified as a non-irritant.

**PERFORMED BY:** Steven Nitka, B.S., Vice President/Laboratory Director (Study Director)

**Prepared For:**

**Tim Boyer**  
**Technical Director**  
**Smooth-On, Inc.**

**TEST FACILITY**

---

**Consumer Product Testing Company**  
**70 New Dutch Lane**  
**Fairfield, NJ 07004-2514**  
**(973) 808-7111**

**CLIENT**

---

**Smooth-On, Inc.**  
**5600 Lower Macungie Rd.**  
**Macungie, PA 18062**

---

<b>Test Report No: V22-4711.04</b>	<b>Date: October 13, 2022</b>
------------------------------------	-------------------------------

**SAMPLE ID:** The client identified the following test material as “**Silc Pig Purple**”

**SAMPLING DETAIL:** Test samples were submitted to the laboratory directly by the client. No special sampling conditions or sample preparation were observed by Consumer Product Testing Company.

**TEST INTERVAL:** October 5, 2022 – October 7, 2022

**PROTOCOL:** The MatTek Corporation *In Vitro* EpiDerm™ Skin Irritation Test (EPI-200-SIT)

**TEST REQUESTED:** To predict skin irritation potential of neat test substances in the context of identification and classification of skin irritation hazard according to the EU classification system. The Modified EpiDerm SIT allows discrimination between irritants of category 2 and non-irritants. The protocol used is in compliance with OECD 439 (Adopted 18 June 2019).

**TEST RESULTS:** The test article showed no evidence of causing dermal contact sensitization and was classified as a non-irritant.

**PERFORMED BY:** Steven Nitka, B.S., Vice President/Laboratory Director (Study Director)

**Prepared For:**

**Tim Boyer**  
**Technical Director**  
**Smooth-On, Inc.**

**TEST FACILITY**

---

**MB Research Laboratories  
1765 Wentz Rd.  
P.O. Box 178  
Spinnerstown, PA 18968  
(215) 536-4110**

**CLIENT**

---

**Smooth-On, Inc.  
5600 Lower Macungie Rd.  
Macungie, PA 18062**

---

<b>Test Report No: MB 16-24539.19</b>	<b>Date: August 25, 2016</b>
---------------------------------------	------------------------------

**SAMPLE ID:** The client identified the following test material as “Silc Pig Red”

**SAMPLING DETAIL:** Test samples were submitted to the laboratory directly by the client. No special sampling conditions or sample preparation were observed by MB Research Laboratories.

**DATE OF RECEIPT:** Samples were received at MB Research Laboratories facilities on June 3, 2016.

**PROTOCOL:** 713-02

**TEST REQUESTED:** Evaluate for the potential to elicit delayed dermal contact sensitization. This study was conducted based on the requirements of OECD TG 439, in accordance with the EU classification R38 and GHS category 2 requirements: Tests for irritation and skin sensitization.

**TEST RESULTS:** The test article showed no evidence of causing dermal contact sensitization and was classified as a non-irritant.

**PERFORMED BY:** Matthew Troese, Ph. D., Study Director

**Prepared For:**

**Rodney Conn  
EHS Director  
Smooth-On, Inc.**

**TEST FACILITY**

---

**MB Research Laboratories  
1765 Wentz Rd.  
P.O. Box 178  
Spinnerstown, PA 18968  
(215) 536-4110**

**CLIENT**

---

**Smooth-On, Inc.  
5600 Lower Macungie Rd.  
Macungie, PA 18062**

---

<b>Test Report No: MB 16-24539.19</b>	<b>Date: August 25, 2016</b>
---------------------------------------	------------------------------

**SAMPLE ID:** The client identified the following test material as “**Silc Pig White**”

**SAMPLING DETAIL:** Test samples were submitted to the laboratory directly by the client. No special sampling conditions or sample preparation were observed by MB Research Laboratories.

**DATE OF RECEIPT:** Samples were received at MB Research Laboratories facilities on June 3, 2016.

**PROTOCOL:** 713-02

**TEST REQUESTED:** Evaluate for the potential to elicit delayed dermal contact sensitization. This study was conducted based on the requirements of OECD TG 439, in accordance with the EU classification R38 and GHS category 2 requirements: Tests for irritation and skin sensitization.

**TEST RESULTS:** The test article showed no evidence of causing dermal contact sensitization and was classified as a non-irritant.

**PERFORMED BY:** Matthew Troese, Ph. D., Study Director

**Prepared For:**

**Rodney Conn  
EHS Director  
Smooth-On, Inc.**

**TEST FACILITY**

---

**Consumer Product Testing Company  
70 New Dutch Lane  
Fairfield, NJ 07004-2514  
(973) 808-7111**

**CLIENT**

---

**Smooth-On, Inc.  
5600 Lower Macungie Rd.  
Macungie, PA 18062**

---

<b>Test Report No: V22-4711.06</b>	<b>Date: October 13, 2022</b>
------------------------------------	-------------------------------

**SAMPLE ID:** The client identified the following test material as “**Silc Pig Yellow**”

**SAMPLING DETAIL:** Test samples were submitted to the laboratory directly by the client. No special sampling conditions or sample preparation were observed by Consumer Product Testing Company.

**TEST INTERVAL:** October 5, 2022 – October 7, 2022

**PROTOCOL:** The MatTek Corporation *In Vitro* EpiDerm™ Skin Irritation Test (EPI-200-SIT)

**TEST REQUESTED:** To predict skin irritation potential of neat test substances in the context of identification and classification of skin irritation hazard according to the EU classification system. The Modified EpiDerm SIT allows discrimination between irritants of category 2 and non-irritants. The protocol used is in compliance with OECD 439 (Adopted 18 June 2019).

**TEST RESULTS:** The test article showed no evidence of causing dermal contact sensitization and was classified as a non-irritant.

**PERFORMED BY:** Steven Nitka, B.S., Vice President/Laboratory Director (Study Director)

**Prepared For:**

**Tim Boyer  
Technical Director  
Smooth-On, Inc.**